

1. Record Nr.	UNINA9910131256803321
Autore	Monconduit Laure
Titolo	Electrodes for li-ion batteries . Volume 2 Materials, mechanisms and performance // Laure Monconduit, Laurence Croguennec, Remi Dedryvere
Pubbl/distr/stampa	London, England ; ; Hoboken, New Jersey : , : ISTE : , : Wiley, , 2015 ©2015
ISBN	1-119-00738-0 1-119-00737-2
Descrizione fisica	1 online resource (102 p.)
Collana	Energy Series : Energy Storage - Batteries and Supercapacitors Set
Disciplina	621.31242
Soggetti	Electric batteries - Materials Energy storage - Materials Power electronics - Materials
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Description based upon print version of record.
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	<p>""Cover""; ""Title Page""; ""Copyright""; ""Contents""; ""Acknowledgments""; ""Preface""; ""Introduction""; ""Toward efficient Li-ion batteries""; ""1: Negative Electrodes""; ""1.1. Preamble""; ""1.2. Classic materials: insertion mechanism""; ""1.2.1. Graphitic carbon""; ""1.2.1.1. Lithium intercalation mechanisms""; ""1.2.1.2. Electrode/electrolyte interface and additives""; ""1.2.2. Titanium oxides""; ""1.2.2.1. Li4Ti5O12""; ""1.2.2.2. TiO2""; ""1.2.2.3. Different crystallographic arrangements""; ""1.2.2.4. Performances and mechanisms""; ""1.2.2.5. Optimizations""</p> <p>""1.3. Toward other materials and other mechanisms""""1.3.1. Silicon""; ""1.3.1.1. Lithiation/delithiation mechanisms""; ""1.3.1.2. Nanostructured silicon""; ""1.3.1.3. Electrode formulation""; ""1.3.1.4. Aging mechanisms""; ""1.3.2. Other block p elements""; ""1.3.2.1. The alloys""; ""1.3.2.2. The conversion materials""; ""1.3.2.3. Limitations: volume changes and instability of the SEI""; ""1.3.2.4. Nanostructuring""; ""1.3.2.5. Electrode formulation""; ""1.3.2.6. Electrolyte formulation: the effect of additives""; ""1.4. Summary on negative electrodes""; ""2: Positive Electrodes""</p>

""2.1. Preamble""2.2. Layered transition metal oxides as positive electrode materials for Li-ion batteries: from LiCoO₂ to Li_{1+x}M_{1-x}O₂""; ""2.2.1. The layered oxide LiCoO₂: the starting point""; ""2.2.2. From LiNiO₂, initially explored as an alternative to LiCoO₂, to the commercialization of LiNi_{0.80}Co_{0.15}Al_{0.05}O₂ (NCA) and LiNi_{1/3}Mn_{1/3}Co_{1/3}O₂ (NMC)""; ""2.2.3. Electrode/electrolyte interfaces and aging phenomena in layered oxides""; ""2.2.4. High-capacity Li-rich layered oxides""; ""2.2.4.1. Toward unprecedented gravimetric capacities""; ""2.2.4.2. Surface phenomena and electrode/electrolyte interface stabilization""; ""2.2.4.3. Conclusion""; ""2.3. Alternatives to layered oxides""; ""2.3.1. Materials with spinel structure: from LiMn₂O₄ to LiNi_{1/2}Mn_{3/2}O₄""; ""2.3.1.1. LiMn₂O₄, a material with three-dimensional structure""; ""2.3.1.2. Dissolution of LiMn₂O₄ at the interface with the electrolyte""; ""2.3.1.3. LiNi_{0.5}Mn_{1.5}O₄: toward high potentials""; ""2.3.1.4. Improving the electrode/electrolyte interface at high potential""; ""2.3.2. The olivine phase LiFePO₄: a small revolution""; ""Conclusion""; ""Bibliography""; ""Index""
