

1. Record Nr.	UNINA9910132160403321
Autore	Kimoto Tsunenobu <1963->
Titolo	Fundamentals of silicon carbide technology : growth, characterization, devices and applications // Tsunenobu Kimoto, James A. Cooper
Pubbl/distr/stampa	Singapore : , : John Wiley & Sons Singapore Pte. Ltd., , [2014] [Piscataway, New Jersey] : , : IEEE Xplore, , [2014]
ISBN	1-118-31353-4 1-118-31354-2
Descrizione fisica	1 online resource (555 p.)
Altri autori (Persone)	CooperJames A. <1946->
Disciplina	621.3815/2
Soggetti	Silicon carbide Semiconductors Integrated circuits
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Description based upon print version of record.
Nota di bibliografia	Includes bibliographical references at the end of each chapters and index.
Nota di contenuto	About the Authors xi -- Preface xiii -- 1 Introduction 1 -- 1.1 Progress in Electronics 1 -- 1.2 Features and Brief History of Silicon Carbide 3 -- 1.2.1 Early History 3 -- 1.2.2 Innovations in SiC Crystal Growth 4 -- 1.2.3 Promise and Demonstration of SiC Power Devices 5 -- 1.3 Outline of This Book 6 -- References 6 -- 2 Physical Properties of Silicon Carbide 11 -- 2.1 Crystal Structure 11 -- 2.2 Electrical and Optical Properties 16 -- 2.2.1 Band Structure 16 -- 2.2.2 Optical Absorption Coefficient and Refractive Index 18 -- 2.2.3 Impurity Doping and Carrier Density 20 -- 2.2.4 Mobility 23 -- 2.2.5 Drift Velocity 27 -- 2.2.6 Breakdown Electric Field Strength 28 -- 2.3 Thermal and Mechanical Properties 30 -- 2.3.1 Thermal Conductivity 30 -- 2.3.2 Phonons 31 -- 2.3.3 Hardness and Mechanical Properties 32 -- 2.4 Summary 32 -- References 33 -- 3 Bulk Growth of Silicon Carbide 39 -- 3.1 Sublimation Growth 39 -- 3.1.1 Phase Diagram of Si-C 39 -- 3.1.2 Basic Phenomena Occurring during the Sublimation (Physical Vapor Transport) Method 39 -- 3.1.3 Modeling and Simulation 44 -- 3.2 Polytype Control in Sublimation Growth 46 -- 3.3 Defect Evolution and Reduction in Sublimation Growth 50 -- 3.3.1 Stacking Faults 50 -- 3.3.2 Micropipe Defects 51 -- 3.3.3 Threading Screw Dislocation 53 --

3.3.4 Threading Edge Dislocation and Basal Plane Dislocation 54 --
3.3.5 Defect Reduction 57 -- 3.4 Doping Control in Sublimation Growth
59 -- 3.4.1 Impurity Incorporation 59 -- 3.4.2 n-Type Doping 61 --
3.4.3 p-Type Doping 61 -- 3.4.4 Semi-Insulating 62 -- 3.5 High-
Temperature Chemical Vapor Deposition 64 -- 3.6 Solution Growth 66
-- 3.7 3C-SiC Wafers Grown by Chemical Vapor Deposition 67 -- 3.8
Wafering and Polishing 67 -- 3.9 Summary 69 -- References 69 -- 4
Epitaxial Growth of Silicon Carbide 75 -- 4.1 Fundamentals of SiC
Homoepitaxy 75 -- 4.1.1 Polytype Replication in SiC Epitaxy 75 --
4.1.2 Theoretical Model of SiC Homoepitaxy 78 -- 4.1.3 Growth Rate
and Modeling 83 -- 4.1.4 Surface Morphology and Step Dynamics 87.
4.1.5 Reactor Design for SiC Epitaxy 89 -- 4.2 Doping Control in SiC
CVD 90 -- 4.2.1 Background Doping 90 -- 4.2.2 n-Type Doping 91 --
4.2.3 p-Type Doping 92 -- 4.3 Defects in SiC Epitaxial Layers 93 --
4.3.1 Extended Defects 93 -- 4.3.2 Deep Levels 102 -- 4.4 Fast
Homoepitaxy of SiC 105 -- 4.5 SiC Homoepitaxy on Non-standard
Planes 107 -- 4.5.1 SiC Homoepitaxy on Nearly On-Axis {0001} 107 --
4.5.2 SiC Homoepitaxy on Non-basal Planes 108 -- 4.5.3 Embedded
Homoepitaxy of SiC 110 -- 4.6 SiC Homoepitaxy by Other Techniques
110 -- 4.7 Heteroepitaxy of 3C-SiC 111 -- 4.7.1 Heteroepitaxial
Growth of 3C-SiC on Si 111 -- 4.7.2 Heteroepitaxial Growth of 3C-SiC
on Hexagonal SiC 114 -- 4.8 Summary 114 -- References 115 -- 5
Characterization Techniques and Defects in Silicon Carbide 125 -- 5.1
Characterization Techniques 125 -- 5.1.1 Photoluminescence 126 --
5.1.2 Raman Scattering 134 -- 5.1.3 Hall Effect and Capacitance-
Voltage Measurements 136 -- 5.1.4 Carrier Lifetime Measurements
137 -- 5.1.5 Detection of Extended Defects 142 -- 5.1.6 Detection of
Point Defects 150 -- 5.2 Extended Defects in SiC 155 -- 5.2.1 Major
Extended Defects in SiC 155 -- 5.2.2 Bipolar Degradation 156 -- 5.2.3
Effects of Extended Defects on SiC Device Performance 161 -- 5.3 Point
Defects in SiC 165 -- 5.3.1 Major Deep Levels in SiC 165 -- 5.3.2
Carrier Lifetime Killer 174 -- 5.4 Summary 179 -- References 180 -- 6
Device Processing of Silicon Carbide 189 -- 6.1 Ion Implantation 189
-- 6.1.1 Selective Doping Techniques 190 -- 6.1.2 Formation of an n-
Type Region by Ion Implantation 191 -- 6.1.3 Formation of a p-Type
Region by Ion Implantation 197 -- 6.1.4 Formation of a Semi-
Insulating Region by Ion Implantation 200 -- 6.1.5 High-Temperature
Annealing and Surface Roughening 201 -- 6.1.6 Defect Formation by
Ion Implantation and Subsequent Annealing 203 -- 6.2 Etching 208 --
6.2.1 Reactive Ion Etching 208 -- 6.2.2 High-Temperature Gas Etching
211 -- 6.2.3 Wet Etching 212 -- 6.3 Oxidation and Oxide/SiC Interface
Characteristics 212.
6.3.1 Oxidation Rate 213 -- 6.3.2 Dielectric Properties of Oxides 215
-- 6.3.3 Structural and Physical Characterization of Thermal Oxides
217 -- 6.3.4 Electrical Characterization Techniques and Their
Limitations 219 -- 6.3.5 Properties of the Oxide/SiC Interface and
Their Improvement 234 -- 6.3.6 Interface Properties of Oxide/SiC on
Various Faces 241 -- 6.3.7 Mobility-Limiting Factors 244 -- 6.4
Metallization 248 -- 6.4.1 Schottky Contacts on n-Type and p-Type
SiC 249 -- 6.4.2 Ohmic Contacts to n-Type and p-Type SiC 255 -- 6.5
Summary 262 -- References 263 -- 7 Unipolar and Bipolar Power
Diodes 277 -- 7.1 Introduction to SiC Power Switching Devices 277 --
7.1.1 Blocking Voltage 277 -- 7.1.2 Unipolar Power Device Figure of
Merit 280 -- 7.1.3 Bipolar Power Device Figure of Merit 281 -- 7.2
Schottky Barrier Diodes (SBDs) 282 -- 7.3 pn and pin Junction Diodes
286 -- 7.3.1 High-Level Injection and the Ambipolar Diffusion Equation
288 -- 7.3.2 Carrier Densities in the "i" Region 290 -- 7.3.3 Potential
Drop across the "i" Region 292 -- 7.3.4 Current-Voltage Relationship

293 -- 7.4 Junction-Barrier Schottky (JBS) and Merged pin-Schottky (MPS) Diodes 296 -- References 300 -- 8 Unipolar Power Switching Devices 301 -- 8.1 Junction Field-Effect Transistors (JFETs) 301 -- 8.1.1 Pinch-Off Voltage 302 -- 8.1.2 Current-Voltage Relationship 303 -- 8.1.3 Saturation Drain Voltage 304 -- 8.1.4 Specific On-Resistance 305 -- 8.1.5 Enhancement-Mode and Depletion-Mode Operation 308 -- 8.1.6 Power JFET Implementations 311 -- 8.2 Metal-Oxide-Semiconductor Field-Effect Transistors (MOSFETs) 312 -- 8.2.1 Review of MOS Electrostatics 312 -- 8.2.2 MOS Electrostatics with Split Quasi-Fermi Levels 315 -- 8.2.3 MOSFET Current-Voltage Relationship 316 -- 8.2.4 Saturation Drain Voltage 319 -- 8.2.5 Specific On-Resistance 319 -- 8.2.6 Power MOSFET Implementations: DMOSFETs and UMOSFETs 320 -- 8.2.7 Advanced DMOSFET Designs 321 -- 8.2.8 Advanced UMOS Designs 324 -- 8.2.9 Threshold Voltage Control 326. 8.2.10 Inversion Layer Electron Mobility 329 -- 8.2.11 Oxide Reliability 339 -- 8.2.12 MOSFET Transient Response 342 -- References 350 -- 9 Bipolar Power Switching Devices 353 -- 9.1 Bipolar Junction Transistors (BJTs) 353 -- 9.1.1 Internal Currents 353 -- 9.1.2 Gain Parameters 355 -- 9.1.3 Terminal Currents 357 -- 9.1.4 Current-Voltage Relationship 359 -- 9.1.5 High-Current Effects in the Collector: Saturation and Quasi-Saturation 360 -- 9.1.6 High-Current Effects in the Base: the Rittner Effect 366 -- 9.1.7 High-Current Effects in the Collector: Second Breakdown and the Kirk Effect 368 -- 9.1.8 Common Emitter Current Gain: Temperature Dependence 370 -- 9.1.9 Common Emitter Current Gain: the Effect of Recombination 371 -- 9.1.10 Blocking Voltage 373 -- 9.2 Insulated-Gate Bipolar Transistors (IGBTs) 373 -- 9.2.1 Current-Voltage Relationship 374 -- 9.2.2 Blocking Voltage 384 -- 9.2.3 Switching Characteristics 385 -- 9.2.4 Temperature Dependence of Parameters 391 -- 9.3 Thyristors 392 -- 9.3.1 Forward Conducting Regime 393 -- 9.3.2 Forward Blocking Regime and Triggering 398 -- 9.3.3 The Turn-On Process 404 -- 9.3.4 dV/dt Triggering 406 -- 9.3.5 The di/dt Limitation 407 -- 9.3.6 The Turn-Off Process 407 -- 9.3.7 Reverse-Blocking Mode 415 -- References 415 -- 10 Optimization and Comparison of Power Devices 417 -- 10.1 Blocking Voltage and Edge Terminations for SiC Power Devices 417 -- 10.1.1 Impact Ionization and Avalanche Breakdown 418 -- 10.1.2 Two-Dimensional Field Crowding and Junction Curvature 423 -- 10.1.3 Trench Edge Terminations 424 -- 10.1.4 Beveled Edge Terminations 425 -- 10.1.5 Junction Termination Extensions (JTEs) 427 -- 10.1.6 Floating Field-Ring (FFR) Terminations 429 -- 10.1.7 Multiple-Floating-Zone (MFZ) JTE and Space-Modulated (SM) JTE 432 -- 10.2 Optimum Design of Unipolar Drift Regions 435 -- 10.2.1 Vertical Drift Regions 435 -- 10.2.2 Lateral Drift Regions 438 -- 10.3 Comparison of Device Performance 440 -- References 443 -- 11 Applications of Silicon Carbide Devices in Power Systems 445. 11.1 Introduction to Power Electronic Systems 445 -- 11.2 Basic Power Converter Circuits 446 -- 11.2.1 Line-Frequency Phase-Controlled Rectifiers and Inverters 446 -- 11.2.2 Switch-Mode DC-DC Converters 450 -- 11.2.3 Switch-Mode Inverters 453 -- 11.3 Power Electronics for Motor Drives 458 -- 11.3.1 Introduction to Electric Motors and Motor Drives 458 -- 11.3.2 DC Motor Drives 459 -- 11.3.3 Induction Motor Drives 460 -- 11.3.4 Synchronous Motor Drives 465 -- 11.3.5 Motor Drives for Hybrid and Electric Vehicles 468 -- 11.4 Power Electronics for Renewable Energy 471 -- 11.4.1 Inverters for Photovoltaic Power Sources 471 -- 11.4.2 Converters for Wind Turbine Power Sources 472 -- 11.5 Power Electronics for Switch-Mode Power Supplies 476 -- 11.6 Performance Comparison of SiC and Silicon Power Devices 481 -- References 486 -- 12 Specialized Silicon Carbide Devices and

Applications 487 -- 12.1 Microwave Devices 487 -- 12.1.1 Metal-Semiconductor Field-Effect Transistors (MESFETs) 487 -- 12.1.2 Static Induction Transistors (SITs) 489 -- 12.1.3 Impact Ionization Avalanche Transit-Time (IMPATT) Diodes 496 -- 12.2 High-Temperature Integrated Circuits 497 -- 12.3 Sensors 499 -- 12.3.1 Micro-Electro-Mechanical Sensors (MEMS) 499 -- 12.3.2 Gas Sensors 500 -- 12.3.3 Optical Detectors 504 -- References 509 -- Appendix A Incomplete Dopant Ionization in 4H-SiC 511 -- References 515 -- Appendix B Properties of the Hyperbolic Functions 517 -- Appendix C Major Physical Properties of Common SiC Polytypes 521 -- C.1 Properties 521 -- C.2 Temperature and/or Doping Dependence of Major Physical Properties 522 -- References 523 -- Index 525.

Sommario/riassunto

A comprehensive introduction and up-to-date reference to SiC power semiconductor devices covering topics from material properties to applications Based on a number of breakthroughs in SiC material science and fabrication technology in the 1980's and 1990's, the first SiC Schottky barrier diodes (SBDs) were released as commercial products in 2001. The SiC SBD market has grown significantly since that time, and SBDs are now used in a variety of power systems, particularly switch-mode power supplies and motor controls. SiC power MOSFET's entered commercial production in 2011, providing rugged, high
