

1. Record Nr.	UNINA9910135347103321
Titolo	IEEE Std C37.14-2002 (Revision of IEEE Std C37.14-1999) : IEEE standard for low-voltage DC power circuit breakers used in enclosures // IEEE
Pubbl/distr/stampa	[Place of publication not identified] : , : IEEE, , 2003
ISBN	0-7381-3514-3
Descrizione fisica	1 online resource
Disciplina	621.317
Soggetti	Electric circuit-breakers Dielectrics
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Sommario/riassunto	Reaffirmed 2008. Revision of IEEE Std C37.14-1999. This IEEE Standards product is part of the C37 family on Switchgear, Substations and Protective Relays. Abstract:This standard covers enclosed low-voltage dc power circuit breakers of the stationary or draw-out type of one- or two-pole construction with one or more rated maximum voltages of 300 V, 325 V, 800 V, 1000 V, 1200 V, 1600 V, or 3200 V for applications on dc systems having nominal voltages of 250 V, 275 V, 750 V, 850 V, 1000 V, 1500 V, or 3000 V, with general-purpose, high-speed, semi-high-speed and rectifier circuit breakers; manually or power-operated; and with or without electromechanical or electronic trip devices. It deals with service conditions, ratings, functional components, temperature limitations and classification of insulating materials, dielectric withstand voltage requirements, test procedures, and application.