

1. Record Nr.	UNINA9910135900903321
Titolo	IEEE Std 1018-2004 (Revision of IEEE Std 1018-1991) : IEEE Recommended Practice for Specifying Electric Submersible Pump Cable - Ethylene-Propylene Rubber Insulation / / Institute of Electrical and Electronics Engineers
Pubbl/distr/stampa	New York, N.Y., USA : , : IEEE, , 2005
ISBN	0-7381-4080-5
Descrizione fisica	1 online resource (v, 30 pages) : illustrations
Disciplina	621.31934
Soggetti	Electric cables - Insulation Electric cables - Testing
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Sommario/riassunto	Minimum requirements for the construction, manufacturing, purchasing, and application of electric submersible pump cable are presented. The cable is round or flat, with ethylene-propylene rubber insulation, nitrile jacket, ethylene-propylene diene monomer (EPDM) jacket or lead sheath, and armor. These cables are for voltages not exceeding 3 kV or 5 kV (phase to phase) and conductor temperatures not exceeding 140 °C (284 °F) for nitrile or a maximum of 204 °C (400 °F) for EPDM jacket or lead sheath cable. Conductors, insulation, barrier (optional), assembly and jacket, armor, requirements for testing by the manufacturer, and cable ampacity are covered.