

1. Record Nr.	UNINA9910139144603321
Titolo	2009 VIII Brazilian Symposium on Digital Games and Entertainment
Pubbl/distr/stampa	[Place of publication not identified], : IEEE, 2009
ISBN	9781424460113 1424460115
Descrizione fisica	1 online resource
Disciplina	790.20285
Soggetti	Entertainment computing
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Bibliographic Level Mode of Issuance: Monograph
Sommario/riassunto	<p>MMOGs (massively multiplayer online games) are applications that require high bandwidth connections to work properly. This demand for bandwidth is specially critical on the servers that host the game. This happens because the typical number of simultaneous participants in this kind of game varies from a few hundreds to several tens of thousands, and the server is the one responsible for mediating the interaction between every pair of players connected to it. To deal with this problem, decentralized architectures with multiple servers have been proposed, where each server manages a region of the virtual environment of the game. Each player, then, connects only to the server that manages the region where he is playing. However, to distribute the load among the servers, it is necessary to devise an algorithm for partitioning the virtual environment. In order to readjust the load distribution during the game, this algorithm must be dynamic. Some work has already been made in this direction, but with a geometric algorithm, more appropriate than those found in the literature, it should be possible to reduce the distribution granularity without compromising the rebalancing time, or even reducing it. In this work, we propose the use of a kd-tree for dividing the virtual environment of the game into regions, each of which being designated to one of the servers. The split coordinates of the regions are adjusted dynamically according to the distribution of avatars in the virtual environment. We</p>

compared our algorithm to some approaches found in the literature and the simulation results show that our algorithm performed better in most aspects we analyzed.

---