

1. Record Nr.	UNINA9910254605503321
Autore	Berrada Tarik
Titolo	Interferometry with Interacting Bose-Einstein Condensates in a Double-Well Potential // by Tarik Berrada
Pubbl/distr/stampa	Cham : , : Springer International Publishing : , : Imprint : Springer, , 2016
ISBN	3-319-27233-0
Edizione	[1st ed. 2016.]
Descrizione fisica	1 online resource (244 p.)
Collana	Springer Theses, Recognizing Outstanding Ph.D. Research, , 2190-5053
Disciplina	535.470287
Soggetti	Phase transformations (Statistical physics) Condensed matter Quantum computers Spintronics Low temperatures Quantum Gases and Condensates Quantum Information Technology, Spintronics Low Temperature Physics
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	"Doctoral Thesis accepted by Vienna University of Technology, Austria."
Nota di bibliografia	Includes bibliographical references at the end of each chapters.
Nota di contenuto	Introduction -- Theoretical Framework -- Experimental Setup and Techniques -- A Mach-Zehnder Interferometer for Trapped, Interacting Bose-Einstein Condensates -- Outlook: Bosonic Josephson Junctions Beyond the Two-Mode Approximation.
Sommario/riassunto	This thesis demonstrates a full Mach–Zehnder interferometer with interacting Bose–Einstein condensates confined on an atom chip. It relies on the coherent manipulation of atoms trapped in a magnetic double-well potential, for which the author developed a novel type of beam splitter. Particle-wave duality enables the construction of interferometers for matter waves, which complement optical interferometers in precision measurement devices, both for technological applications and fundamental tests. This requires the development of atom-optics analogues to beam splitters, phase shifters and recombiners. Particle interactions in the Bose–Einstein

condensate lead to a nonlinearity, absent in photon optics. This is exploited to generate a non-classical state with reduced atom-number fluctuations inside the interferometer. This state is then used to study the interaction-induced dephasing of the quantum superposition. The resulting coherence times are found to be a factor of three longer than expected for coherent states, highlighting the potential of entanglement as a resource for quantum-enhanced metrology.
