1.	Record Nr.	UNINA9910270864203321
	Titolo	Balanced microwave filters / / edited by Ferran Martin, Lei Zhu, Jiasheng Hong, Francisco Medina
	Pubbl/distr/stampa	Hoboken, New Jersey:,: John Wiley & Sons,, 2018 [Piscataqay, New Jersey]:,: IEEE Xplore,, [2018]
	ISBN	1-119-23823-4 1-119-23762-9 1-119-23838-2
	Descrizione fisica	1 online resource (689 pages) : illustrations
	Collana	Wiley series in microwave and optical engineering
	Disciplina Soggetti	621.3813224 Microwave filters
	Lingua di pubblicazione	Inglese
	Formato	Materiale a stampa
	Livello bibliografico	Monografia
	Nota di bibliografia	Includes bibliographical references at the end of each chapters and index.
	Nota di contenuto	LIST OF CONTRIBUTORS xix PREFACE xxiii PART 1 INTRODUCTION 1 1 INTRODUCTION TO BALANCED TRANSMISSION LINES, CIRCUITS, AND NETWORKS 3 /Ferran Martín, Jordi Naqui, Francisco Medina, Lei Zhu, and Jiasheng Hong 1.1 Introduction 3 1.2 Balanced Versus Single-Ended Transmission Lines and Circuits 4 1.3 Common-Mode Noise 5 1.4 Fundamentals of Differential Transmission Lines 6 1.4.1 Topology 6 1.4.2 Propagating Modes 8 1.4.2.1 Even and Odd Mode 8 1.4.2.2 Common and Differential Mode 11 1.5 Scattering Parameters 13 1.5.1 Single-Ended S-Parameters 13 1.5.2 Mixed-Mode S-Parameters 16 1.6 Summary 19 References 19 PART 2 BALANCED TRANSMISSION LINES WITH COMMON-MODE NOISE SUPPRESSION 21 2 STRATEGIES FOR COMMON-MODE SUPPRESSION IN BALANCED LINES 23 /Ferran Martín, Paris Vélez, Armando Fernández-Prieto, Jordi Naqui, Francisco Medina, and Jiasheng Hong 2.1 Introduction 23 2.2 Selective Mode Suppression in Differential Transmission Lines 25 2.3 Common-Mode Suppression Filters Based on Patterned Ground Planes 27 2.3.1 Common-Mode Filter Based on Dumbbell-Shaped Patterned Ground Plane 27 2.3.2 Common-Mode Filter Based on Complementary Split Ring Resonators (CSRRs) 30 2.3.3

Common-Mode Filter Based on Defected Ground Plane Artificial Line 40 -- 2.3.4 Common-Mode Filter Based on C-Shaped Patterned Ground Structures 44 -- 2.4 Common-Mode Suppression Filters Based on Electromagnetic Bandgaps (EBGs) 49 -- 2.4.1 Common-Mode Filter Based on Nonuniform Coupled Lines 50 -- 2.4.2 Common-Mode Filter Based on Uniplanar Compact Photonic Bandgap (UC-PBG) Structure 55 -- 2.5 Other Approaches for Common-Mode Suppression 55 -- 2.6 Comparison of Common-Mode Filters 60 -- 2.7 Summary 61 --Appendix 2.A: Dispersion Relation for Common-Mode Rejection Filters with Coupled CSRRs or DS-CSRRs 61 -- Appendix 2.B: Dispersion Relation for Common-Mode Rejection Filters with Coupled Patches Grounded through Inductive Strips 64. References 65 -- 3 COUPLED-RESONATOR BALANCED BANDPASS FILTERS WITH COMMON-MODE SUPPRESSION DIFFERENTIAL LINES 73 /Armando Fernández-Prieto, Jordi Nagui, Jesús Martel, Ferran Martín, and Francisco Medina -- 3.1 Introduction 73 --3.2 Balanced Coupled-Resonator Filters 74 -- 3.2.1 Single-Band Balanced Bandpass Filter Based on Folded Stepped-Impedance Resonators 75 -- 3.2.2 Balanced Filter Loaded with Common-Mode Rejection Sections 79 -- 3.2.3 Balanced Dual-Band Bandpass Filter Loaded with Common-Mode Rejection Sections 82 -- 3.3 Summary 88 -- References 88 -- PART 3 WIDEBAND AND ULTRA-WIDEBAND (UWB) BALANCED BAND PASS FILTERS WITH INTRINSIC COMMON-MODE SUPPRESSION 91 -- 4 WIDEBAND AND UWB BALANCED BANDPASS FILTERS BASED ON BRANCH-LINE TOPOLOGY 93 /Teck Beng Lim and Lei Zhu -- 4.1 Introduction 93 -- 4.2 Branch-Line Balanced Wideband Bandpass Filter 97 -- 4.3 Balanced Bandpass Filter for UWB Application 105 -- 4.4 Balanced Wideband Bandpass Filter with Good Common-Mode Suppression 111 -- 4.5 Highly Selective Balanced Wideband Bandpass Filters 116 -- 4.6 Summary 131 -- References 131 -- 5 WIDEBAND AND UWB COMMON-MODE SUPPRESSED DIFFERENTIAL-MODE FILTERS BASED ON COUPLED LINE SECTIONS 135 /Qing-Xin Chu, Shi-Xuan Zhang, and Fu-Chang Chen -- 5.1 Balanced UWB Filter by Combining UWB BPF with UWB BSF 135 -- 5.2 Balanced Wideband Bandpass Filter Using Coupled Line Stubs 142 -- 5.3 Balanced Wideband Filter Using Internal Cross-Coupling 148 -- 5.4 Balanced Wideband Filter Using Stub-Loaded Ring Resonator 155 -- 5.5 Balanced Wideband Filter Using Modified Coupled Feed Lines and Coupled Line Stubs 161 -- 5.6 Summary 173 -- References 174 -- 6 WIDEBAND DIFFERENTIAL CIRCUITS USING T-SHAPED STRUCTURES AND RING RESONATORS 177 / Wenguan Che and Wenjie Feng -- 6.1 Introduction 177 -- 6.2 Wideband Differential Bandpass Filters Using T-Shaped Resonators 179 -- 6.2.1 Mixed-Mode S-Parameters for Four-Port Balanced Circuits 179 -- 6.2.2 T-Shaped Structures with Open/Shorted Stubs 184. 6.2.2.1 T-Shaped Structure with Shorted Stubs 184 -- 6.2.2.2 T-Shaped Structure with Open Stubs 185 -- 6.2.3 Wideband Bandpass Filters without Cross Coupling 187 -- 6.2.3.1 Differential-Mode Excitation 189 -- 6.2.3.2 Common-Mode Excitation 191 -- 6.2.4 Wideband Bandpass Filter with Cross Coupling 193 -- 6.3 Wideband Differential Bandpass Filters Using Half-/Full-Wavelength Ring Resonators 201 -- 6.3.1 Differential Filter Using Half-Wavelength Ring Resonators 201 -- 6.3.2 Differential Filter Using Full-Wavelength Ring Resonators 206 -- 6.3.3 Differential Filter Using Open/Shorted Coupled Lines 215 -- 6.3.4 Comparisons of Several Wideband Balanced Filters Based on Different Techniques 220 -- 6.4 Wideband Differential Networks Using Marchand Balun 223 -- 6.4.1 S-Parameter for Six-Port Differential Network 223 -- 6.4.2 Wideband In-Phase Differential

Network 227 -- 6.4.3 Wideband Out-of-Phase Differential Network 236 -- 6.5 Summary 244 -- References 245 -- 7 UWB AND NOTCHED-BAND UWB DIFFERENTIAL FILTERS USING MULTILAYER AND DEFECTED GROUND STRUCTURES (DGSS) 249 /Jian-Xin Chen, Li-Heng Zhou, and Quan Xue -- 7.1 Conventional Multilayer Microstrip-to-Slotline Transition (MST) 250 -- 7.2 Differential MST 251 -- 7.2.1 Differential MST with a Two-Layer Structure 251 -- 7.2.2 Differential MST with Three-Layer Structure 252 -- 7.3 UWB Differential Filters Based on the MST 253 -- 7.3.1 Differential Wideband Filters Based on the Conventional MST 253 -- 7.3.2 Differential Wideband Filters Based on the Differential MST 255 -- 7.4 Differential Wideband Filters Based on the Strip-Loaded Slotline Resonator 262 -- 7.4.1 Differential Wideband Filters Using Triple-Mode Slotline Resonator 265 -- 7.4.2 Differential Wideband Filters Using Quadruple-Mode Slotline Resonator 267 -- 7.5 UWB Differential Notched-Band Filter 270 -- 7.5.1 UWB Differential Notched-Band Filter Based on the Traditional MST 270 -- 7.5.2 UWB Differential Notched-Band Filter Based on the Differential MST 272 --7.6 Differential UWB Filters with Enhanced Stopband Suppression 277. 7.7 Summary 280 -- References 281 -- 8 APPLICATION OF SIGNAL INTERFERENCE TECHNIQUE TO THE IMPLEMENTATION OF WIDEBAND DIFFERENTIAL FILTERS 283 /Wei Qin and Quan Xue -- 8.1 Basic Concept of the Signal Interference Technique 283 -- 8.1.1 Fundamental Theory 284 -- 8.1.2 One Filter Example Based on Ring Resonator 287 -- 8.1.3 Simplified Circuit Model 288 -- 8.2 Signal Interference Technique for Wideband Differential Filters 290 -- 8.2.1 Circuit Model of Wideband Differential Bandpass Filter 290 -- 8.2.2 S-Matrix for Differential Bandpass Filters 292 -- 8.3 Several Designs of Wideband Differential Bandpass Filters 293 -- 8.3.1 Differential Bandpass Filter Based on Wideband Marchand Baluns 293 -- 8.3.2 Differential Bandpass Filter Based on π-Type UWB 180 Phase Shifters 299 -- 8.3.3 Differential Bandpass Filter Based on DSPSL UWB 180 Phase Inverter 302 -- 8.3.3.1 Differential-Mode Analysis 305 --8.3.3.2 Common-Mode Analysis 305 -- 8.3.3.3 Filter Design and Measurement 308 -- 8.4 Summary 308 -- References 309 -- 9 WIDEBAND BALANCED FILTERS BASED ON MULTI-SECTION MIRRORED STEPPED IMPEDANCE RESONATORS (SIRs) 311 /Ferran Martín. Jordi Selga, Paris Vé lez, Marc Sans, Jordi Bonache, Ana Rodrí guez, Vicente E. Boria, Armando Ferná ndez-Prieto, and Francisco Medina -- 9.1 Introduction 311 -- 9.2 The Multi-Section Mirrored Stepped Impedance Resonator (SIR) 312 -- 9.3 Wideband Balanced Bandpass Filters Based on -- 7-Section Mirrored SIRs Coupled Through Admittance Inverters 317 -- 9.3.1 Finding the Optimum Filter Schematic 319 -- 9.3.2 Layout Synthesis 325 -- 9.3.2.1 Resonator Synthesis 325 -- 9.3.2.2 Determination of the Line Width 327 --9.3.2.3 Optimization of the Line Length (Filter Cell Synthesis) 327 --9.3.3 A Seventh-Order Filter Example 330 -- 9.3.4 Comparison with Other Approaches 334 -- 9.4 Compact Ultra-Wideband (UWB) Balanced Bandpass Filters Based on 5-Section Mirrored SIRs and Patch Capacitors 336 -- 9.4.1 Topology and Circuit Model of the Series Resonators 337. 9.4.2 Filter Design 341 -- 9.4.3 Comparison with Other Approaches 345 -- 9.5 Summary 346 -- Appendix 9.A: General Formulation of Aggressive Space Mapping (ASM) 347 -- References 349 -- 10 METAMATERIAL-INSPIRED BALANCED FILTERS 353 /Ferran Martí n, Paris Vé lez, Ali Karami-Horestani, Francisco Medina, and Christophe Fumeaux -- 10.1 Introduction 353 -- 10.2 Balanced Bandpass Filters Based on Open Split Ring ResonatorS (OSRRS) and Open Complementary Split Ring Resonators (OCSRRS) 354 -- 10.2.1 Topology of the OSRR and OCSRR 354 -- 10.2.2 Filter Design and

Illustrative Example 356 -- 10.3 Balanced Filters Based on S-Shaped Complementary Split Ring Resonators (S-CSRRs) 363 -- 10.3.1 Principle for Balanced Bandpass Filter Design and Modeling 365 --10.3.2 Illustrative Example 367 -- 10.4 Summary 369 -- References 369 -- 11 WIDEBAND BALANCED FILTERS ON SLOTLINE RESONATOR WITH INTRINSIC COMMON-MODE REJECTION 373 /Xin Guo, Lei Zhu, and Wen Wu -- 11.1 Introduction 373 -- 11.2 Wideband Balanced Bandpass Filter on Slotline MMR 375 -- 11.2.1 Working Mechanism 375 -- 11.2.2 Synthesis Method 378 -- 11.2.3 Geometry and Layout 382 --11.2.4 Fabrication and Experimental Verification 388 -- 11.3 Wideband Balanced BPF on Strip-Loaded Slotline Resonator 392 -- 11.3.1 Strip-Loaded Slotline Resonator 392 -- 11.3.2 Wideband Balanced Bandpass Filters 396 -- 11.3.2.1 Wideband Balanced BPF on Strip-Loaded Triple-Mode Slotline Resonator 397 -- 11.3.2.2 Wideband Balanced BPF on Strip-Loaded Quadruple-Mode Slotline Resonator 403 -- 11.4 Wideband Balanced Bandpass Filter on Hybrid MMR 408 -- 11.4.1 Hybrid MMR 408 -- 11.4.2 Wideband Balanced Bandpass Filters 416 --11.5 Summary 420 -- References 420 -- PART 4 NARROWBAND AND DUAL-BAND BALANCED BANDPASS FILTERS WITH INTRINSIC COMMON-MODE SUPPRESSION 423 -- 12 NARROWBAND COUPLED-RESONATOR BALANCED BANDPASS FILTERS AND DIPLEXERS 425 /Armando Fernández-Prieto, Francisco Medina, and Jesús Martel --12.1 Introduction 425 -- 12.2 Coupled-Resonator Balanced Filters with Intrinsic Common-Mode Rejection 426. 12.2.1 Loop and SIR Resonator Filters with Mixed Coupling 427 --12.2.1.1 Quasi-elliptic Response BPF: First Example 428 -- 12.2.1.2 Quasi-elliptic Response BPF: Second Example 434 -- 12.2.2 Magnetically Coupled Open-Loop and FSIR Balanced Filters 439 --12.2.2.1 Filters with Magnetic Coupling: First Example 439 -- 12.2.2.2 Filters with Magnetic Coupling: Second Example 447 -- 12.2.3 Interdigital Line Resonators Filters 449 -- 12.2.3.1 ILR Filter Design Example 450 -- 12.2.4 Dual-Mode and Dual-Behavior Resonators for Balanced Filter Design 451 -- 12.2.4.1 Dual-Mode Square Patch Resonator Filters 453 -- 12.2.4.2 Filters Based on Dual-Behavior Resonators 458 -- 12.2.5 LTCC-Based Multilayer Balanced Filter 464 --12.2.6 Balanced Bandpass Filters Based on Dielectric Resonators 466 --12.3 Loaded Resonators for Common-Mode Suppression Improvement 469 -- 12.3.1 Capacitively, Inductively, and Resistively Center-Loaded Resonators 470 -- 12.3.1.1 Open-Loop UIR-Loaded Filter 470 --12.3.1.2 Folded SIR Loaded Filter 476 -- 12.3.2 Filters with Defected Ground Structures (DGS) 484 -- 12.3.2.1 Control of the Transmission Zeros 488 -- 12.3.3 Multilaver Loaded Resonators 490 -- 12.3.3.1 Design Example 492 -- 12.4 Coupled Line Balanced Bandpass Filter 493 -- 12.4.1 Type-II Design Example 495 -- 12.5 Balanced Diplexers 499 -- 12.5.1 Unbalanced-to-Balanced Diplexer Based on Uniform Impedance Stub-Loaded Coupled Resonators 500 -- 12.5.1.1 Resonator Geometry 500 -- 12.5.1.2 Unbalanced-to-Balanced Diplexer Design 502 -- 12.5.2 Example Two: Balanced-to-Balanced Diplexer Based on UIRs and Short-Ended Parallel-Coupled Lines 505 -- 12.6 Summary 508 -- References 510 -- 13 DUAL-BAND BALANCED FILTERS BASED ON LOADED AND COUPLED RESONATORS 515 /Jin Shi and Quan Xue -- 13.1 Dual-Band Balanced Filter with Loaded Uniform Impedance Resonators 516 -- 13.1.1 Center-Loaded Uniform Impedance Resonator 516 -- 13.1.2 Dual-Band Balanced Filter Using the Uniform Impedance Resonator with Center-Loaded Lumped Elements 520. 13.1.3 Dual-Band Balanced Filter Using Stub-Loaded Uniform Impedance Resonators 526 -- 13.2 Dual-Band Balanced Filter with Loaded Stepped-Impedance Resonators 528 -- 13.2.1 Center-Loaded

Stepped-Impedance Resonator 528 -- 13.2.2 Dual-Band Balanced Filter Using Stepped-Impedance Resonators with Center-Loaded Lumped Elements 531 -- 13.2.3 Dual-Band Balanced Filter Using Stub-Loaded Stepped-Impedance Resonators 535 -- 13.3 Dual-Band Balanced Filter Based on Coupled Resonators 538 -- 13.3.1 Dual-Band Balanced Filter with Coupled Stepped-Impedance Resonators 538 -- 13.3.2 Dual-Band Balanced Filter with Coupled Stub-Loaded Short-Ended Resonators 542 -- 13.4 Summary 546 -- References 547 -- 14 DUAL-BAND BALANCED FILTERS IMPLEMENTED IN SUBSTRATE INTEGRATED WAVEGUIDE (SIW) TECHNOLOGY 549 /Wen Wu, Jianpeng Wang, and Chunxia Zhou -- 14.1 Substrate Integrated Waveguide (SIW) Cavity 550 -- 14.2 Closely Proximate Dual-Band Balanced Filter Design 551 -- 14.3 Dual-Band Balanced Filter Design Utilizing High-Order Modes in SIW Cavities 555 -- 14.4 Summary 563 -- References 563 -- PART 5 OTHER BALANCED CIRCUITS 565 -- 15 BALANCED POWER DIVIDERS/COMBINERS 567 /Lin-Sheng Wu, Bin Xia, and Jun-Fa Mao -- 15.1 Introduction 567 -- 15.2 Balanced-to-Balanced Wilkinson Power Divider with Microstrip Line 569 -- 15.2.1 Mixed-Mode Analysis 569 -- 15.2.1.1 Mixed-Mode Scattering Matrix of a Balanced-to-Balanced Power Divider 569 --15.2.1.2 Constraint Rules of Balanced-to-Balanced Power Divider 571 -- 15.2.1.3 Odd- and Even-Mode Scattering Matrices of Balanced-to-Balanced Power Divider 572 -- 15.2.2 A Transmission-Line Balancedto-Balanced Power Divider 572 -- 15.2.2.1 Even-Mode Circuit Model 572 -- 15.2.2.2 Odd-Mode Circuit Model 573 -- 15.2.2.3 Scattering Matrix of the Balanced-to-Balanced Power Divider 575 -- 15.2.3 Theoretical Result 575 -- 15.2.4 Simulated and Measured Results 576 -- 15.3 Balanced-to-Balanced Gysel Power Divider with Half-Mode Substrate Integrated Waveguide (SIW) 580 -- 15.3.1 Conversion from Single-Ended Circuit to Balanced Form 580. 15.3.2 Half-Mode SIW Ring Structure 581 -- 15.3.3 Results and Discussion 583 -- 15.4 Balanced-to-Balanced Gysel Power Divider with Arbitrary Power Division 585 -- 15.4.1 Analysis and Design 585 --15.4.2 Results and Discussion 587 -- 15.5 Balanced-to-Balanced Gysel Power Divider with Bandpass Filtering Response 590 -- 15.5.1 Coupled-Resonator Circuit Model 590 -- 15.5.2 Realization in Transmission Lines 591 -- 15.5.2.1 Internal Coupling Coefficient 592 -- 15.5.2.2 External Q Factor 594 -- 15.5.3 Results and Discussion 595 -- 15.6 Filtering Balanced-to-Balanced Power Divider with Unequal Power Division 598 -- 15.7 Dual-Band Balanced-to-Balanced Power Divider 599 -- 15.7.1 Analysis and Design 599 -- 15.7.2 Results and Discussion 601 -- 15.8 Summary 603 -- References 603 -- 16 DIFFERENTIAL-MODE EQUALIZERS WITH COMMON-MODE FILTERING 607 /Tzong-Lin Wu and Chiu-Chih Chou -- 16.1 Introduction 607 --16.2 Design Considerations 610 -- 16.2.1 Equalizer Design 610 --16.2.2 Common-Mode Filter Design 612 -- 16.3 First Design 613 --16.3.1 Proposed Topology 613 -- 16.3.2 Odd-Mode Analysis 616 --16.3.2.1 Equalizer Optimization in Time Domain 617 -- 16.3.3 Even-Mode Analysis 623 -- 16.3.4 Measurement Validation 628 -- 16.4 Second Design 633 -- 16.4.1 Proposed Circuit and Analysis 633 --16.4.2 Realization and Measurement 637 -- 16.4.2.1 Realization 637 -- 16.4.2.2 Common-Mode Noise Suppression 638 -- 16.4.2.3 Differential-Mode Equalization 640 -- 16.5 Summary 641 --References 641 -- INDEX 645.

Sommario/riassunto

This book presents and discusses strategies for the design and implementation of common-mode suppressed balanced microwave filters, including narrowband, wideband, and ultra-wideband filters. This book examines differential-mode, or balanced, microwave filters by discussing several implementations of practical realizations of these

passive components. Topics covered include selective mode suppression, designs based on distributed and semi-lumped approaches, multilayer technologies, defect ground structures, coupled resonators, metamaterials, interference techniques, and substrate integrated waveguides, among others. Divided into five parts, Balanced Microwave Filters begins with an introduction that presents the fundamentals of balanced lines, circuits, and networks. Part 2 covers balanced transmission lines with common-mode noise suppression, including several types of common-mode filters and the application of such filters to enhance common-mode suppression in balanced bandpass filters. Next, Part 3 examines wideband and ultra-wideband (UWB) balanced bandpass filters with intrinsic common-mode suppression. Narrowband and dual-band balanced bandpass filters with intrinsic common-mode suppression are discussed in Part 4. Finally, Part 5 covers other balanced circuits, such as balanced power dividers and combiners, and differential-mode equalizers with common-mode filtering. In addition, the book: . Explores a research topic of increasing interest due to the growing demand of balanced transmission lines and circuits in modern communication systems. Includes contributions from prominent worldwide experts in the field. Provides readers with the necessary knowledge to analyze and synthesize balanced filters and circuits Balanced Microwave Filters is an important text for R&D engineers, professionals, and specialists working on the topic of microwave filters. Post graduate students and Masters students in the field of microwave engineering and wireless communications, especially those involved in courses related to microwave filters, and balanced filters and circuits will also find it to be a vital resource.