

1. Record Nr.	UNINA9910337468103321
Titolo	Mechanics of Composite, Hybrid and Multifunctional Materials, Volume 5 : Proceedings of the 2018 Annual Conference on Experimental and Applied Mechanics // edited by Piyush R. Thakre, Raman P. Singh, Geoffrey Slipher
Pubbl/distr/stampa	Cham : , : Springer International Publishing : , : Imprint : Springer, , 2019
ISBN	3-319-95510-1
Edizione	[1st ed. 2019.]
Descrizione fisica	1 online resource (334 pages)
Collana	Conference Proceedings of the Society for Experimental Mechanics Series, , 2191-5652
Disciplina	620.11892
Soggetti	Mechanics, Applied Solids Ceramic materials Materials - Analysis Solid Mechanics Ceramics Characterization and Analytical Technique
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di contenuto	Intro -- Preface -- Contents -- 1 Stimulus-Responsive Interfacial Chemistry in CNT/Polymer Nanocomposites -- 1.1 Introduction -- 1.2 Experimental Methods -- 1.2.1 Functionalization of CNT Films -- 1.2.2 Fabrication and UV Treatment of Layered Composites -- 1.2.3 Experimental Characterization -- 1.3 Results and Discussion -- 1.3.1 Characterization of CNT Functionalization -- 1.3.2 Photoreaction of Benzophenone -- 1.3.3 Mechanical Behavior of CNT/PDMS Nanocomposites -- 1.4 Conclusion -- References -- 2 Devulcanized Rubber Based Composite Design Reinforced with Nano Silica, Graphene Nano Platelets (GnPs) and Epoxy for "Aircraft Wing Spar" to Withstand Bending Moment -- 2.1 Introduction -- 2.2 Experimental Conditions -- 2.2.1 Materials Processing -- 2.2.2 Mechanical, Microstructure, Fracture Surface Analyses and Shore-D Hardness Measurements --

2.2.3 Wear Resistance (Scratch Test) and Damage Analysis Via 3D Optical Roughness Meter -- 2.3 Results and Discussions -- 2.3.1 Microstructural Evaluation of the Composites -- 2.3.2 Three Point Bending Tests and Fracture Surface Observation -- 2.3.3 Drop Weight Testing -- 2.3.4 Damage Analysis by Means of Micro Scratch Test and 3D Optical Surface Roughness Meter -- 2.3.5 Numerical Approach for These Composites -- 2.4 Conclusion -- References -- 3 Study of Mechanical Characteristics of Banana and Jute Fiber Reinforced Polyester Composites -- 3.1 Introduction -- 3.2 Materials and Methodology -- 3.2.1 Materials -- 3.2.2 Methodology -- 3.3 Results and Discussions -- 3.3.1 Tensile Strength Test -- 3.3.2 Flexural Strength Test -- 3.4 Conclusions -- References -- 4 Toughening Mechanism in Epoxy Resin Modified Recycled Rubber Based Composites Reinforced with Gamma-Alumina, Graphene and CNT -- 4.1 Introduction -- 4.2 Experimental Conditions -- 4.2.1 Materials Processing.

4.2.2 Microstructure: Fracture Surface Analyses and Shore-D Hardness Measurements -- 4.2.3 Wear Resistance (Scratch Test) and Damage Analysis Via 3D Optical Roughness Meter -- 4.3 Results and Discussions -- 4.3.1 Microstructure of the Composites -- 4.3.2 Three Point Bending Tests and Fracture Surface Observation -- 4.3.2.1 Flexural Testing and Fracture Toughness Determination -- 4.3.3 Charpy Impact Testing -- 4.3.4 Damage Analysis by Means of Scratch Test and 3d Optical Roughness Meter -- 4.4 Conclusion -- References -- 5 AlSi10Mg Nanocomposites Prepared by DMLS Using In-Situ CVD Growth of CNTs: Process Effects and Mechanical Characterization -- 5.1 Introduction -- 5.2 Experimental Procedure -- 5.2.1 CVD Growth of CNTs on AlSi10Mg Powders -- 5.2.2 DMLS of Specimens and Heat Treatment -- 5.2.3 Tensile Experiments -- 5.3 Results and Discussion -- 5.3.1 Tensile Test Results -- 5.3.2 SEM Analysis of Failure Surface -- 5.4 Conclusion -- References -- 6 Optimization of Surface Integrity of Titanium-Aluminum Intermetallic Composite Machined by Wire EDM -- 6.1 Introduction -- 6.2 Experimental Procedure -- 6.2.1 Equipment, Materials and Measurement -- 6.2.2 Wire Electric Discharge Machining Process and Cutting Parameters -- 6.2.3 Influence of Cutting Parameters on the Surface Roughness -- 6.3 Statistical Analysis -- 6.4 Conclusion -- References -- 7 Design of Cost Effective Epoxy + Scrap Rubber Based Composites Reinforced with Titanium Dioxide and Alumina Fibers -- 7.1 Introduction -- 7.2 Experimental Conditions -- 7.2.1 Materials Processing -- 7.2.2 Experimental Procedure -- 7.3 Results and Discussions -- 7.3.1 Microstructure of the Composites -- 7.3.2 Three Point Bending Tests and Fracture Surface Observation -- 7.3.3 Time Dependent Behaviour by Means of NanoIndentation -- 7.3.4 Wear Testing by Nanoindentation -- 7.4 Conclusions -- References.

8 Reinforcement of Recycled Rubber Based Composite with Nano-Silica and Graphene Hybrid Fillers -- 8.1 Introduction -- 8.2 Experimental Conditions -- 8.2.1 Materials Processing -- 8.2.2 Microstructure: Fracture Surface Analyses and Shore-D Hardness Measurements -- 8.2.3 Wear Resistance (Scratch Test) and Damage Analysis via 3D Optical Roughness Meter -- 8.3 Results and Discussions -- 8.3.1 Microstructure of the Composites -- 8.3.2 Three Point Bending Tests and Fracture Surface Observation -- 8.3.2.1 Flexural Testing and Fracture Toughness Determination -- 8.3.3 Charpy Impact Testing -- 8.3.4 Damage Analysis by Means of Scratch Test and 3d Optical Roughness Meter -- 8.4 Conclusion -- References -- 9 Testing the 2-3 Shear Strength of Unidirectional Composite -- 9.1 Introduction -- 9.2 Experimental Methodology -- 9.3 Results -- 9.4 Analysis & Discussion -- 9.5 Conclusions -- References -- 10 Nondestructive Damage

Detection of a Magentostricive Composite Structure -- 10.1
Introduction -- 10.2 Preliminary Results -- 10.3 Conclusion --
References -- 11 Thermo-Mechanical Properties of Thermoset
Polymers and Composites Fabricated by Frontal Polymerization --
References -- 12 Design of Magnetic Aluminium (AA356) Composites
(AMCs) Reinforced with Nano Fe₃O₄, and Recycled Nickel: Copper
Particles -- 12.1 Introduction -- 12.2 Experimental Conditions -- 12.3
Results and Discussion -- 12.3.1 Microstructural Evaluation of the
Composites -- 12.3.2 Evaluation of Magnetic Properties for A356-I, II,
III, IV -- 12.3.3 Static Compression Test Results and Micro Hardness
Measurements -- 12.3.4 Wear Resistance by Scratch Test -- 12.4
Conclusions -- References -- 13 Reinforcement Effect of Nano Fe₃O₄
and Nb₂Al on the Mechanical and Physical Properties of Cu-Al Based
Composites -- 13.1 Introduction -- 13.2 Experimental Conditions --
13.3 Results and Discussion.
13.3.1 Microstructure and Mapping Analyses of the Compositions
Produced by "Sinter+ Forging Process" -- 13.3.2 Macro Wear (Scratch
Test) Results -- 13.3.3 Nano Wear Testing Results Obtained by
Nanoindentation -- 13.3.4 Static Compression Test Results and Micro
Hardness Measurements -- 13.4 Evaluation of Magnetic Properties for
CAF₂ Produced with "Sinter + Forging" Process -- 13.5 Conclusions --
References -- 14 Recycled Ti-17 Based Composite Design --
Optimization Process Parameters in Wire Cut Electrical Discharge
Machining (WEDM) -- 14.1 Introduction -- 14.2 Experimental
Procedure -- 14.2.1 Equipment, Materials and Measurement -- 14.2.2
Wire Electric Discharge Machining Process and Cutting Parameters --
14.2.3 Influence of Machining Parameters on Performance of WEDM
Process -- 14.2.3.1 Influence of Machining Parameters on Kerf Width
-- 14.2.3.2 Influence of Machining Parameters on Material Removal
Rate MRR -- 14.3 Statistical Analysis -- 14.4 Conclusions --
References -- 15 Alternative Composite Design from Recycled
Aluminum Chips for Mechanical Pin-Joint (Knuckle) Applications --
15.1 Introduction -- 15.2 Experimental Conditions -- 15.2.1 Materials
Processing -- 15.3 Results and Discussions -- 15.3.1 Microstructure
and Mapping Analyses of the Three Compositions Produced by
"Sintering" and "Sinter+ Forging Process" -- 15.3.2 Mapping Analyses
of the Three Compositions Produced by Sinter+ Forging Process --
15.3.3 Static Compression Test Results -- 15.3.4 Low Velocity or
Dynamic Compression (Drop Weight) Test Results -- 15.3.5 Wear
(Scratch) Test Results -- 15.4 Conclusions -- References -- 16
Manufacturing of Copper Based Composites Reinforced with Ceramics
and Hard Intermetallics for Applications of Electric Motor Repair Parts
-- 16.1 Introduction -- 16.2 Experimental Conditions -- 16.3 Results
and Discussions.
16.3.1 Microstructure and Mapping Analyses of the Compositions
Produced by "Sinter + Forging Process" -- 16.3.2 Wear (Scratch) Test
Results -- 16.4 Conclusion -- References -- 17 Damping and
Toughening Effect of the Reinforcements on the Epoxy Modified
Recycled + Devulcanized Rubber Based Composites -- 17.1
Introduction -- 17.2 Experimental Conditions -- 17.2.1 Materials
Processing -- 17.2.2 Microstructure: Fracture Surface Analyses and
Shore-D Hardness Measurements -- 17.2.3 Damage Analysis by Means
of Scratch Test and 3D Optical Roughness Meter -- 17.3 Results and
Discussions -- 17.3.1 Specimens and Microstructure Analyses of the
Composites -- 17.3.2 Three Point Bending (3PB) Test Results and
Fracture Surface Observation -- 17.3.2.1 Flexural Testing and Fracture
Toughness Determination -- 17.3.3 Charpy Impact Testing -- 17.3.4
Wear Resistance by Scratch Test and Damage Analyses by Means of 3D

Optical Roughness Meter -- 17.4 Conclusion -- References -- 18 Impact and Post-impact Behavior of Composite Laminates Reinforced by Z-Pins -- 18.1 Introduction -- 18.2 Materials and Testing Methods -- 18.3 Impact and CAI Tests -- 18.4 Results -- 18.5 Conclusions -- References -- 19 Layered Jamming Multifunctional Actuators -- 19.1 Introduction -- 19.2 Designing and Manufacturing Layered Multifunctional Materials -- 19.3 Modeling Structural Response of Soft Actuator with Jamming Layers -- 19.4 Layered Jamming Multifunctional Actuators -- 19.4.1 Layered Jamming Structure -- 19.4.2 Prototype for a Layered Jamming Multifunctional Actuator -- 19.4.3 Layered Jamming for Multi-mode Control of Extension and Bending for Soft Actuators -- 19.4.4 Integration of Layered Jamming Actuators in a Robot: ArmadilloBot -- 19.5 Conclusions -- References -- 20 2D Microscale Observations of Interlaminar Transverse Tensile Fracture in Carbon/Epoxy Composites -- 20.1 Introduction. 20.2 Experimental Methodology.

Sommario/riassunto

Mechanics of Composite, Hybrid, and Multifunctional Materials, Volume 5 of the Proceedings of the 2018 SEM Annual Conference & Exposition on Experimental and Applied Mechanics, the fifth volume of eight from the Conference, brings together contributions to this important area of research and engineering. The collection presents early findings and case studies on a wide range of areas, including: Recycled Constituent Composites Nanocomposites Mechanics of Composites Fracture & Fatigue of Composites Multifunctional Materials Damage Detection & Non-destructive Evaluation Composites for Wind Energy & Aerospace Applications Computed Tomography of Composites Manufacturing & Joining of Composites Novel Developments in Composites.
