

| | |
|-------------------------|---|
| 1. Record Nr. | UNINA9910346874203321 |
| Autore | Dogel Stanislav |
| Titolo | Spectroscopic ellipsometry of interfacial phase transitions in fluid metallic systems : KxKCl1-x and Ga1-xBi _x / Stanislav Dogel |
| Pubbl/distr/stampa | Karlsruhe : , : KIT Scientific Publishing, , 2004 |
| Descrizione fisica | 1 online resource |
| Soggetti | Liquid-liquid interfaces - Miscibility gaps Thin films - Spectroscopic analysis |
| Lingua di pubblicazione | Inglese |
| Formato | Materiale a stampa |
| Livello bibliografico | Monografia |
| Sommario/riassunto | <p>The investigation of the interfacial phase transitions in fluid systems with short-range intermetallic interactions are of great interest. The phenomena were studied in two systems exhibiting a liquid-liquid miscibility gap: at the fluid/wall interface in fluid K_xKCl_{1-x} and at the fluid/vacuum interface of the Ga_{1-x}Bi_x alloys. To characterize the interfacial changes of the ultra thin films (composition, thickness and their evolution with time) the spectroscopic ellipsometry was performed over a wide spectral range. Whereas in the experiments on K_xKCl_{1-x} an existing ellipsometer could be used, a completely new UHV-apparatus including the in-situ phase modulation ellipsometer had to be developed for Ga_{1-x}Bi_x alloys. For the K_xKCl_{1-x} system new results on complete wetting at solid-liquid coexistence as well as in the homogenous liquid phase (prewetting) are presented. The spectra show the typical F center absorption which indicates that the film is a salt-rich phase. The thickness strongly increases approaching the monotectic from 30 to 440 nm, which is in agreement with the tetra point wetting scenario. For this interpretation a quantitative description of the excess Gibbs energy has been developed. For the Ga_{1-x}Bi_x system the results on complete wetting, surface freezing and oscillatory interfacial instabilities are presented. The high-precision spectra have been recorded approaching the liquid-liquid miscibility.</p> |

These spectra have been modeled using a Ga-Bi effective medium approximation for the substrate covered by a film of liquid Bi. The measurements give evidence of tetra point wetting in the Ga-Bi system. First ellipsometric study of the surface freezing in Ga-Bi has been performed. Within the miscibility gap a very interesting effect of surface and bulk oscillatory instability was observed. The details of this process at present are not well understood, but a qualitative description is given.
