

1. Record Nr.	UNINA990001043590403321
Autore	Peirce, Charles Santiago Sanders <1839-1914>
Titolo	Scritti di filosofia / Charles S. Peirce ; introduzione di William J. Callaghan ; traduzioni di Luciano M. Leone
Pubbl/distr/stampa	Bologna, : Cappelli, 1978
Descrizione fisica	339 p. ; 21 cm
Collana	Biblioteca Cappelli
Locazione	FI1 DINEL FLFBC
Collocazione	2-136 F.D.i. 0364 10 DO 147 TA DAM A30 PEIC 01
Lingua di pubblicazione	Italiano
Formato	Materiale a stampa
Livello bibliografico	Monografia

2. Record Nr.	UNINA9910373921003321
Titolo	Osmoprotectant-Mediated Abiotic Stress Tolerance in Plants : Recent Advances and Future Perspectives / / edited by Mohammad Anwar Hossain, Vinay Kumar, David J. Burritt, Masayuki Fujita, Pirjo S. A. Mäkelä
Pubbl/distr/stampa	Cham : , : Springer International Publishing : , : Imprint : Springer, , 2019
ISBN	3-030-27423-3
Edizione	[1st ed. 2019.]
Descrizione fisica	1 online resource (XI, 342 p. 44 illus., 41 illus. in color.)
Disciplina	571.2
Soggetti	Plant physiology Plant biotechnology Agriculture Plant Physiology Plant Biotechnology
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	1. Osmoprotectant-related genes in plants under abiotic stress: expression dynamics, <i>in silico</i> genome mapping, and biotechnology. -2. Proline metabolism and its functions in development and stress tolerance. -3. Regulation of proline accumulation and its molecular and physiological functions in stress defence -- 4. Exogenous proline-mediated abiotic stress tolerance in plants: possible mechanisms 5.- Biosynthesis and degradation of glycine betaine and its potential to control plant growth and development -- 6. Exogenous glycinebetaine-mediated modulation of abiotic stress tolerance in plants: possible mechanisms -- 7. Roles of endogenous glycinebetaine in plant abiotic stress responses -- 8. Biosynthesis and degradation of trehalose, and its potential to control -- 9. Proline, glycinebetaine and trehalose uptake and inter-organ transport in plants under stress -- 10. Transgenic plants overexpressing trehalose biosynthetic genes and abiotic stress tolerance in plants -- 11. The role of proline, glycine betaine and trehalose in stress responsive gene expression -- 12. Seed osmolyte priming and abiotic stress tolerance -- 13. Relationship

between polyamines and osmoprotectants in the response to salinity of the legume-rhizobia symbiosis -- 14. Engineering polyamines metabolic pathways for abiotic stress tolerance in plants.-15. Fructan metabolism in plant growth and development and stress tolerance.-.

## Sommario/riassunto

In nature, plants are constantly challenged by various abiotic and biotic stresses that can restrict their growth, development and yields. In the course of their evolution, plants have evolved a variety of sophisticated and efficient mechanisms to sense, respond to, and adapt to changes in the surrounding environment. A common defensive mechanism activated by plants in response to abiotic stress is the production and accumulation of compatible solutes (also called osmolytes). This include amino acids (mainly proline), amines (such as glycinebetaine and polyamines), and sugars (such as trehalose and sugar alcohols), all of which are readily soluble in water and non-toxic at high concentrations. The metabolic pathways involved in the biosynthesis and catabolism of compatible solutes, and the mechanisms that regulate their cellular concentrations and compartmentalization are well characterized in many important plant species. Numerous studies have provided evidence that enhanced accumulation of compatible solutes in plants correlates with increased resistance to abiotic stresses. New insights into the mechanisms associated with osmolyte accumulation in transgenic plants and the responses of plants to exogenous application of osmolyte, will further enhance our understanding of the mechanisms by which compatible solutes help to protect plants from damage due to abiotic stress and the potential roles compatible solutes could play in improving plants growth and development under optimal conditions for growth. Although there has been significant progress made in understanding the multiple roles of compatible solute in abiotic stress tolerance, many aspects associated with compatible solute-mediated abiotic stress responses and stress tolerance still require more research. As well as providing basic up-to-date information on the biosynthesis, compartmentalization and transport of compatible solute in plants, this book will also give insights into the direct or indirect involvement of these key compatible solutes in many important metabolic processes and physiological functions, including their antioxidant and signaling functions, and roles in modulating plant growth, development and abiotic stress tolerance. In this book, *Osmoprotectant-mediated abiotic stress tolerance in plants: recent advances and future perspectives*, we present a collection of 16 chapters written by leading experts engaged with compatible solute-induced abiotic stress tolerance in plants. The main objective of this volume is to promote the important roles of these compatible solutes in plant biology, by providing an integrated and comprehensive mix of basic and advanced information for students, scholars and scientists interested in, or already engaged in, research involving osmoprotectant. Finally, this book will be a valuable resource for future environmental stress-related research, and can be considered as a textbook for graduate students and as a reference book for front-line researchers working on the relationships between osmoprotectant and abiotic stress responses and tolerance in plants.