Record Nr. UNINA9910438117503321 Autore Atef Mohamed Titolo Optical Communication over Plastic Optical Fibers [[electronic resource]]: Integrated Optical Receiver Technology / / by Mohamed Atef, Horst Zimmermann Pubbl/distr/stampa Berlin, Heidelberg:,: Springer Berlin Heidelberg:,: Imprint: Springer, 2013 **ISBN** 3-642-30388-9 Edizione [1st ed. 2013.] Descrizione fisica 1 online resource (XX, 144 p.) Collana Springer Series in Optical Sciences, , 0342-4111; ; 172 Disciplina 621.38275 Soggetti Lasers **Photonics** Microwaves Optical engineering Electronic circuits **Physics Optics** Electrodynamics Optics, Lasers, Photonics, Optical Devices Microwaves, RF and Optical Engineering **Electronic Circuits and Devices** Applied and Technical Physics Classical Electrodynamics Lingua di pubblicazione Inglese **Formato** Materiale a stampa Livello bibliografico Monografia Note generali Bibliographic Level Mode of Issuance: Monograph Nota di bibliografia Includes bibliographical references and index. Multilevel Signaling -- Equalization Techniques -- High-Speed Nota di contenuto Transmission over Step-Index PMMA Plastic Optical Fibers --Transimpedance Amplifier Theory -- Integrated Optical Receiver for Multilevel Transmission over PMMA SI-POF -- Integrated Optical Receiver with an Integrated Equalizer for SI-POF. This book presents high-performance data transmission over plastic Sommario/riassunto

optical fibers (POF) using integrated optical receivers having good properties with multilevel modulation, i.e. a higher sensitivity and

higher data rate transmission over a longer plastic optical fiber length. Integrated optical receivers and transmitters with high linearity are introduced for multilevel communication. For binary high-data rate transmission over plastic optical fibers, an innovative receiver containing an equalizer is described leading also to a high performance of a plastic optical fiber link. The cheap standard PMMA SI-POF (step-index plastic optical fiber) has the lowest bandwidth and the highest attenuation among multimode fibers. This small bandwidth limits the maximum data rate which can be transmitted through plastic optical fibers. To overcome the problem of the plastic optical fibers high transmission loss, very sensitive receivers must be used to increase the transmitted length over POF. The plastic optical fiber limited bandwidth problem can be decreased by using multilevel signaling like multilevel pulse amplitude modulation or by using an equalizer for binary data transmission.