

1. Record Nr.	UNINA9910457391403321
Autore	Hammond Gregory <1975->
Titolo	The women's suffrage movement and feminism in Argentina from Roca to Peron [[electronic resource] /] / Gregory Hammond
Pubbl/distr/stampa	Albuquerque, : University of New Mexico Press, 2011
ISBN	0-8263-5056-9
Descrizione fisica	1 online resource (281 p.)
Disciplina	324.6/230982
Soggetti	Women - Suffrage - Argentina - History Feminism - Argentina - History Electronic books.
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Bibliographic Level Mode of Issuance: Monograph
Nota di bibliografia	Includes bibliographical references and index.

2. Record Nr.	UNINA9910830771803321
Autore	Shafiee Qobad
Titolo	Microgrids : Dynamic Modeling, Stability and Control
Pubbl/distr/stampa	Newark : , : John Wiley & Sons, Incorporated, , 2024 ©2024
ISBN	1-119-90623-7 1-119-90621-0
Edizione	[1st ed.]
Descrizione fisica	1 online resource (446 pages)
Altri autori (Persone)	NaderiMobin BevraniHassan
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di contenuto	Cover -- Title Page -- Copyright -- Contents -- About the Authors -- Preface -- Acknowledgments -- Acronyms -- Chapter 1 Introduction -- 1.1 Overview -- 1.2 Microgrid Concept and Capabilities -- 1.3 Microgrid Structure -- 1.4 Microgrids in the Future Smart Grids -- 1.5 MicrogridsIntegrated Power Grids -- 1.6 Current Trends and Future Directions -- 1.6.1 Dynamic Behavior of MGs and Their Impacts on Power Grids -- 1.6.2 MicrogridBased Ancillary Services -- 1.6.3 Dynamic Modeling and Control -- 1.7 The Book Content and Organization -- References -- Part I Individual Microgrids -- Chapter 2 Microgrid Dynamic Modeling: Concepts and Fundamentals -- 2.1 Introduction -- 2.2 Dynamics and Modeling -- 2.3 Fundamental Analysis Tools and Requirements -- 2.3.1 StateSpace (SmallSignal) Modeling -- 2.3.1.1 Finding Differential Equations -- 2.3.1.2 Park and Clark Transformations -- 2.3.1.3 Linearization -- 2.3.1.4 StateSpace Representation -- 2.3.1.5 Interconnecting Modules -- 2.3.2 Detailed Modeling -- 2.3.3 Simplification Methods -- 2.3.3.1 Truncation (Regular Perturbation) -- 2.3.3.2 Residualization (Singular Perturbation) -- 2.3.3.3 Aggregation -- 2.3.3.4 Sensitivity Analysis -- 2.3.4 Prony Analysis -- 2.3.5 LargeSignal Modeling -- 2.4 SmallSignal Modeling of Microgrid Components -- 2.4.1 DC-AC Converter (Inverter) -- 2.4.2 AC-DC Converter (Rectifier) -- 2.4.3 DC-DC Converter (Chopper) --

2.4.4 LC Filter -- 2.4.5 Power Network -- 2.4.5.1 Virtual Resistor Calculation -- 2.4.6 Loads -- 2.4.6.1 Constant RL Impedance Load -- 2.4.6.2 Constant Power Load (CPL) -- 2.4.6.3 Motor Load -- 2.4.6.4 Active Load -- 2.4.7 Energy Resources and Storages -- 2.4.7.1 Wind Generation Unit -- 2.4.7.2 Photovoltaic Generation Unit -- 2.4.7.3 Battery -- 2.4.7.4 SuperCapacitor -- 2.5 SmallSignal Modeling of Microgrid Controllers -- 2.5.1 Primary Control Strategies. 2.5.1.1 GridForming Strategy -- 2.5.1.2 GridFollowing Strategy -- 2.5.2 Secondary Control -- 2.5.3 Higher Control Levels -- 2.6 Large Signal Modeling: An Example -- 2.6.1 Governing Equations on Synchronverter -- 2.6.2 Nonlinear StateSpace Representation -- 2.7 Summary -- References -- Chapter 3 Microgrid Dynamic Modeling: Overall Modeling and Case Studies -- 3.1 Introduction -- 3.2 Overall Microgrid Dynamic Modeling -- 3.2.1 Common Reference Frame -- 3.2.2 Microgrid General StateSpace Model -- 3.2.3 Grid Model -- 3.3 SmallSignal Modeling of DC and AC Microgrids -- 3.3.1 A Grid Connected PV -- 3.3.2 GridConnected AC Microgrids -- 3.3.3 Islanded AC Microgrids: The Detailed Model -- 3.3.4 Islanded AC Microgrids: A Sensitivity AnalysisBased Simplified Model -- 3.3.4.1 Removing/Reconfiguration Process of Modules -- 3.3.4.2 DLFMs Comparison of the Detailed and Simplified Models -- 3.3.4.3 The Oscillatory DLFM Comparison -- 3.3.5 Islanded AC Microgrids: Aggregated SingleOrder Model -- 3.3.5.1 General Steps of Modeling -- 3.3.5.2 Virtual Swing EquationBased SingleOrder Model -- 3.3.6 Islanded DC Microgrid -- 3.4 LargeSignal Modeling of Microgrids -- 3.4.1 Model Validation -- 3.4.2 TimeDomain Simulations -- 3.5 Summary -- References -- Chapter 4 Microgrids Stability -- 4.1 Introduction -- 4.2 Stability Definition and Classification -- 4.3 Basic Requirements -- 4.3.1 Eigenvalue Analysis -- 4.3.2 Participation Matrix -- 4.3.3 Sensitivity Analysis -- 4.4 SmallSignal Stability Analysis -- 4.4.1 GridConnected PV -- 4.4.1.1 Sensitivity Analysis: LC Filter Parameters -- 4.4.1.2 Sensitivity Analysis: Coupling/Grid Line Length -- 4.4.1.3 Sensitivity Analysis: PLL Gains -- 4.4.1.4 Sensitivity Analysis: Current Control Gains -- 4.4.1.5 Sensitivity Analysis: DC Voltage Control gains -- 4.4.2 GridConnected AC Microgrids. 4.4.2.1 Sensitivity Analysis: Grid Strength Study -- 4.4.2.2 Sensitivity Analysis: Interaction of GFL DERs -- 4.4.3 Islanded AC Microgrids -- 4.4.3.1 Sensitivity Analysis of Droop Gains -- 4.4.3.2 Sensitivity Analysis of Virtual Impedance -- 4.4.3.3 Stability Analysis of Secondary Control -- 4.4.3.4 Sensitivity Analysis of GFL DER Parameters -- 4.4.3.5 Weakness of AC Microgrids -- 4.4.3.6 Relative Stability Improvement Using GridSupporting Control Strategy -- 4.4.4 Islanded DC Microgrids -- 4.5 Transient Stability -- 4.5.1 Power Sharing Stability in AC Microgrids -- 4.5.2 Synchronverter Stabilization -- 4.5.2.1 Adaptive Backstepping Stabilizing Method -- 4.5.2.2 Simulation Results -- 4.6 Summary -- References -- Chapter 5 Microgrid Control: Concepts and Fundamentals -- 5.1 Introduction -- 5.2 Fundamentals and Requirements -- 5.2.1 Introduction to Control Systems -- 5.2.2 Control Objectives and Challenges -- 5.2.3 Control Architectures -- 5.3 Control Strategies for Power Converters -- 5.3.1 Introduction -- 5.3.2 GridFollowing Power Converters -- 5.3.2.1 Current Control -- 5.3.2.2 Synchronization Algorithm -- 5.3.3 GridForming Power Converters -- 5.4 Hierarchical Control -- 5.4.1 The Control Hierarchy -- 5.4.2 Control Layers -- 5.5 Primary Control -- 5.5.1 Droop Control -- 5.5.1.1 Droop Control for Inductive Grids -- 5.5.1.2 Droop Control for Resistive Grids -- 5.5.1.3 Droop Control for Resistive-Inductive Grids -- 5.5.1.4 Discussion on the Conventional Droop Control -- 5.5.1.5 Droop Control for DC Grids -- 5.5.2 Virtual Impedance -- 5.5.3

A Simulation Study for Primary Control of AC Microgrids -- 5.5.3.1
 Case Study -- 5.5.3.2 Simulation Results -- 5.6 Secondary Control --
 5.6.1 Secondary Control Functions and Strategies -- 5.6.1.1 Secondary
 Control Functions -- 5.6.1.2 Secondary Control Strategies -- 5.6.2
 Centralized Secondary Control.
 5.6.3 Distributed Secondary Control -- 5.6.3.1 Communication
 Network as a Graph -- 5.6.3.2 AverageBased DISC -- 5.6.3.3
 ConsensusBased DISC -- 5.6.3.4 EventTriggered DISC -- 5.6.4
 Decentralized Secondary Control -- 5.6.4.1 Washout FilterBased DESC
 -- 5.6.4.2 Local VariableBased DESC -- 5.6.4.3 EstimationBased DESC
 -- 5.6.5 A Simulation Study for Secondary Control of AC Microgrids --
 5.6.5.1 Case Study and Controller Implementation -- 5.6.5.2
 Simulation Results -- 5.7 Central Control -- 5.8 Global Control -- 5.9
 Summary -- References -- Chapter 6 Advances in Microgrid Control --
 6.1 Introduction -- 6.2 Advanced Control Synthesis -- 6.2.1 Advanced
 Control Techniques -- 6.2.1.1 Optimal Control -- 6.2.1.2 Robust
 Control -- 6.2.1.3 Nonlinear Control -- 6.2.1.4 Intelligent Control --
 6.2.2 Model Predictive Control -- 6.2.2.1 MPC for Microgrids -- 6.2.2.2
 Finite Control Set Model Predictive Control -- 6.2.3 Model Predictive
 Control of DC Microgrids with Constant Power Loads -- 6.2.3.1 Case
 Study and Dynamic Modeling -- 6.2.3.2 Design Methodology -- 6.2.3.3
 RealTime Hardware in the Loop Results -- 6.2.4 Hybrid Fuzzy
 Predictive Control for Smooth Transition of AC Microgrids -- 6.2.4.1
 Case Study and Dynamic Modeling -- 6.2.4.2 Control System Design --
 6.2.4.3 Simulation Results -- 6.3 Virtual Dynamic Control -- 6.3.1
 Concept and Structure -- 6.3.2 Virtual Synchronous Generator (VSG) --
 6.3.2.1 VSG Applications -- 6.3.3 Virtual Dynamic Control of DC
 Microgrids -- 6.3.3.1 Dynamic Improvement of DC Microgrids Using
 Virtual Inertia Concept -- 6.3.3.2 Case Study and Simulation Results --
 6.4 Resilient and Cybersecure Control -- 6.4.1 Microgrid as a Cyber
 Physical System -- 6.4.2 Communication Requirements -- 6.4.3
 Cybersecurity -- 6.4.3.1 Network/Data Cyber Threats on Microgrids --
 6.4.3.2 Distributed Secondary Control Under Network Cyber Attacks.
 6.4.3.3 Cyberattack Detection -- 6.4.3.4 Cyberattack Mitigation --
 6.4.4 EventTriggered Control -- 6.4.4.1 EventTriggered Secondary
 Control of AC Microgrids -- 6.4.4.2 Physical and Control Layers --
 6.4.4.3 Secondary Control Design -- 6.4.4.4 Case Study and Simulation
 Results -- 6.5 Summary -- References -- Part II Interconnected
 Microgrids -- Chapter 7 Interconnected Microgrids: Opportunities and
 Challenges -- 7.1 Introduction -- 7.2 An Overview -- 7.3 Architectures
 of Interconnected Microgrids -- 7.4 Benefits, Challenges, and Research
 Fields -- 7.5 Operation of Interconnected Microgrids -- 7.6 Vacancies
 for Future Research -- 7.6.1 IMG Dynamic Modeling -- 7.6.2 IMG
 Stability Analysis -- 7.6.3 IMG Control -- 7.7 Summary -- References
 -- Chapter 8 Modeling of Interconnected Microgrids -- 8.1
 Introduction -- 8.2 Interconnection Method -- 8.3 Module Modeling --
 8.3.1 Microgrid Modeling -- 8.3.1.1 Modeling of Secondary Control for
 CBIMGs -- 8.3.1.2 Other MG Modules -- 8.3.1.3 Overall MG Model --
 8.3.2 Interlinking Line Modeling -- 8.3.3 BacktoBack Converter
 Modeling -- 8.3.3.1 AC Side of the BTBC -- 8.3.3.2 DC Side of the
 BTBC -- 8.3.3.3 Dependent Current and Voltage Sources -- 8.3.3.4
 BTBC Power Part Interconnection -- 8.3.3.5 Power Controller -- 8.3.3.6
 DC Voltage Controller -- 8.3.3.7 Synchronizing PLLs -- 8.3.3.8
 Complete Interconnection of BTBC Modules -- 8.3.4 Circuit Breaker
 Modeling -- 8.4 Overall IMG Modeling -- 8.4.1 Comprehensive
 Modeling of CBIMGs -- 8.4.2 Comprehensive Modeling of BTBCIMGs
 -- 8.5 Model Validation -- 8.5.1 Model Validation Procedure -- 8.5.2
 RealTime Simulator -- 8.5.3 Validation of CBIMG Modeling -- 8.5.3.1

Case Study Information -- 8.5.3.2 Prony Analysis Results -- 8.5.3.3
Comparison Results -- 8.5.4 Validation of BTBCIMG Modeling -- 8.6
ReducedOrder Models.

8.6.1 Simplified Model Application in CBIMG Frequency Control.
