

1. Record Nr.	UNINA9910460735603321
Titolo	Indigenous conflict management strategies in West Africa : beyond right and wrong / / edited by Akanmu G. Adebayo [and three others]
Pubbl/distr/stampa	Lanham, [Maryland] : , : Lexington Books, , 2015 ©2015
ISBN	0-7391-9259-0
Descrizione fisica	1 online resource (405 p.)
Collana	Conflict and Security in the Developing World
Disciplina	303.6/9096
Soggetti	Conflict management - Africa, West Electronic books.
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Description based upon print version of record.
Nota di bibliografia	Includes bibliographical references and index.
Sommario/riassunto	<span>&lt;span&gt;&lt;span&gt;This book&lt;/span&gt;&lt;span style=""font-style:italic;""&gt;&lt;/span&gt;&lt;span&gt;evaluates indigenous conflict management strategies in West Africa. It proposes a set of mechanisms by which the best elements of indigenous knowledge and skills in conflict management may be deployed to settle contemporary disputes and made portable for adoption and adaptation by other complex societies in the region and beyond.&lt;/span&gt;&lt;/span&gt;</span>

2. Record Nr.	UNISA996503550703316
Autore	You Huan
Titolo	Traffic congestion control by PDE backstepping // Huan Yu and Miroslav Krstic
Pubbl/distr/stampa	Cham, Switzerland : , : Springer, , [2022] ©2022
ISBN	3-031-19346-6
Descrizione fisica	1 online resource (363 pages)
Collana	Systems and Control: Foundations and Applications
Disciplina	629.8
Soggetti	Automatic control Traffic congestion Congestió del trànsit Models matemàtics Control automàtic Llibres electrònics
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Intro -- Preface -- What Does the Book Cover? -- Who Is the Book For? -- Acknowledgments -- Contents -- Acronyms -- 1 Introduction -- 1.1 Before Control-Models -- 1.2 The Basics of Traffic Flow Modeling -- Macroscopic and Microscopic Models -- LWR and ARZ Macroscopic Models -- 1.3 Macroscopic Traffic PDE Models -- Lighthill-Whitham-Richards Model -- Aw-Rascle-Zhang Model -- 1.4 Linearized Models and Free/Congested Regimes -- Linearized LWR Model -- Linearized ARZ Model -- 1.5 Traffic Actuation -- Control Measures: Ramp Metering (RM) and Variable Speed Limits (VSL) -- Distributed and In-Domain Actuation: CAVs -- 1.6 A Brief Review of Literature on Traffic Control -- Control Employing PI and Backstepping Feedback -- Optimal Control -- Model Predictive Control -- Other Control Problems and Strategies -- 1.7 Boundary Control by RM or VSL -- Traffic Flow Boundary Control by Ramp Metering -- Traffic Velocity Boundary Control by Varying Speed Limits -- 1.8 Open-Loop Stability -- Linear Stability of LWR Model -- Linear Stability of ARZ Model -- 1.9 Numerical Simulation -- Numerical Simulation of the LWR PDE Model --

Numerical Simulation of the ARZ PDE Model -- 1.10 Notes and References -- 2 Backstepping for Coupled Hyperbolic PDEs -- 2.1 A Brief History of PDE Backstepping -- 2.2 Coupled Hyperbolic PDEs -- 2.3 Backstepping Control for Coupled Hyperbolic PDEs -- Target System -- Backstepping Transformation -- Full-State Feedback Design -- 2.4 Observer and Output-Feedback Design for General Hyperbolic PDEs -- Boundary Sensing for State Estimation -- Output Feedback Design -- 2.5 Backstepping Control for Second-Order Hyperbolic PDEs -- Target System -- Lyapunov Stability Analysis -- Full-State Feedback Design -- 2.6 Observer and Collocated Output-Feedback Design for Second-Order Hyperbolic PDEs -- Boundary Sensing for State Estimation.

Output Feedback Design -- 2.7 Notes and References -- Part I Basic Backstepping Control of Freeway Traffic -- 3 Stabilization of ARZ Model -- 3.1 What Can Be Controlled and Is It Worth Controlling with Ramp Metering? -- 3.2 Stop-and-Go Instabilities -- 3.3 Boundary Control Model -- DORM Control -- UORM Control -- Spectrum Analysis of Control Models with Zero Input -- 3.4 DORM Control Design -- 3.5 UORM Control Designs -- UORM Full-State Feedback Control Design -- UORM Anti-Collocated Boundary Observer Design -- UORM Collocated Boundary Observer Design -- UORM Output-Feedback Control Design -- 3.6 Numerical Simulation -- 3.7 Notes and References -- 4 Observer Validation on Freeway Data -- 4.1 Testing PDE Backstepping Observers on Real Freeway Data -- 4.2 Introduction to Traffic State Estimation -- 4.3 Boundary Observer Design -- Output Injection for the Linearized ARZ Model -- 4.4 Nonlinear Observer -- 4.5 Numerical Simulation -- 4.6 Model Calibration with NGSIM Data -- Data Reconstruction -- Calibration of Model Parameters -- 4.7 Data Validation of Observer with Calibrated Parameters -- 4.8 Notes and References -- 5 Adaptive Control of ARZ Traffic Model -- 5.1 Parametric Uncertainties in the ARZ Model -- 5.2 Adaptive Control for PDEs Enabled by Backstepping -- 5.3 Adaptive Output Feedback: Simultaneous Identification, Observer, and Control Design -- 5.4 Validation of Adaptive Design: Stability Proof and Simulations -- 5.5 The ARZ PDE Model with Parameter Uncertainty -- Scaling the States -- Observer Canonical Form -- 5.6 Parametric Model and Parameter Estimation -- 5.7 Filter-Based Observer Design -- 5.8 Adaptive Output-Feedback Control Design -- 5.9 Lyapunov Stability Analysis -- L2 Boundedness -- Convergence -- 5.10 Numerical Simulation -- 5.11 Notes and References -- 6 Event-Triggered Control of ARZ Model. 6.1 Event-Triggered Control and Its Role in Controlled Traffic -- 6.2 VSL Full-State Feedback Control Design -- 6.3 Event-Triggered Strategies for Boundary Control -- Static Triggering Condition -- Dynamic Triggering Condition -- 6.4 Absence of the Zeno Phenomenon -- Static Triggering Condition -- Dynamic Triggering Condition -- 6.5 Stability Results -- Static Triggering Condition -- Dynamic Triggering Condition -- 6.6 Numerical Simulations -- 6.7 Notes and References -- 7 Comparison of Backstepping with Reinforcement Learning -- 7.1 From (Model-Based) Adaptive Control to (Less Model-Based) Reinforcement Learning -- Adaptive Backstepping -- Relative Merits of RL and Adaptive Backstepping -- Learning Characteristics of RL and Adaptive Backstepping -- Reliance on Full-State Measurement -- Is RL Learning the Backstepping Feedback Law? -- Comparison of RL with Proportional-Integral Controllers -- 7.2 RL Control Approach -- 7.3 Boundary Control Problem Reformulation -- ARZ PDE Traffic Model -- Boundary Control Design -- Setpoint Control -- PDE Backstepping Control -- P Control -- PI Control -- 7.4 Control of ARZ Model by Reinforcement Learning -- Boundary Control of PDE as a MDP -- Value

Function and Q-Function -- Actor-Critic -- Critic -- Actor -- Proximal Policy Optimization -- 7.5 Comparative Simulation Study -- Simulation Configuration -- Comparative Study with Full Knowledge of System Dynamics -- Learning Process of RL Controllers -- State Evolution, Reward, and Control Inputs -- Other Performance Measures -- Comparison Study with Partial Knowledge of System -- Scenario 1 of Lighter In-Domain Traffic -- Scenario 2 of Denser In-Domain Traffic -- 7.6 Notes and References -- Comparative Assessment of RL and Backstepping -- RL Versus Extremum Seeking -- Possible Advances with RL -- Code Availability -- Part II Advanced Backstepping for Traffic Flows.

8 Two-Lane Traffic Control -- 8.1 Modeling and Controlling Two Lanes: By Four PDEs and Two VSL Inputs -- 8.2 Two-Lane Traffic ARZ Model -- Driver's Preference Over Two Lanes -- VSL Control of Linearized Two-Lane ARZ Model -- 8.3 Full-State Feedback Control Design -- 8.4 Collocated Observer and Output-Feedback Control -- Collocated Observer Design -- Output-Feedback Controller -- 8.5 Numerical Simulation -- Output-Feedback Stabilization and Performance -- Different Traffic Scenarios, One-Lane Backstepping and PI Controllers -- 8.6 Notes and References -- 9 Two-Class Traffic Control -- 9.1 Diverse Driver and Vehicle Classes: Additional PDEs Controlled by a Single Input -- 9.2 Two-Class ARZ Traffic Model -- Linearized Two-Class PDE Model -- Free/Congested Regime Analysis of Two-Class Traffic -- 9.3 Boundary Control Design Model -- 9.4 Full-State Feedback Control -- 9.5 Anti-collocated Boundary Observer Design -- 9.6 Output-Feedback Control Design -- 9.7 Numerical Simulation -- Performance Indices -- 9.8 Notes and References -- 10 Control of Two Cascaded Freeway Segments -- 10.1 Taking the ARZ Control Design Beyond a Single Freeway Segment -- 10.2 Possible Control Configurations for a Cascade of Freeway Segments -- Macroscopic Modeling of a Cascade of Freeway Segments -- Boundary Control of a Cascade of Freeway Segments -- 10.3 ARZ PDE Model of a Cascade of Freeway Segments -- Actuated Boundary at Two Different Locations -- Congested Steady States ps:  $\rho_1^*$  Baseline comma  $v_1^*$  Superscript star Baseline comma  $\rho_2^*$  Superscript star Baseline comma  $v_2^*$  Superscript star Baseline right parenthesis) /StPNE pdfmark /StBMC pdfmark(1,v1,2,v2)ps: /EMC pdfmark /StPop pdfmark /StBMC pdfmark -- Linearized Model in the Riemann Coordinates -- 10.4 State Feedback Control Designs.

Feedback Law  $U_0(t)$  with Flow Rate Control from  $x=0$  -- Feedback Law  $U_L(t)$  with Flow Rate Control from  $x=L$  -- 10.5 Boundary Observer Designs -- Observer with Measurement  $Y_0(t)$  at  $x=0$  -- Observer with Measurement at Outlet -- 10.6 Output-Feedback Laws -- 10.7 Robustness to Input Delays -- 10.8 Simulation Results -- Output-Feedback Stabilization -- Robustness to Delays -- Comparison with PI Controllers -- 10.9 Notes and References -- 11 Estimation of Freeway Diverge Flows -- 11.1 Traffic Flow Estimation Beyond a Single Road Segment -- 11.2 PDE Model of One Incoming and Two Outgoing Roads -- 11.3 Linearized Model in the Riemann Coordinates -- 11.4 Boundary Observer Design -- 11.5 Robustness to Disturbance and Noise -- 11.6 Notes and References -- 12 Control Under Routing-Induced Instability -- 12.1 ARZ Model with Routing Feedback -- 12.2 Feedback Design for the Linearized System -- 12.3 Closed-Loop Stability -- 12.4 Existence of Solutions to Kernel Equations -- 12.5 Notes and References -- 13 Bilateral Regulation of Moving Shock Position -- 13.1 Delay-Compensating Predictors for PDE-ODE Models of Traffic Shock Movement -- 13.2 Moving Shockwave Model -- 13.3 State-Dependent

PDE-ODE Model -- 13.4 Predictor-Based Control Design -- From  
Coupled PDE-ODE to Delay System Representation -- Predictor-Based  
Backstepping Transformation -- 13.5 Lyapunov Analysis -- 13.6  
Numerical Simulation -- 13.7 Notes and References -- 14 Extremum  
Seeking for Flow Maximization at Downstream Bottleneck -- 14.1  
Bottleneck: Unknown Fundamental Diagram and Maximizing the Flow  
-- 14.2 Lane-Drop Bottleneck Control Problem -- Lane-Drop  
Bottleneck Model -- Linearized Reference Error System -- 14.3 Online  
Optimization by Extremum Seeking Control -- 14.4 Stability Analysis  
(Averaging, Backstepping, and Lyapunov) -- Closed-Loop System --  
Average System -- Backstepping Transformation.  
Lyapunov Functional.

---