

1. Record Nr.	UNINA9910480503903321
Titolo	Hardy spaces associated to non-negative self-adjoint operators satisfying Davies-Gaffney estimates // Steve Hofmann [and four others]
Pubbl/distr/stampa	Providence, Rhode Island : , : American Mathematical Society, , 2011 ©2011
ISBN	1-4704-0624-1
Descrizione fisica	1 online resource (78 p.)
Collana	Memoirs of the American Mathematical Society, , 0065-9266 ; ; Volume 214, Number 1007
Disciplina	515.9
Soggetti	Hardy spaces Harmonic analysis Interpolation spaces Pseudodifferential operators Electronic books.
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	"Volume 214, Number 1007 (third of 5 numbers)."
Nota di bibliografia	Includes bibliographical references.
Nota di contenuto	""Contents""; ""Chapter 1. Introduction""; ""Chapter 2. Notation and preliminaries""; ""2.1. Spaces of homogeneous type""; ""2.2. Assumptions""; ""2.3. The classical Hardy space $H^1(\mathbb{R}^n)$ ""; ""2.4. Hardy spaces via atoms""; ""2.5. Hardy spaces via molecules""; ""2.6. Hardy spaces via square and maximal functions""; ""2.7. BMO spaces associated to operators""; ""2.8. Historical notes""; ""Chapter 3. Davies-Gaffney estimates""; ""3.1. Self-improving properties of Davies-Gaffney estimates""; ""3.2. Finite speed propagation for the wave equation and Davies-Gaffney estimates"" ""Chapter 4. The decomposition into atoms""""4.1. Strategy of the proof of Theorem 4.1""; ""4.2. $H^1_{L,at, M(X)}$ , $H^1_{L, Sh(X)}$ , $H^2(X)$ for all $M > n/4$ ""; ""4.3. The inclusion $(H^1_{L, Sh(X)}, H^2(X)) \subset H^1_{L,at, M(X)}$ for all $M > n/4$ ""; ""4.4. Equivalence of $H^1_{L, SP(X)}$ and $H^1_{L,at, M(X)}$ when $M > n/4$ ""; ""4.5. Inclusion among the spaces $H^1_{L,at, M(X)}$ , $H^1_{L, N_h(X)}$ and $H^1_{L, NP(X)}$ ""; ""Chapter 5. Relations between atoms and molecules ""; ""Chapter 6. $BMO_{L, M(X)}$ : Duality with Hardy spaces""; ""Chapter 7. Hardy spaces and

