

1. Record Nr.	UNINA9910483576203321
Autore	Glizer Valery Y.
Titolo	Controllability of singularly perturbed linear time delay systems // Valery Y. Glizer
Pubbl/distr/stampa	Cham, Switzerland : , : Birkhauser, , [2021] ©2021
ISBN	3-030-65951-8
Descrizione fisica	1 online resource (429 pages)
Collana	Systems and Control: Foundations and Applications
Disciplina	003.74
Soggetti	Linear systems Control theory Sistemes lineals Teoria de control Llibres electrònics
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di contenuto	Intro -- Contents -- 1 Introduction -- 1.1 Real-Life Models -- 1.1.1 Neurosystem Model -- 1.1.2 Sunflower Equation -- 1.1.3 Model of Nuclear Reactor Dynamics -- 1.1.4 Model of Controlled Coupled-Core Nuclear Reactor -- 1.1.5 Car-Following Model: Lane as a Simple Open Curve -- 1.1.6 Car-Following Model: Lane as a Simple Closed Curve -- References -- 2 Singularly Perturbed Linear Time Delay Systems -- 2.1 Introduction -- 2.2 Singularly Perturbed Systems with Small Delays -- 2.2.1 Original System -- 2.2.2 Slow-Fast Decomposition of the Original System -- 2.2.3 Fundamental Matrix Solution -- 2.2.4 Estimates of Solutions to Singularly Perturbed Matrix Differential Systems with Small Delays -- 2.2.5 Example 1 -- 2.2.6 Example 2: Tracking Model with Delay -- 2.2.7 Example 3: Analysis of Neurosystem Model -- 2.2.8 Example 4: Analysis of Sunflower Equation -- 2.2.9 Proof of Lemma 2.2 -- 2.2.10 Proof of Theorem 2.1 -- 2.2.10.1 Technical Proposition -- 2.2.10.2 Main Part of the Proof -- 2.3 Singularly Perturbed Systems with Delays of Two Scales -- 2.3.1 Original System -- 2.3.2 Slow-Fast Decomposition of the Original System -- 2.3.3 Fundamental Matrix Solution -- 2.3.4 Estimates of Solutions to Singularly Perturbed Matrix

Differential Systems with Delays of Two Scales -- 2.3.5 Example 5 --  
 2.3.6 Example 6: Dynamics of Nuclear Reactor -- 2.3.7 Example 7:  
 Analysis of Car-Following Model in a Simple Closed Lane -- 2.3.8 Proof  
 of Theorem 2.2 -- 2.4 One Class of Singularly Perturbed Systems with  
 Nonsmall Delays -- 2.4.1 Original System -- 2.4.2 Slow-Fast  
 Decomposition of the Original System -- 2.4.3 Fundamental Matrix  
 Solution -- 2.4.4 Estimates of Solutions to Singularly Perturbed Matrix  
 Differential Systems with Nonsmall Delays -- 2.4.5 Example 8 -- 2.4.6  
 Proof of Lemma 2.4 -- 2.4.7 Proof of Theorem 2.4 -- 2.5 Concluding  
 Remarks and Literature Review.  
 References -- 3 Euclidean Space Output Controllability of Linear  
 Systems with State Delays -- 3.1 Introduction -- 3.2 Systems with  
 Small Delays: Main Notions and Definitions -- 3.2.1 Original System --  
 3.2.2 Asymptotic Decomposition of the Original System -- 3.3 Auxiliary  
 Results -- 3.3.1 Output Controllability of a System with State Delays:  
 Necessary and Sufficient Conditions -- 3.3.2 Linear Control  
 Transformation in Systems with Small Delays -- 3.3.2.1 Control  
 Transformation in the Original System -- 3.3.2.2 Asymptotic  
 Decomposition of the Transformed System (3.30)-(3.31), (3.3) -- 3.3.3  
 Hybrid Set of Riccati-Type Matrix Equations -- 3.3.4 Proof of Lemma  
 3.1 -- 3.3.4.1 Sufficiency -- 3.3.4.2 Necessity -- 3.3.5 Proof of Lemma  
 3.5 -- 3.3.6 Proof of Lemma 3.7 -- 3.3.7 Proof of Lemma 3.8 -- 3.3.8  
 Proof of Lemma 3.9 -- 3.4 Parameter-Free Controllability Conditions  
 for Systems with Small Delays -- 3.4.1 Case of the Standard System  
 (3.1)-(3.2) -- 3.4.2 Case of the Nonstandard System (3.1)-(3.2) --  
 3.4.3 Proofs of Theorems 3.1, 3.2, and 3.3 -- 3.4.3.1 Proof of Theorem  
 3.1 -- 3.4.3.2 Proof of Theorem 3.2 -- 3.4.3.3 Proof of Theorem 3.3  
 -- 3.5 Special Cases of Controllability for Systems with Small Delays --  
 3.5.1 Complete Euclidean Space Controllability -- 3.5.2 Controllability  
 with Respect to  $x(t)$  -- 3.5.3 Controllability with Respect to  $y(t)$  -- 3.6  
 Examples: Systems with Small Delays -- 3.6.1 Example 1 -- 3.6.2  
 Example 2 -- 3.6.3 Example 3 -- 3.6.4 Example 4 -- 3.6.5 Example 5  
 -- 3.6.6 Example 6: Pursuit-Evasion Engagement with Constant Speeds  
 of Participants -- 3.6.7 Example 7: Pursuit-Evasion Engagement with  
 Variable Speeds of Participants -- 3.6.8 Example 8: Analysis of  
 Controlled Coupled-Core Nuclear Reactor Model -- 3.7 Systems with  
 Delays of Two Scales: Main Notions and Definitions -- 3.7.1 Original  
 System.  
 3.7.2 Asymptotic Decomposition of the Original System -- 3.8 Linear  
 Control Transformation in Systems with Delays of Two Scales -- 3.8.1  
 Control Transformation in the Original System -- 3.8.2 Asymptotic  
 Decomposition of the Transformed System (3.196)-(3.197), (3.187) --  
 3.9 Parameter-Free Controllability Conditions for Systems with Delays  
 of Two Scales -- 3.9.1 Case of the Validity of the Assumption (AIII) --  
 3.9.2 Case of the Validity of the Assumption (AIV) -- 3.9.3 Special  
 Cases of Controllability -- 3.9.3.1 Complete Euclidean Space  
 Controllability -- 3.9.3.2 Controllability with Respect to  $x(t)$  -- 3.9.3.3  
 Controllability with Respect to  $y(t)$  -- 3.9.4 Example 9 -- 3.9.5 Example  
 10 -- 3.9.6 Example 11: Controlled Car-Following Model in a Simple  
 Open Lane -- 3.10 Concluding Remarks and Literature Review --  
 References -- 4 Complete Euclidean Space Controllability of Linear  
 Systems with State and Control Delays -- 4.1 Introduction -- 4.2  
 System with Small State Delays: Main Notions and Definitions -- 4.2.1  
 Original System -- 4.2.2 Asymptotic Decomposition of the Original  
 System -- 4.3 Preliminary Results -- 4.3.1 Auxiliary System with Small  
 State Delays and Delay-Free Control -- 4.3.2 Output Controllability of  
 the Auxiliary System and Its Slow and Fast Subsystems: Necessary and  
 Sufficient Conditions -- 4.3.2.1 Equivalent Forms of the Auxiliary

System -- 4.3.2.2 Output Controllability of the Auxiliary System --  
4.3.2.3 Output Controllability of the Slow and Fast Subsystems  
Associated with the Auxiliary System -- 4.3.3 Linear Control  
Transformation in the Original System with Small State Delays -- 4.3.4  
Stabilizability of a Parameter-Dependent System with State and Control  
Delays by a Memory-Less Feedback Control -- 4.3.5 Proof of Lemma  
4.8 -- 4.4 Parameter-Free Controllability Conditions for Systems with  
Small State Delays.  
4.4.1 Case of the Standard System (4.1)-(4.2) -- 4.4.2 Case of the  
Nonstandard System (4.1)-(4.2) -- 4.4.3 Proof of Main Lemma (Lemma  
4.9) -- 4.4.3.1 Auxiliary Propositions -- 4.4.3.2 Main Part of the Proof  
-- 4.4.4 Alternative Approach to Controllability Analysis of the  
Nonstandard System (4.1)-(4.2) -- 4.4.4.1 Linear Control  
Transformation in the Auxiliary System (4.40)-(4.42) -- 4.4.4.2 Proof  
of Lemma 4.10 -- 4.4.4.3 Hybrid Set of Riccati-Type Matrix Equations  
-- 4.4.4.4 Parameter-Free Controllability Conditions of the  
Nonstandard System (4.1)-(4.2) -- 4.5 Examples: Systems with Small  
State and Control Delays -- 4.5.1 Example 1 -- 4.5.2 Example 2 --  
4.5.3 Example 3 -- 4.6 Systems with State Delays of Two Scales: Main  
Notions and Definitions -- 4.6.1 Original System -- 4.6.2 Asymptotic  
Decomposition of the Original System -- 4.7 Auxiliary System with  
State Delays of Two Scales and Delay-Free Control -- 4.7.1 Description  
of the Auxiliary System and Some of Its Properties -- 4.7.2 Asymptotic  
Decomposition of the Auxiliary System (4.180)-(4.181) -- 4.7.3 Linear  
Control Transformation in the Auxiliary System (4.180)-(4.181) -- 4.8  
Parameter-Free Controllability Conditions for Systems with Delays of  
Two Scales -- 4.8.1 Case of the Validity of the Assumption (AV) --  
4.8.2 Case of the Validity of the Assumption (AVI) -- 4.8.3 Example 4  
-- 4.8.4 Example 5 -- 4.8.5 Example 6: Analysis of Car-Following  
Model with State and Control Delays -- 4.9 Concluding Remarks and  
Literature Review -- References -- 5 First-Order Euclidean Space  
Controllability Conditions for Linear Systems with Small State Delays --  
5.1 Introduction -- 5.2 Singularly Perturbed System: Main Notions and  
Definitions -- 5.2.1 Original System -- 5.2.2 Asymptotic  
Decomposition of the Original System -- 5.3 Auxiliary Results.  
5.3.1 Estimates of Solutions to Some Singularly Perturbed Linear Time  
Delay Matrix Differential Equations -- 5.3.2 Proof of Lemma 5.1 --  
5.3.2.1 Technical Proposition -- 5.3.2.2 Main Part of the Proof -- 5.3.3  
Complete Controllability of the Original System and Its Slow Subsystem:  
Necessary and Sufficient Conditions -- 5.4 Parameter-Free  
Controllability Conditions -- 5.4.1 Formulation of Main Assertions --  
5.4.2 Proof of Theorem 5.1 -- 5.4.3 Proof of Lemma 5.2 -- 5.4.4 Proof  
of Theorem 5.2 -- 5.4.4.1 Euclidean Space Controllability of a Pure Fast  
System -- 5.4.4.2 Main Part of the Proof -- 5.5 Examples -- 5.5.1  
Example 1 -- 5.5.2 Example 2 -- 5.5.3 Example 3 -- 5.5.4 Example 4  
-- 5.5.5 Example 5 -- 5.5.6 Example 6 -- 5.5.7 Example 7: Analysis of  
Controlled Car-Following Model in a Simple Open Lane -- 5.6  
Concluding Remarks and Literature Review -- References -- 6  
Miscellanies -- 6.1 Introduction -- 6.2 Euclidean Space Controllability  
of Linear Time Delay Systems with High Gain Control -- 6.2.1 High  
Gain Control System: Main Notions and Definitions -- 6.2.1.1 Initial  
System -- 6.2.1.2 Transformation of the System (6.1) -- 6.2.2 High  
Dimension Controllability Condition for the System (6.5) -- 6.2.3  
Asymptotic Decomposition of the System (6.5) -- 6.2.4 Auxiliary  
Results -- 6.2.4.1 Linear Control Transformation in the System (6.13)  
-(6.14) and Some of its Properties -- 6.2.4.2 Asymptotic  
Decomposition of the Transformed System (6.13), (6.21) -- 6.2.4.3  
Block-Wise Estimate of the Solution to the Terminal-Value Problem

(6.23) -- 6.2.5 Lower Dimension Parameter-Free Controllability  
Condition for the System (6.5) -- 6.2.6 Example -- 6.3 Euclidean Space  
Controllability of Linear Systems with Nonsmall Input Delay -- 6.3.1  
Original System -- 6.3.2 Discussion on the Slow-Fast Decomposition of  
the Original System -- 6.3.3 Auxiliary Results.  
6.3.3.1 Necessary and Sufficient Controllability Conditions of the  
Original System.

---