

| | |
|-------------------------|---|
| 1. Record Nr. | UNINA9910492145203321 |
| Titolo | Proceedings of symposium on power electronic and renewable energy systems control : PERESC 2020 // Sankarsan Mohapatro, Jonathan Kimball, editors |
| Pubbl/distr/stampa | Gateway East, Singapore : , : Springer, , [2021] ©2021 |
| ISBN | 981-16-1978-6 |
| Descrizione fisica | 1 online resource (514 pages) |
| Collana | Lecture notes in electrical engineering ; ; 616 |
| Disciplina | 621.317 |
| Soggetti | Power electronics |
| Lingua di pubblicazione | Inglese |
| Formato | Materiale a stampa |
| Livello bibliografico | Monografia |
| Note generali | Includes index. |
| Nota di contenuto | Intro -- Organization -- Preface -- Contents -- About the Editors -- Power Electronics and Electric Drives -- LCL Topology-Based Wireless Charging Unit for Electric Vehicles -- 1 Introduction -- 2 Analysis of Compensation Topologies -- 2.1 Analysis of LCL-S Compensation Topology -- 2.2 Analysis of LCL-LCL Compensation Topology -- 3 Simulations and Discussions on Experimental Data -- 3.1 Simulink Model for CC Mode of Charging (LCL-LCL Topology) -- 3.2 Simulink Model for CV Mode of Charging (LCL-S Topology) -- 3.3 Current in Transmission Coil Irrespective of CC/CV Modes -- 3.4 Comparison Between CC and CV Mode of Charging -- 3.5 Comparison of Circuit Elements with Reference [14] -- 3.6 Comparison of Power Ratings and Efficiency with Reference [14] -- 3.7 Power Rating Variation by Inverter Parameter Control -- 4 Conclusion -- References -- Evaluation of Performance Characteristics of a Switched-Capacitor Buck-Boost PFC Converter-Fed Sensorless BLDCM Drive -- 1 Introduction -- 2 Drive Schematic -- 3 Working of SCBB Converter -- 4 Drive Control System -- 4.1 SCBB Converter Control: Voltage Mode Control -- 4.2 Sensorless BLDCM Control -- 5 Simulation Results and Discussions -- 6 Conclusion -- References -- Modified Switched Z-Source Topology for Inverter Applications -- 1 Introduction -- 2 Modified Switched Z-Source (MSZSN) Inverter -- 2.1 Operating Principle -- 2.2 Steady-State Analysis -- 3 Control Methodology -- 4 Simulation |

Parameters and Results -- 4.1 Simulation of MSZSN Configuration -- 4.2 Simulation Results of SZSN Configuration -- References -- Second-Order Generalized Integrator-Based Proportional-Resonant Current Controller for Torque Ripple Minimization in Switched Reluctance Motors -- 1 Introduction -- 2 Static Electromagnetic Characteristics of Switched Reluctance Motor -- 3 Proposed Current Controller for Torque Control of SRM.

3.1 Dynamic Modeling of Switched Reluctance Motor -- 3.2 Torque Sharing Function -- 3.3 SOGI-Based PR Controller -- 3.4 Short-Time Fourier Transform -- 3.5 Asymmetric Bridge Converter -- 4 Simulation Results and Discussion -- 5 Conclusion -- References -- Application of EWT for Analyzing Rotor Fault in Inverter Fed Induction Motor Using FEM -- 1 Introduction -- 2 Co-simulation and Fault Modeling -- 3 Speed and Phase Current Analysis of Healthy and Faulty Motor in FEM -- 4 Analysis of Phase Current Using EWT -- 5 Conclusion -- References -- Comparative Analysis of a Gradationally Controlled Voltage Inverter -- 1 Introduction -- 2 Gradationally Controlled Voltage Inverter -- 3 Operating Principle of a GCVI -- 3.1 Concept of Energy Transfer and Control -- 3.2 Ternary Gradationally Controlled Voltage Inverter -- 3.3 Techniques of Delivering Energy to Bit-Inverters -- 4 Simulation Results and Discussions -- 5 Comparative Analysis -- 6 Conclusion -- References -- Modified Non-isolated Bidirectional DC-DC Converter for Regenerative Braking for Electric Vehicle Applications -- 1 Introduction -- 2 Step-Up Mode of Modified Converter -- 2.1 Mode 1, $[t_0, t_1]$ -- 2.2 Mode 2, $[t_1, t_2]$ -- 2.3 Mode 3, $[t_2, t_3]$ -- 2.4 Mode 4, $[t_3, t_4]$ -- 3 Step-Down Mode of Modified Converter -- 3.1 Mode 1, $[t_0, t_1]$ -- 3.2 Mode 2, $[t_1, t_2]$ -- 3.3 Mode 3, $[t_2, t_3]$ -- 3.4 Mode 4, $[t_3, t_4]$ -- 4 Simulation Results -- 5 Experimental Results -- 6 Conclusion -- References -- Control Scheme for Active Power Decoupling in PWM Converter with Increased Power Density -- 1 Introduction -- 2 Active Power Decoupling -- 2.1 Calculation of Ripple Power -- 2.2 Principle of Active Decoupling -- 3 Power Circuit and Proposed Control System -- 4 Results and Discussion -- 4.1 Simulation Results -- 4.2 Processor-in-the-Loop (PIL) Results -- 5 Conclusion -- References.

Bidirectional Current-Fed Converter for High Gain DC-DC and DC-AC Applications -- 1 Introduction -- 2 Converter with DC Load -- 2.1 Ideal Converter Operation and Analysis -- 2.2 Design and Analysis -- 2.3 Effect of Non-idealities -- 3 Converter with AC Load -- 3.1 Duty Ratio Modulation -- 4 Simulation Results -- 5 Conclusion -- References -- A Power Converter for Stand-Alone Nanogrid with the Feature of DC Microgrid Applications -- 1 Introduction -- 2 System Configuration and Its Operation -- 2.1 Circuit Description -- 2.2 Modes of Operation -- 3 Control Scheme -- 4 Design Considerations -- 4.1 PV Module Selection -- 4.2 Converter Parameters Selection -- 5 Simulation Results -- 6 Conclusion -- References -- Solar Power-Based Integrated Charging System for Switched Reluctance Motor-Driven E-Bikes -- 1 Introduction -- 2 Proposed SRM Drive with Integrated Charging -- 2.1 Driving Mode -- 2.2 Charging Mode -- 3 Zero-Torque Control During Charging Mode -- 4 Results and Discussion -- 4.1 Results for Motoring Mode -- 4.2 Results for Charging Mode -- 5 Conclusion -- References -- Modified Direct Torque Control Scheme for Induction Machine Using Space Vector Modulation -- 1 Introduction -- 2 Induction Machine Modelling -- 3 Induction Machine Drive -- 3.1 Conventional DTC -- 3.2 DTC-SVM -- 3.3 Speed Estimator -- 4 Results and Discussions -- 5 Conclusion -- References -- A System for Extraction of DC Motor Characteristics Using Motor Generator Coupling Technique for Use in Electric Vehicles -- 1 Introduction -- 1.1 Torque Speed

Characteristics of PMDC Motors -- 2 Proposed System and Methodology -- 2.1 Circuitry and Interfacing -- 3 Calculations Involved -- 4 Results and Discussion -- 5 Conclusion -- References -- Inverse Problem of Converter Synthesis: Formulation, Complexities, and Solution -- 1 Introduction -- 1.1 Contributions of This Paper. 2 Basic Assumptions -- 3 Complexities in Solving the Inverse Problem -- 3.1 First-Order Converters -- 3.2 Second-Order Converters -- 3.3 nth-Order Converters -- 3.4 Synthesis of Higher-Order Converters -- 4 Simulation Results -- 5 Conclusions -- References -- Renewable Energy Systems -- Feasibility of Solar PV-Powered DC System for Residential Electrification-A Comparative Study -- 1 Introduction -- 2 Feasibility Study of Solar-Powered DC System-Experiment Design -- 2.1 Selection of DC Voltage Level -- 2.2 Choice of AC/DC Loads -- 2.3 AC and DC Type House Wiring -- 2.4 Battery Sizing -- 3 Experimental Results and Discussion -- 3.1 Testing During Night Hours Under Full Load -- 3.2 Cost Analysis -- 4 Conclusion -- Reference -- Further Improvement in Stability and Stabilization Margin of Micro-grid Load Frequency Control System with Constant Communication Delays -- 1 Introduction -- 2 Mathematical Model -- 3 Electric Vehicle Model -- 4 Improved Results on Stability -- 5 Improved Results on Stabilization -- 6 Conclusion -- References -- Design and Control of Utility Grid Interfaced Solar Photovoltaic System for Bipolar DC Microgrid -- 1 Introduction -- 2 Scheme of Proposed Grid Interfaced Bipolar DC Microgrid -- 3 Control of Grid Interfaced Bipolar DC Microgrid -- 3.1 Solar Photovoltaic System -- 3.2 Control of Three-Level NPC -- 4 Simulation Results -- 5 Conclusion -- References -- Impacts of Renewable Energy Source Uncertainties on Deregulated Power Market Transactions -- 1 Introduction -- 2 Mathematical Formulations -- 2.1 Wind and Solar Power Model -- 2.2 Transaction Sensitivity Factor (TSF) -- 3 Optimal Dispatch Model -- 4 Results and Discussion -- 5 Conclusion -- References -- FIFO-Based SIL Simulation of FPGA Statechart MPPT-Controller for Photovoltaic System -- 1 Introduction -- 2 FPGA Program for FIFO-Based Statechart MPPT-Controller. 3 Dataflow Established for FIFO-Based SILS with Statechart MPPT-Controller -- 4 Results and Discussion -- 5 Conclusion -- References -- Battery Replacement Schedule Analysis for Dissimilar SOC-Type Multi-cell Configuration Under Battery Swap Charging Scheme -- 1 Introduction -- 1.1 Overview of Battery Swap Scheme and Its Challenges -- 1.2 Lithium-Ion Battery Technology -- 2 Electrical Modeling of Single Cell -- 3 Modeling of Battery-Pack with Four Lithium-Ion Cells -- 4 Simulation Results -- 4.1 Battery Pack with All Cells Connected in Series (Fig.2a) -- 4.2 Battery Pack with Two Parallel Connected Strings (Fig.2b) -- 4.3 Battery Pack with Two Series-Connected Parallel Cells (Fig.2c) -- 5 Comparison and Discussion -- 6 Conclusion -- References -- Mitigating PV Penetration Effect on Primary Frequency Control and State-of-Charge Recovery by utilizing ANFIS Controller -- 1 Introduction -- 2 Frequency Stability Criteria -- 3 Control Method -- 3.1 Frequency Regulation and RES -- 3.2 Comprehensive Configuration of BESS and SOC Calculations -- 3.3 Droop Frequency Controller -- 3.4 BESS with Droop-Type Charging/Discharging: -- 3.5 BESS Charging with Maximum SOC: -- 4 ANFIS Controller -- 5 Attributes of the Test System -- 5.1 Case Studies and Outcomes of Simulation Using ANFIS Controller -- 6 Conclusion -- References -- f-Score Feature Selection-Based Support Vector Regression for Solar Power Forecasting -- 1 Introduction -- 2 Data Preparation -- 3 Forecasting Methods -- 3.1 ARIMA Model -- 3.2 Support Vector Regression(SVR) Model -- 3.3 Long Short-Term Memory (LSTM) Networks -- 4 Feature Selection -- 4.1 Correlation-based

Feature Selection (CFS) -- 4.2 f- score-based feature selection -- 5
Results and Discussion -- 5.1 Forecasting Using SVR -- 5.2 Forecast
Using LSTM Networks -- 6 Conclusions -- References.
Tracking Maximum Power Point of a Grid-Connected DFIG Wind
Turbine Systems Using AI and Evolutionary Controllers.
