

|                         |   |
|-------------------------|---|
| 1. Record Nr.           | UNINA9910508447603321   |
| Autore                  | Khapalov Alexander Y.   |
| Titolo                  | Bio-mimetic swimmers in incompressible fluids : modeling, well-posedness, and controllability / / Alexander Khapalov  |
| Pubbl/distr/stampa      | Cham, Switzerland : , : Birkhauser, , [2021]<br>©2021   |
| ISBN                    | 3-030-85285-7   |
| Descrizione fisica      | 1 online resource (177 pages)   |
| Collana                 | Advances in Mathematical Fluid Mechanics  |
| Disciplina              | 620.106   |
| Soggetti                | Fluid mechanics - Mathematical models<br>Mecànica de fluids<br>Models matemàtics<br>Biomimètica<br>Llibres electrònics  |
| Lingua di pubblicazione | Inglese   |
| Formato                 | Materiale a stampa  |
| Livello bibliografico   | Monografia  |
| Nota di contenuto       | Intro -- Preface -- Acknowledgments -- Contents -- 1 Introduction -- 1.1 Modeling: Mimicking the Nature -- 1.2 Mathematical Approach to Swimming Modeling -- 1.3 Swimming Controllability -- 1.4 Related Selected Bibliography -- Part I Modeling of Bio-Mimetic Swimmers in 2D and 3D Incompressible Fluids -- 2 Bio-Mimetic Fish-Like Swimmers in a 2D Incompressible Fluid: Empiric Modeling -- 2.1 Swimmer's Body as a Collection of Separate Sets -- 2.2 Bio-Mimetic Fish- and Snake-Like Swimmers -- 2.3 Swimmer's Internal Forces -- 2.3.1 Rotational Internal Forces -- 2.3.2 Elastic Internal Forces -- 2.4 Swimmer's Geometric Controls -- 2.5 Internal Forces and Conservation of Momenta -- 2.5.1 About Swimmers with Body Parts Different in Mass -- 2.6 Fluid Equations: Non-stationary Stokes and Navier-Stokes Equations in 2D -- 2.7 A Model of a 2D Fish-Like Bio-Mimetic Swimmer: The Case of Stokes Equations -- 2.8 A Model of a 2D Fish-Like Bio-Mimetic Swimmer: The Case of Navier-Stokes Equations -- 3 Bio-Mimetic Aquatic Frog- and Clam-Like Swimmers in a 2D Fluid: Empiric Modeling -- 3.1 A Bio-Mimetic Aquatic Frog-Like Swimmer in a 2D Incompressible Fluid -- 3.2 A Bio-Mimetic Clam-Like Swimmer in a |

2D Incompressible Fluid -- 4 Bio-Mimetic Swimmers in a 3D Incompressible Fluid: Empiric Modeling -- 4.1 Rotational Forces in 3D -- 4.2 A Model of a 3D Fish-Like Bio-Mimetic Swimmer: The Case of Stokes Equations -- 4.3 A Bio-Mimetic Frog-Like Swimmer in a 3D Incompressible Fluid -- 4.4 A Bio-Mimetic Clam-Like Swimmer in a 3D Incompressible Fluid -- Part II Well-Posedness of Models for Bio-Mimetic Swimmers in 2D and 3D Incompressible Fluids -- 5 Well-Posedness of 2D or 3D Bio-Mimetic Swimmers: The Case of Stokes Equations -- 5.1 Notations -- 5.2 Swimmer's Body -- 5.3 Initial- and Boundary-Value Problem Setup -- 5.3.1 Estimates for Internal Forces. 5.4 Main Result: Existence and Uniqueness of Solutions -- 5.5 Proof of Theorem 5.1 -- 5.5.1 Preliminary Results: Decoupled Equation for  $z_i(t)$ 's -- 5.5.2 Three Decoupled Solution Mappings for (5.3.1) -- 5.5.2.1 Solution Mapping A for  $z_i(t)$ ,  $i = 1, \dots, n$  -- 5.5.2.2 Solution Mapping for Decoupled Non-stationary Stokes Equations -- 5.5.2.3 The Force Term -- 5.5.3 Proof of Theorem 5.1 -- 5.5.3.1 Proof of Existence: A Fixed Point Argument -- 5.5.3.2 Proof of Uniqueness -- 6 Well-Posedness of 2D or 3D Bio-Mimetic Swimmers... -- 6.1 Problem Setup and Main Results -- 6.1.1 Problem Setting -- 6.1.2 Main Results -- 6.2 Proofs of the Main Results -- 6.2.1 Solution Mapping for Decoupled Navier-Stokes Equations -- 6.2.2 Preliminary Results -- 6.2.3 Continuity of BNS -- 6.2.4 Proof of Theorems 6.1 and 6.2 -- Part III Micromotions and Local Controllability for Bio-Mimetic Swimmers in 2D and 3D Incompressible Fluids -- 7 Local Controllability of 2D and 3D Swimmers: The Case of Non-stationary Stokes Equations -- 7.1 Definitions of Controllability for Bio-Mimetic Swimmers -- 7.2 Main Results -- 7.2.1 Main Results -- 7.2.2 Main Results in Terms of Projections of Swimmers' Forces on the Fluid Velocity Space -- 7.3 Preliminary Results -- 7.3.1 Implicit Solution Formula -- 7.3.2 Differentiation with Respect to  $v_j$ 's and  $w_k$ 's -- 7.4 Volterra Equations for  $\frac{d}{dt} z_i(t)$  -- 7.5 Auxiliary Estimates -- 7.6 Proof of Theorem 7.2 -- 7.7 Proof of Theorem 7.1 -- 7.7.1 Step 1 -- 7.7.2 Step 2 -- 8 Local Controllability of 2D and 3D Swimmers: The Case of Navier-Stokes Equations -- 8.1 Problem Setting -- 8.2 Main Results -- 8.2.1 Main Results: Micromotions in 2D and 3D -- 8.2.2 Main Results: Local Controllability in 2D -- 8.2.3 Main Results: Local Controllability in 3D -- 8.2.4 Methodology of Controllability Proofs -- 8.3 Derivatives  $u_{v_j} |_{v_j=0}$  : 2D Case. 8.3.1 Auxiliary Notations -- 8.3.2 Equation for  $w_h$  and its Well-Posedness -- 8.3.3 Auxiliary Regularity Results for Parabolic Systems from  $L^2$  -- 8.3.4 Auxiliary System of Linear Equations Systems -- 8.3.5 Derivatives  $u_{v_j} |_{v_j=0}$  -- 8.4 Derivatives  $z_{i,j} |_{v_j=0}$  as Solutions to Volterra Equations: 2D Case -- 8.4.1 Expression for  $z_i(t-h) - z_i(t-0)h$  -- 8.4.2 Evaluation of the Integrand in the 1st Term on the Right in (8.4.2) -- 8.4.3 Volterra Equations -- 8.5 Proofs of Theorems 8.1 and 8.2 -- 8.5.1 Further Modification of (8.4.12) -- 8.5.2 Proofs of Theorem 8.1 and of Theorem 8.2 in the Case of Local Controllability Near Equilibrium (i.e., When  $u_0 = 0$ ) -- 8.5.2.1 Step 1 -- 8.5.2.2 Step 2 -- 8.5.2.3 Step 3: Proof of Theorem 8.1 when  $u_0 = 0$  -- 8.5.2.4 Step 4 -- 8.5.3 Proof of Theorems 8.2 and 8.1 -- 8.5.3.1 Step 1 -- 8.5.3.2 Step 2 -- 8.6 Proofs of Theorems 8.1 and 8.4 -- 8.6.1 Adjustments in Sects. 8.3 and 8.4 -- 8.6.2 Adjustments in Sect. 8.5 -- 8.6.2.1 Section 8.5.2.4, Step 4 in the 3D Case -- 8.6.2.2 Section 8.5.3 in the 3D Case -- Part IV Transformations of Swimmers' Internal Forces Acting in 2D and 3D Incompressible Fluids -- 9 Transformation of Swimmers' Forces Acting in a 2D Incompressible Fluid -- 9.1 Main Results -- 9.1.1 Qualitative Estimates for Forces Acting Upon Small Sets in an Incompressible 2D Fluid -- 9.1.2 Transformations of Forces

Acting Upon Small Rectangles in an Incompressible 2D Fluid -- 9.1.3  
 Transformations of Forces Acting Upon Small Discs in an  
 Incompressible 2D Fluid -- 9.1.4 Interpretation of Theorems 9.3 and  
 9.4: What Shape of  $S$  Is Better for Locomotion? -- 9.2 Proof of Theorem  
 9.1 -- 9.2.1 Step 1 -- 9.2.2 Step 2: Green's Formula -- 9.2.3 Step 3:  
 Evaluation of the Integral of the Gradient of the 1-st Terms on the  
 Right in (9.2.7) Over  $A$ .  
 9.2.4 Step 4: Evaluation of the Integral of the Gradient of the 2-nd  
 Term in (9.2.7) Over  $A$  -- 9.3 Proof of Theorem 9.2 -- 9.3.1 Step 1 --  
 9.3.2 Step 2 -- 9.3.3 Step 3 -- 9.3.4 Step 4 -- 9.4 Proofs of Theorems  
 9.3 and 9.4 -- 9.4.1 Proof of Theorem 9.3 -- 9.4.2 Step 1 -- 9.4.3  
 Step 2 -- 9.4.4 Step 3 -- 9.4.5 Step 4 -- 9.4.6 Step 5 -- 9.4.7 Step 6  
 -- 9.4.8 Step 7 -- 9.4.9 Step 8 -- 9.4.10 Step 9 -- 9.4.11 Proof of  
 Theorem 9.4: Forces Acting Upon Small Discs in a Fluid -- 10  
 Transformation of Swimmers' Forces Acting in a 3D Incompressible  
 Fluid -- 10.1 Main Results -- 10.1.1 Qualitative Estimates for Forces  
 Acting Upon Small Sets in an Incompressible 3D Fluid -- 10.1.2 A  
 General Formula for  $\int_{\text{meas}(S)} S(\nabla \cdot b)(x) dx$  -- 10.1.3 The Case of  
 Parallelepipeds -- 10.1.4 Spheres in 3D -- 10.1.5 Instrumental  
 Observations in Relation to Controlled Steering -- 10.2 Proofs of  
 Theorems 10.1 and 10.2 -- 10.2.1 Proof of Theorem 10.1 -- 10.2.1.1  
 Step 1 -- 10.2.1.2 Step 2: Green's Formula -- 10.2.1.3 Step 3:  
 Evaluation of the First Term on the Right in (10.2.7) over  $A$  -- 10.2.1.4  
 Step 4 -- 10.2.1.5 Step 5 -- 10.2.2 Proof of Theorem 10.2 -- 10.2.2.1  
 Step 1 -- 10.2.2.2 Step 2 -- 10.2.2.3 Step 3 -- 10.2.2.4 Step 4:  
 Calculation of the Terms in the Last Line in (10.2.26) -- 10.3 Proofs of  
 Main Results -- 10.3.1 Proofs of Theorems 10.3-10.5 -- 10.3.1.1  
 Auxiliary Formulas -- 10.3.1.2 Proof of Theorem 10.3 -- 10.3.1.3  
 Proof of Theorem 10.4 -- 10.3.1.4 Proof of Theorem 10.5 -- Part V  
 Global Steering for Bio-Mimetic Swimmers in 2D and 3D Incompressible  
 Fluids -- 11 Swimming Capabilities of Swimmers in 2D and 3D  
 Incompressible Fluids: Force Controllability -- 11.1 Discussion of  
 Concepts for Global Swimming Locomotion -- 11.2 An Instrumental  
 Observation -- 11.3 Illustrating Examples in 2D: A Snake- or Fish-Like  
 and Breaststroke Locomotions.  
 11.3.1 Fish- or Snake-Like Locomotion to the Left -- 11.3.2 Turning  
 Motion of One Rectangle, While the Other Two Retain Their Position --  
 11.3.3 Breaststroke Locomotion for a Swimmer Consisting of 3  
 Rectangles: A Bio-Mimetic Clam (Scallop) -- 11.3.4 Breaststroke  
 Locomotion for a Swimmer Consisting of 5 Rectangles: A Bio-Mimetic  
 Aquatic Frog -- 11.4 Breaststroke Pattern for a Swimmer Consisting of  
 3 Discs -- 11.5 Illustrating Examples in 3D -- 11.6 Breaststroke  
 Locomotion of a Swimmer Consisting of 3 Balls in 3D -- References.

---