

1. Record Nr.	UNISA996397213703316
Autore	Hall John <1627-1656.>
Titolo	An humble motion to the Parliament of England concerning the advancement of learning, and reformation of the universities [[electronic resource] /] by J.H
Pubbl/distr/stampa	London, : Printed for John Walker ..., 1649
Descrizione fisica	[2], 45 p
Soggetti	Education
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Attributed to John Hall. Cf. BM. Reproduction of original in British Library.
Sommario/riassunto	eebo-0018

2. Record Nr.	UNINA9910512186403321
Titolo	Common Chinese Materia Medica . Volume 3 // Huagu Ye [and three others], editors
Pubbl/distr/stampa	Singapore : , : Springer, , [2021] ©2021
ISBN	981-16-5880-3
Descrizione fisica	1 online resource (579 pages)
Disciplina	616
Soggetti	Clinical medicine Fitoteràpia Medicina xinesa Llibres electrònics
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di contenuto	Intro -- Participating Units -- Preface -- Abstract -- Contents -- Chapter 1: Medicinal Angiosperms of Onagraceae, Trapaceae, Haloragidaceae, Thymelaeaceae, Nyctaginaceae, Proteaceae, Dilleniaceae, and Pittosporaceae -- 1.1 Family: Onagraceae -- 1.1.1 Epilobium hirsutum -- 1.2 Family: Onagraceae -- 1.2.1 Epilobium pyrricholophum -- 1.3 Family: Onagraceae -- 1.3.1 Ludwigia adscendens -- 1.4 Family: Onagraceae -- 1.4.1 Ludwigia hyssopifolia -- 1.5 Family: Onagraceae -- 1.5.1 Ludwigia octovalvis -- 1.6 Family: Onagraceae -- 1.6.1 Ludwigia prostrata -- 1.7 Family: Trapaceae -- 1.7.1 Trapa bispinosa -- 1.8 Family: Haloragidaceae -- 1.8.1 Haloragis chinensis -- 1.9 Family: Haloragidaceae -- 1.9.1 Haloragis micrantha -- 1.10 Family: Thymelaeaceae -- 1.10.1 Aquilaria sinensis [1] -- 1.11 Family: Thymelaeaceae -- 1.11.1 Daphne genkwa -- 1.12 Family: Thymelaeaceae -- 1.12.1 Daphne papyracea -- 1.13 Family: Thymelaeaceae -- 1.13.1 Edgeworthia chrysanthra -- 1.14 Family: Thymelaeaceae -- 1.14.1 Wikstroemia indica [2] -- 1.15 Family: Nyctaginaceae -- 1.15.1 Boerhavia diffusa -- 1.16 Family: Proteaceae -- 1.16.1 Helicia cochinchinensis [3] -- 1.17 Family: Proteaceae -- 1.17.1 Helicia reticulata -- 1.18 Family: Dilleniaceae -- 1.18.1

Tetracera asiatica -- 1.19 Family: Pittosporaceae -- 1.19.1 Pittosporum brevicalyx -- 1.20 Family: Pittosporaceae -- 1.20.1 Pittosporum glabratum -- 1.21 Family: Pittosporaceae -- 1.21.1 Pittosporum pauciflorum -- 1.22 Family: Pittosporaceae -- 1.22.1 Pittosporum tobira -- References -- Chapter 2: Medicinal Angiosperms of Flacourtiaceae, Tamaricaceae, Passifloraceae, and Cucurbitaceae -- 2.1 Family: Flacourtiaceae -- 2.1.1 Flacouria rukam -- 2.2 Family: Flacourtiaceae -- 2.2.1 Hydnocarpus hainanensis -- 2.3 Family: Flacourtiaceae -- 2.3.1 Idesia polycarpa -- 2.4 Family: Flacourtiaceae -- 2.4.1 Xylosma controversa.

2.5 Family: Flacourtiaceae -- 2.5.1 Xylosma longifolia -- 2.6 Family: Flacourtiaceae -- 2.6.1 Xylosma racemosum -- 2.7 Family: Tamaricaceae -- 2.7.1 Tamarix chinensis -- 2.8 Family: Passifloraceae -- 2.8.1 Adenia chevalieri -- 2.9 Family: Passifloraceae -- 2.9.1 Passiflora caerulea -- 2.10 Family: Passifloraceae -- 2.10.1 Passiflora cupiformis -- 2.11 Family: Passifloraceae -- 2.11.1 Passiflora foetida -- 2.12 Family: Passifloraceae -- 2.12.1 Passiflora kwangtungensis -- 2.13 Family: Passifloraceae -- 2.13.1 Passiflora moluccana var. teysmanniana -- 2.14 Family: Cucurbitaceae -- 2.14.1 Actinostemma tenerum -- 2.15 Family: Cucurbitaceae -- 2.15.1 Benincasa hispida [1] -- 2.16 Family: Cucurbitaceae -- 2.16.1 Gynostemma pentaphyllum -- 2.17 Family: Cucurbitaceae -- 2.17.1 Lagenaria siceraria -- 2.18 Family: Cucurbitaceae -- 2.18.1 Luffa acutangula [2] -- 2.19 Family: Cucurbitaceae -- 2.19.1 Luffa aegyptiaca [3] -- 2.20 Family: Cucurbitaceae -- 2.20.1 Momordica charantia -- 2.21 Family: Cucurbitaceae -- 2.21.1 Momordica cochinchinensis -- 2.22 Family: Cucurbitaceae -- 2.22.1 Neoalsomitra integrifoliola -- 2.23 Family: Cucurbitaceae -- 2.23.1 Siraitia grosvenorii -- 2.24 Family: Cucurbitaceae -- 2.24.1 Solena amplexicaulis -- 2.25 Family: Cucurbitaceae -- 2.25.1 Thladiantha longifolia -- 2.26 Family: Cucurbitaceae -- 2.26.1 Thladiantha nudiflora -- 2.27 Family: Cucurbitaceae -- 2.27.1 Trichosanthes kirilowii, Trichosanthes rosthornii -- 2.28 Family: Cucurbitaceae -- 2.28.1 Trichosanthes laceribractea -- 2.29 Family: Cucurbitaceae -- 2.29.1 Zehneria indica -- 2.30 Family: Cucurbitaceae -- 2.30.1 Zehneria maysorensis -- References -- Chapter 3: Medicinal Angiosperms of Begoniaceae, Cactaceae, and Theaceae -- 3.1 Family: Begoniaceae -- 3.1.1 Begonia cavaleriei -- 3.2 Family: Begoniaceae -- 3.2.1 Begonia crassirostris -- 3.3 Family: Begoniaceae.

3.3.1 Begonia evansiana -- 3.4 Family: Begoniaceae -- 3.4.1 Begonia fimbriostipula -- 3.5 Family: Begoniaceae -- 3.5.1 Begonia palmata -- 3.6 Family: Begoniaceae -- 3.6.1 Begonia pedatifida [1] -- 3.7 Family: Cactaceae -- 3.7.1 Opuntia stricta var. dillenii [2] -- 3.8 Family: Theaceae -- 3.8.1 Adinandra millettii -- 3.9 Family: Theaceae -- 3.9.1 Anneslea fragrans -- 3.10 Family: Theaceae -- 3.10.1 Camellia japonica -- 3.11 Family: Theaceae -- 3.11.1 Camellia oleifera [3] -- 3.12 Family: Theaceae -- 3.12.1 Camellia sinensis -- 3.13 Family: Theaceae -- 3.13.1 Eurya chinensis -- 3.14 Family: Theaceae -- 3.14.1 Eurya distichophylla -- 3.15 Family: Theaceae -- 3.15.1 Eurya impressinervis -- 3.16 Family: Theaceae -- 3.16.1 Eurya nitida -- 3.17 Family: Theaceae -- 3.17.1 Schima argentea -- 3.18 Family: Theaceae -- 3.18.1 Schima superba -- 3.19 Family: Theaceae -- 3.19.1 Ternstroemia gymnanthera -- 3.20 Family: Theaceae -- 3.20.1 Ternstroemia kwangtungensis -- References -- Chapter 4: Medicinal Angiosperms of Actinidiaceae, Sauraujaceae, Myrtaceae, and Melastomataceae -- 4.1 Family: Actinidiaceae -- 4.1.1 Actinidia callosa var. henryi -- 4.2 Family: Actinidiaceae -- 4.2.1 Actinidia chinensis [1] -- 4.3 Family: Actinidiaceae -- 4.3.1 Actinidia eriantha [2]

-- 4.4 Family: Actinidiaceae -- 4.4.1 *Actinidia latifolia* -- 4.5 Family: Saurauiaceae -- 4.5.1 *Saurauia tristyla* -- 4.6 Family: Myrtaceae -- 4.6.1 *Baeckea frutescens* -- 4.7 Family: Myrtaceae -- 4.7.1 *Cleistocalyx operculatus* -- 4.8 Family: Myrtaceae -- 4.8.1 *Eucalyptus citriodora* -- 4.9 Family: Myrtaceae -- 4.9.1 *Eucalyptus robusta* -- 4.10 Family: Myrtaceae -- 4.10.1 *Eugenia caryophyllata* [3] -- 4.11 Family: Myrtaceae -- 4.11.1 *Melaleuca leucadendron* -- 4.12 Family: Myrtaceae -- 4.12.1 *Psidium guajava* -- 4.13 Family: Myrtaceae -- 4.13.1 *Rhodomyrtus tomentosa* -- 4.14 Family: Myrtaceae.  
4.14.1 *Syzygium buxifolium* -- 4.15 Family: Myrtaceae -- 4.15.1 *Syzygium grijsii* -- 4.16 Family: Myrtaceae -- 4.16.1 *Syzygium jambos* -- 4.17 Family: Melastomataceae -- 4.17.1 *Blastus cochinchinensis* -- 4.18 Family: Melastomataceae -- 4.18.1 *Fordiophytton faberi* -- 4.19 Family: Melastomataceae -- 4.19.1 *Fordiophytton fordii* -- 4.20 Family: Melastomataceae -- 4.20.1 *Melastoma affine* -- 4.21 Family: Melastomataceae -- 4.21.1 *Melastoma candidum* -- 4.22 Family: Melastomataceae -- 4.22.1 *Melastoma dodecandrum* -- 4.23 Family: Melastomataceae -- 4.23.1 *Melastoma intermedium* -- 4.24 Family: Melastomataceae -- 4.24.1 *Melastoma normale* -- 4.25 Family: Melastomataceae -- 4.25.1 *Melastoma sanguineum* -- 4.26 Family: Melastomataceae -- 4.26.1 *Osbeckia chinensis* -- 4.27 Family: Melastomataceae -- 4.27.1 *Osbeckia opipara* -- 4.28 Family: Melastomataceae -- 4.28.1 *Sonerila cantonensis* -- References -- Chapter 5: Medicinal Angiosperms of Combretaceae, Rhizophoraceae, and Hypericaceae -- 5.1 Family: Combretaceae -- 5.1.1 *Combretum alfredii* -- 5.2 Family: Combretaceae -- 5.2.1 *Quisqualis indica* [1] -- 5.3 Family: Combretaceae -- 5.3.1 *Terminalia catappa* [2] -- 5.4 Family: Combretaceae -- 5.4.1 *Terminalia chebula* -- 5.5 Family: Rhizophoraceae -- 5.5.1 *Carallia longipes* -- 5.6 Family: Rhizophoraceae -- 5.6.1 *Ceriops tagal* -- 5.7 Family: Rhizophoraceae -- 5.7.1 *Kandelia candel* -- 5.8 Family: Rhizophoraceae -- 5.8.1 *Rhizophora mucronata* -- 5.9 Family: Hypericaceae -- 5.9.1 *Cratoxylum cochinchinense* -- 5.10 Family: Hypericaceae -- 5.10.1 *Hypericum ascyron* -- 5.11 Family: Hypericaceae -- 5.11.1 *Hypericum attenuatum* -- 5.12 Family: Hypericaceae -- 5.12.1 *Hypericum chinense* -- 5.13 Family: Hypericaceae -- 5.13.1 *Hypericum erectum* -- 5.14 Family: Hypericaceae -- 5.14.1 *Hypericum japonicum* -- 5.15 Family: Hypericaceae -- 5.15.1 *Hypericum patulum* -- 5.16 Family: Hypericaceae.  
5.16.1 *Hypericum perforatum* [3] -- 5.17 Family: Hypericaceae -- 5.17.1 *Hypericum sampsonii* -- References -- Chapter 6: Medicinal Angiosperms of Guttiferae, Tiliaceae, Sterculiaceae, and Bombacaceae -- 6.1 Family: Guttiferae -- 6.1.1 *Garcinia multiflora* -- 6.2 Family: Guttiferae -- 6.2.1 *Garcinia oblongifolia* -- 6.3 Family: Tiliaceae -- 6.3.1 *Corchoropsis tomentosa* -- 6.4 Family: Tiliaceae -- 6.4.1 *Corchorus aestuans* -- 6.5 Family: Tiliaceae -- 6.5.1 *Corchorus capsularis* -- 6.6 Family: Tiliaceae -- 6.6.1 *Grewia biloba* -- 6.7 Family: Tiliaceae -- 6.7.1 *Grewia eriocarpa* -- 6.8 Family: Tiliaceae -- 6.8.1 *Microcos paniculata* [1] -- 6.9 Family: Tiliaceae -- 6.9.1 *Triumfetta rhomboidea* [2] -- 6.10 Family: Sterculiaceae -- 6.10.1 *Ambroma augusta* -- 6.11 Family: Sterculiaceae -- 6.11.1 *Byttneria aspera* -- 6.12 Family: Sterculiaceae -- 6.12.1 *Firmiana simplex* -- 6.13 Family: Sterculiaceae -- 6.13.1 *Helicteres angustifolia* -- 6.14 Family: Sterculiaceae -- 6.14.1 *Helicteres isora* -- 6.15 Family: Sterculiaceae -- 6.15.1 *Pterospermum heterophyllum* [3] -- 6.16 Family: Sterculiaceae -- 6.16.1 *Pterospermum lanceifolium* -- 6.17 Family: Sterculiaceae -- 6.17.1 *Sterculia nobilis* -- 6.18 Family: Sterculiaceae -- 6.18.1 *Waltheria indica* -- 6.19 Family: Bombacaceae -- 6.19.1 *Bombax ceiba*

-- References -- Chapter 7: Medicinal Angiosperms of Malvaceae and Malpighiaceae -- 7.1 Family: Malvaceae -- 7.1.1 Abelmoschus esculentus -- 7.2 Family: Malvaceae -- 7.2.1 Abelmoschus moschatus -- 7.3 Family: Malvaceae -- 7.3.1 Abelmoschus sagittifolius -- 7.4 Family: Malvaceae -- 7.4.1 Abutilon indicum [1] -- 7.5 Family: Malvaceae -- 7.5.1 Abutilon theophrasti [2] -- 7.6 Family: Malvaceae -- 7.6.1 Althaea rosea -- 7.7 Family: Malvaceae -- 7.7.1 Gossypium herbaceum -- 7.8 Family: Malvaceae -- 7.8.1 Hibiscus mutabilis [3] -- 7.9 Family: Malvaceae -- 7.9.1 Hibiscus rosa-sinensis. 7.10 Family: Malvaceae.

---