

1. Record Nr.	UNINA9910553072903321
Autore	Elahi Ata
Titolo	Computer systems : digital design, fundamentals of computer architecture and assembly language // Ata Elahi
Pubbl/distr/stampa	Cham, Switzerland : , : Springer Nature Switzerland AG, , [2022] ©2022
ISBN	9783030934491 9783030934484
Edizione	[Second edition.]
Descrizione fisica	1 online resource (307 pages)
Disciplina	005.265
Soggetti	Assembly languages (Electronic computers) Computer engineering Computer architecture
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Intro -- Preface -- Intended Audience -- Organization -- Acknowledgments -- Contents -- Chapter 1: Signals and Number Systems -- 1.1 Introduction -- 1.1.1 CPU -- 1.1.1.1 CPU Execute Program -- Input Device -- Output Device -- Memory -- 1.2 Historical Development of the Computer -- 1.3 Hardware and Software Components of a Computer -- 1.4 Types of Computers -- 1.5 Analog Signals -- 1.5.1 Characteristics of an Analog Signal -- 1.6 Digital Signals -- 1.7 Number System -- 1.7.1 Converting from Binary to Decimal -- 1.7.2 Converting from Decimal Integer to Binary -- 1.7.3 Converting Decimal Fraction to Binary -- 1.7.4 Converting from Hex to Binary -- 1.7.5 Binary Addition -- 1.8 Complement and Two's Complement -- 1.8.1 Subtraction of Unsigned Number Using Two's Complement -- 1.9 Unsigned, Signed Magnitude, and Signed Two's Complement Binary Number -- 1.9.1 Unsigned Number -- 1.9.2 Signed Magnitude Number -- 1.9.3 Signed Two's Complement -- 1.10 Binary Addition Using Signed Two's Complement -- 1.11 Floating Point Representation -- 1.11.1 Single and Double Precision Representations of Floating Point -- 1.11.1.1 Biased Exponent -- 1.11.1.2 Normalized Mantissa -- 1.11.1.3 Double Precision -- 1.12 Binary-Coded Decimal

(BCD) -- 1.13 Coding Schemes -- 1.13.1 ASCII Code -- 1.13.2 Universal Code or Unicode -- 1.14 Parity Bit -- 1.14.1 Even Parity -- 1.14.2 Odd Parity -- 1.15 Clock -- 1.16 Transmission Modes -- 1.16.1 Asynchronous Transmission -- 1.16.2 Synchronous Transmission -- 1.17 Transmission Methods -- 1.17.1 Serial Transmission -- 1.17.2 Parallel Transmission -- 1.18 Summary -- Chapter 2: Boolean Logics and Logic Gates -- 2.1 Introduction -- 2.2 Boolean Logics and Logic Gates -- 2.2.1 AND Logic -- 2.2.2 OR Logic -- 2.2.3 NOT Logic -- 2.2.4 NAND Gate -- 2.2.5 NOR Gate -- 2.2.6 Exclusive OR Gate -- 2.2.7 Exclusive NOR Gate -- 2.2.8 Tri-State Device. 2.2.9 Multiple Inputs Logic Gates -- 2.3 Integrated Circuit (IC) Classifications -- 2.3.1 Small-Scale Integration (SSI) -- 2.3.2 Integrated Circuit Pins Numbering -- 2.3.3 Medium-Scale Integration (MSI) -- 2.3.4 Large-Scale Integration (LSI) -- 2.3.5 Very-Large-Scale Integration (VLSI) -- 2.4 Boolean Algebra Theorems -- 2.4.1 Distributive Theorem -- 2.4.2 De Morgan's Theorem I -- 2.4.3 De Morgan's Theorem II -- 2.4.4 Commutative Law -- 2.4.5 Associative Law -- 2.4.6 More Theorems -- 2.5 Boolean Function -- 2.5.1 Complement of a Function -- 2.6 Summary -- Problems -- Chapter 3: Minterms, Maxterms, Karnaugh Map (K-Map), and Universal Gates -- 3.1 Introduction -- 3.2 Minterms -- 3.2.1 Application of Minterms -- 3.2.2 Three-Variable Minterms -- 3.3 Maxterms -- 3.4 Karnaugh Map (K-Map) -- 3.4.1 Three-Variable Map -- 3.4.2 Four-Variable K-Map -- 3.5 Sum of Products (SOP) and Product of Sums (POS) -- 3.6 Don't Care Conditions -- 3.7 Universal Gates -- 3.7.1 Using NAND Gates -- 3.7.2 Using NOR Gates -- 3.7.3 Implementation of Logic Functions Using NAND Gates or NOR Gates Only -- 3.7.4 Using NAND Gates -- 3.7.5 Using NOR Gates -- 3.8 Summary -- Problems -- Chapter 4: Combinational Logic -- 4.1 Introduction -- 4.2 Analysis of Combinational Logic -- 4.3 Design of Combinational Logic -- 4.3.1 Solution -- 4.4 Decoder -- 4.4.1 Implementing a Function Using a Decoder -- 4.5 Encoder -- 4.6 Multiplexer (MUX) -- 4.6.1 Designing Large Multiplexer Using Smaller Multiplexers -- 4.6.2 Implementing Functions Using Multiplexer -- 4.7 Half Adder, Full Adder, Binary Adder, and Subtractor -- 4.7.1 Full Adder (FA) -- 4.7.2 4-Bit Binary Adder -- 4.7.3 Subtractor -- 4.8 ALU (Arithmetic Logic Unit) -- 4.9 Seven-Segment Display -- 4.10 Summary -- Problems -- Chapter 5: Synchronous Sequential Logic -- 5.1 Introduction -- 5.2 S-R Latch -- 5.2.1 S-R Latch Operation -- 5.3 D Flip-Flop. 5.4 J-K Flip-Flop -- 5.5 T Flip-Flop -- 5.6 Register -- 5.6.1 Shift Register -- 5.6.2 Barrel Shifter -- 5.7 Frequency Divider Using J-K Flip-Flop -- 5.8 Analysis of Sequential Logic -- 5.9 State Diagram -- 5.9.1 D Flip-Flop State Diagram -- 5.10 Flip-Flop Excitation Table -- 5.10.1 D Flip-Flop Excitation Table -- 5.10.2 Excitation Table Operation -- 5.10.3 J-K Flip-Flop Excitation Table -- 5.10.4 T Flip-Flop Excitation Table -- 5.11 Counter -- 5.12 Summary -- Problems -- Chapter 6: Introduction to Computer Architecture -- 6.1 Introduction -- 6.1.1 Abstract Representation of Computer Architecture -- 6.2 Components of a Microcomputer -- 6.2.1 Central Processing Unit (CPU) -- 6.2.1.1 Register Bank -- 6.2.2 CPU Buses -- 6.2.2.1 Address Bus -- 6.2.2.2 Data Bus -- 6.2.2.3 Control Bus -- 6.2.3 Memory -- 6.2.4 Serial Input/Output -- 6.2.5 Direct Memory Access (DMA) -- 6.2.6 Programmable I/O Interrupt -- 6.2.7 32-Bit Versus 64-Bit CPU -- 6.3 CPU Technology -- 6.3.1 CISC (Complex Instruction Set Computer) -- 6.3.2 RISC -- 6.4 CPU Architecture -- 6.4.1 Von Neumann Architecture -- 6.4.2 Harvard Architecture -- 6.5 Intel Microprocessor Family -- 6.5.1 Upward Compatibility -- 6.6 Multicore Processors -- 6.7 CPU Instruction Execution Steps -- 6.7.1 Pipelining -- 6.8 Disk Controller

-- 6.9 Microcomputer Bus -- 6.9.1 ISA Bus -- 6.9.2 Microchannel Architecture Bus -- 6.9.3 EISA Bus -- 6.9.4 VESA Bus -- 6.9.5 PCI Bus -- 6.9.6 Universal Serial BUS (USB) -- 6.9.7 USB Architecture -- 6.9.7.1 Host Controller -- 6.9.7.2 Root Hub -- 6.9.7.3 Hub -- 6.9.7.4 USB Cable -- 6.9.7.5 USB Device -- 6.9.8 PCI Express Bus -- 6.9.8.1 PCI Express Architecture -- 6.9.8.2 PCI Express Protocol Architecture -- 6.9.8.3 Software Layer -- 6.9.8.4 PCI Express Physical Layer -- 6.10 FireWire -- 6.10.1 HDMI (High-Definition Multimedia Interface) -- 6.10.1.1 Motherboard -- 6.11 Summary.

Review Questions -- Chapter 7: Memory -- 7.1 Introduction -- 7.2 Memory -- 7.2.1 RAM -- 7.2.2 DRAM Packaging -- 7.2.3 ROM (Read-Only Memory) -- 7.2.4 Memory Access Time -- 7.3 Hard Disk -- 7.3.1 Disk Characteristics -- 7.3.2 Cluster -- 7.3.3 Disk File System -- 7.4 Solid-State Drive (SSD) -- 7.5 Memory Hierarchy -- 7.5.1 Cache Memory -- 7.5.2 Cache Terminology -- 7.5.3 Cache Memory Mapping Methods -- 7.5.4 Direct Mapping -- 7.5.5 Set Associative Mapping -- 7.5.6 Replacement Method -- 7.5.7 Fully Associative Mapping -- 7.5.8 Cache Update Methods -- 7.5.9 Effective Access Time (EAT) of Memory -- 7.5.10 Virtual Memory -- 7.5.10.1 Page Table -- 7.5.11 Memory Organization of a Computer -- 7.5.11.1 Memory Operation -- Questions and Problems -- Problems -- Chapter 8: Assembly Language and ARM Instructions Part I -- 8.1 Introduction -- 8.2 Instruction Set Architecture (ISA) -- 8.2.1 Classification of Instruction Based on Number of Operands -- 8.2.1.1 No Operand Instructions -- 8.2.1.2 One-Operand Instructions -- 8.2.1.3 Two-Operand Instructions -- 8.2.1.4 Three-Operand Instructions -- 8.3 ARM Processor Architecture -- 8.3.1 Instruction Decoder and Logic Control -- 8.3.2 Address Register -- 8.3.3 Address Increment -- 8.3.4 Register Bank -- 8.3.5 Barrel Shifter -- 8.3.6 ALU -- 8.3.7 Write Data Register -- 8.3.8 Read Data Register -- 8.3.9 ARM Operation Mode -- 8.4 ARM Registers -- 8.4.1 Current Program Status Register (CPSR) -- 8.4.2 Flag Bits -- 8.4.3 Control Bits -- 8.5 ARM Instructions -- 8.5.1 Data Processing Instructions -- 8.5.1.1 Registers Operands -- 8.5.1.2 Immediate Operand -- 8.5.2 Compare and Test Instructions -- 8.5.2.1 CMP Instruction (Compare Instruction) -- 8.5.2.2 CMN Compare Negate -- 8.5.2.3 TST (Test Instruction) -- 8.5.3 Register Swap Instructions (MOV and MVN) -- 8.5.4 Shift and Rotate Instructions -- 8.5.4.1 Logical Shift Left (LSL). 8.5.4.2 Logical Shift Right (LSR) -- 8.5.4.3 Arithmetic Shift Right (ASR) -- 8.5.4.4 Rotate Right -- 8.5.5 ARM Unconditional Instructions and Conditional Instructions -- 8.6 Stack Operation and Instructions -- 8.7 Branch (B) and Branch with Link Instruction (BL) -- 8.8 Multiply (MUL) and Multiply-Accumulate (MLA) Instructions -- 8.9 Summary -- Problems and Questions -- Chapter 9: ARM Assembly Language Programming Using Keil Development Tools -- 9.1 Introduction -- 9.2 Keil Development Tools for ARM Assembly -- 9.2.1 Assembling a Program -- 9.2.2 Running the Debugger/Simulator -- 9.3 Program Template -- 9.4 Programming Rules -- 9.4.1 CASE Rules -- 9.4.2 Comments -- 9.5 Data Representation and Memory -- 9.6 Directives -- 9.6.1 Data Directive -- 9.6.1.1 DCB (Define Constant Byte) -- 9.6.1.2 DCW (Define Constant Half Word) -- 9.6.1.3 DCD (Define Constant Word) -- 9.6.1.4 Character Strings -- 9.6.1.5 Single Character -- 9.6.1.6 SPACE -- 9.7 Memory in Vision v5 -- 9.8 Summary -- Questions and Problems -- Chapter 10: ARM Instructions Part II and Instruction Formats -- 10.1 Introduction -- 10.2 ARM Data Transfer Instructions -- 10.2.1 ARM Pseudo Instructions -- 10.2.2 Store Instructions (STR) -- 10.3 ARM Addressing Mode -- 10.3.1 Immediate Addressing -- 10.3.2 Pre-indexed -- 10.3.3 Pre-indexed with Write

Back -- 10.3.4 Post-index Addressing -- 10.4 Swap Memory and Register (SWAP) -- 10.5 Storing Data Using Keil Vision 5 -- 10.6 Bits Field Instructions -- 10.7 ARM Instruction Formats -- 10.7.1 ARM Data Processing Instruction Format -- 10.7.1.1 Condition Code -- 10.7.1.2 I bit -- 10.7.1.3 Op Code -- 10.7.2 B and BL Instruction Format -- 10.7.3 Multiply Instruction Format -- 10.7.4 Data Transfer Instructions (LDRB, LDR, STRB, and STR) -- 10.7.5 Data Transfer Half Word and Signed Number (LDRH, STRH, LDRSB, LDRSH) -- 10.7.6 Swap Memory and Register (SWAP).
10.8 Summary.
