

1. Record Nr.	UNINA9910554877903321
Titolo	RAFT polymerization : methods, synthesis, and applications // edited by Graeme Moad, Ezio Rizzardo
Pubbl/distr/stampa	Weinheim, Germany : , : Wiley-VCH GmbH, , [2022] ©2022
ISBN	3-527-82136-8 3-527-82135-X 3-527-82134-1
Descrizione fisica	1 online resource (1280 pages)
Disciplina	547.28
Soggetti	Addition polymerization
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Cover -- Title Page -- Copyright -- Contents -- Preface -- Acknowledgements -- Chapter 1 Overview of RAFT Polymerization -- References -- Chapter 2 Terminology in Reversible Deactivation Radical Polymerization (RDRP) and Reversible Addition-Fragmentation Chain Transfer (RAFT) Polymerization -- 2.1 Terminology for Reversible Deactivation Radical Polymerization (RDRP) -- 2.2 Terminology in Reversible Addition-Fragmentation Chain Transfer (RAFT) Polymerization -- 2.3 Terminology That Is Not Ratified by IUPAC -- References -- Chapter 3 How to Do a RAFT Polymerization -- 3.1 Introduction -- 3.2 IP Landscape -- 3.3 General Experimental Conditions -- 3.3.1 Initiator -- 3.3.2 Solvent -- 3.3.3 Temperature -- 3.3.4 Pressure -- 3.4 RAFT Polymerization of Styrene -- 3.4.1 Experimental Procedures for the RAFT Polymerization of Styrene -- 3.5 RAFT Polymerization of Methacrylates and Acrylates -- 3.5.1 Methacrylates -- 3.5.2 Acrylates -- 3.5.3 Experimental Procedures for the RAFT Polymerization of Methacrylates -- 3.5.4 Experimental Procedures for the RAFT Polymerization of Acrylates -- 3.6 RAFT Polymerization of Acrylamides and Methacrylamides -- 3.6.1 Methacrylamides -- 3.6.2 Acrylamides -- 3.6.3 Experimental Procedures for the RAFT Polymerization of Acrylamides and Methacrylamides -- 3.7 RAFT Polymerization of Vinyl Esters and Vinyl

Amides -- 3.7.1 Experimental Procedures for the RAFT Polymerization of Vinyl Esters and Vinyl Amides -- 3.8 Copolymers -- 3.8.1 Experimental Procedures for RAFT Copolymers -- 3.9 Block Copolymers -- 3.9.1 Experimental Procedures for RAFT Block Copolymers -- 3.10 Conclusion -- References -- Chapter 4 Kinetics and Mechanism of RAFT Polymerizations -- 4.1 Introduction -- 4.2 Ideal RAFT Polymerization Kinetics -- 4.3 Pulsed Laser Experiments in Conjunction with EPR Detection.

4.4 Quantum Chemical Calculations of the RAFT Equilibrium -- 4.5 Xanthate, Trithiocarbonate and Dithiobenzoate Mediated Polymerizations -- 4.5.1 General Aspects of Actual RAFT Polymerizations -- 4.5.2 Xanthates -- 4.5.3 Trithiocarbonates -- 4.5.4 Dithiobenzoates -- 4.5.5 The 'Missing Step' Reaction -- 4.5.6 Kinetic Analysis of Dithiobenzoate Mediated BA Polymerizations -- 4.5.7 Quantum Chemical Calculations for the CIP* - CPDB Model System -- 4.5.8 Dithiobenzoate Mediated MMA Polymerizations and Model Systems -- 4.6 Summary of Results and Concluding Remarks -- References -- Chapter 5 RAFT Polymerization: Mechanistic Considerations -- 5.1 Introduction -- 5.2 Role of the R Group -- 5.2.1 Chain Transfer and Leaving Group Ability -- 5.2.2 Measurement of the Chain Transfer Constant -- 5.2.3 Mechanistic Implications for Block Copolymer Synthesis -- 5.2.4 ReInitiation and Initialization -- 5.2.5 R Group Stability and Implications for Chain Transfer Kinetics -- 5.2.6 Differential Leaving Group Ability and Mechanistic Discrimination -- 5.3 Role of the Z Group -- 5.3.1 The Z Group and Radical Addition to the Thiocarbonyl -- 5.3.2 The Z Group and Side Reactions -- 5.3.3 Manipulating Z to Dictate Reactivity: 'Switchable' RAFT Agents -- 5.3.4 The Z Group and Reaction Kinetics -- 5.3.5 Intermediate Radical Termination -- 5.3.6 Slow Fragmentation of the Intermediate Radical -- 5.3.7 Stability of the Z Group During Reaction -- 5.4 Light Effects on the Rate of Polymerization -- 5.5 Conclusion -- References -- Chapter 6 Quantum Chemical Studies of RAFT Polymerization -- 6.1 Introduction -- 6.2 Methodology -- 6.2.1 Electronic Structure Calculations -- 6.2.2 Kinetics and Thermodynamics -- 6.2.3 Solvent Effects -- 6.2.4 Accuracy and Outstanding Challenges -- 6.3 Computational Modelling of RAFT Kinetics -- 6.3.1 Simplified Models for Theory and Experiment.

6.3.2 Side Reactions -- 6.3.3 Computational Model Predictions -- 6.3.4 Ab initio Kinetic Modelling -- 6.4 Structure-Reactivity Studies -- 6.4.1 Fundamental Aspects -- 6.4.2 Structure-Reactivity in Practical RAFT Systems -- 6.4.3 RAFT Agent Design -- 6.5 Outlook -- References -- Chapter 7 Mathematical Modelling of RAFT Polymerization -- 7.1 Introduction -- 7.2 Deterministic Modelling Techniques (DMTs) -- 7.2.1 Method of Moments (MM) -- 7.2.1.1 Homogeneous Systems -- 7.2.1.2 Heterogeneous Systems -- 7.2.2 Diffusion Controlled or CL Dependent Coefficients -- 7.2.3 Calculation of Full Molecular Weight Distributions -- 7.2.3.1 Explicit Integration Methods -- 7.2.3.2 Probability Generating Function -- 7.2.3.3 Calculations Using the Predici® Software -- 7.3 Stochastic Modelling Techniques (SMTs) -- 7.3.1 Monte Carlo -- 7.3.1.1 Homogeneous Systems -- 7.3.1.2 Heterogeneous Systems -- 7.4 Hybrid Methods -- 7.5 Specific or Novel Polymerization Processes -- 7.5.1 Semibatch Polymerization -- 7.5.2 Polymerizations in CSTRs/PFR -- 7.5.3 Branched Copolymerizations -- 7.5.4 Microwave Assisted (MA) RAFT Polymerization -- 7.6 Closing Remarks -- Acknowledgments -- References -- Chapter 8 Dithioesters in RAFT Polymerization -- 8.1 Introduction -- 8.2 Mechanism of RAFT Polymerization with Dithioester Mediators -- 8.2.1 Transfer Coefficients of Dithioesters -- 8.2.2 RAFT Equilibrium Coefficients with

Dithioesters -- 8.3 Choice of RAFT Agents -- 8.3.1 Aromatic Dithioesters (Z & equals -- Aryl or Heteroaryl) -- 8.3.2 Functional Aromatic Dithioesters (Z & equals -- Aryl or Heteroaryl) -- 8.3.3 Bisaromatic Dithioesters (Z & equals -- Aryl or Heteroaryl) -- 8.3.4 Aliphatic Dithioesters (Z & equals -- Alkyl or Aralkyl) -- 8.3.5 Bisaliphatic Dithioesters (Z & equals -- Alkyl or Aralkyl) -- 8.4 Synthesis of Dithioester RAFT Agents. 8.5 Monomers for DithioesterMediated RAFT Polymerization -- 8.5.1 1,1Disubstituted Monomers -- 8.5.1.1 Methacrylates -- 8.5.1.2 Methacrylamides -- 8.5.1.3 Other 1,1Disubstituted Monomers -- 8.5.2 Monosubstituted MAMs -- 8.5.2.1 Acrylates -- 8.5.2.2 Acrylamides -- 8.5.2.3 Styrenics -- 8.5.2.4 Diene Monomers -- 8.5.3 1,2Disubstituted MAMs -- 8.5.4 Monosubstituted IAMs and LAMs -- 8.5.5 Monomers with Reactive Functionality -- 8.5.6 Macromonomers -- 8.6 Cyclopolymerization -- 8.7 RingOpening Polymerization -- 8.8 RAFT Crosslinking Polymerization -- 8.9 RAFT Selfcondensing Vinyl Polymerization -- 8.10 RAFTSingleUnit Monomer Insertion (RAFT SUMI) into Dithioesters -- 8.11 Dithioesters in Mechanism Transformation Processes -- 8.11.1 RingOpening Polymerization (ROP) -- 8.11.2 RingOpening Metathesis Polymerization (ROMP) -- 8.11.3 Atom Transfer Radical Polymerization (ATRP) -- 8.11.4 Nitroxide Mediated Polymerization (NMP) -- 8.12 Thermally Initiated RAFT Polymerization with Dithioesters -- 8.13 Photoinitiated RAFT with Dithioesters -- 8.14 RedoxInitiated RAFT with Dithioesters -- 8.15 Reaction Conditions and Side Reactions of Dithioesters -- 8.16 RAFT Emulsion/Miniemulsion Polymerization Mediated by Dithioesters -- 8.17 Dithioester Group Removal/Transformation -- 8.17.1 Dithioester Group Removal by Reaction with Nucleophiles -- 8.17.2 Dithioester Group Removal by RadicalInduced Reactions -- 8.17.2.1 Radical Induced Coupling/Disproportionation -- 8.17.2.2 RadicalInduced Reduction -- 8.17.3 Dithioester Group Removal by Oxidation -- 8.17.4 Dithioester Group Removal by Thermolysis -- 8.17.5 Electrocyclic Reactions of Dithioesters -- 8.17.6 Boronic Acid CrossCoupling -- 8.17.7 Conclusions and Outlook -- Abbreviations -- References -- Chapter 9 Trithiocarbonates in RAFT Polymerization -- 9.1 Introduction. 9.2 Mechanism of RAFT Polymerization with Trithiocarbonate Mediators -- 9.2.1 Transfer Coefficients for Trithiocarbonates in RAFT Polymerization -- 9.2.2 RAFT Equilibrium Coefficients for Trithiocarbonates -- 9.3 Choice of Homolytic Leaving Group R for Trithiocarbonate RAFT Agents -- 9.3.1 Homolytic Leaving Group 'R' for 1,1Disubstituted MAMs -- 9.3.2 Homolytic Leaving Group 'R' for Monosubstituted MAMs -- 9.3.3 Homolytic Leaving Group 'R' for IAMs and LAMs -- 9.3.4 Macroleaving Group 'R' for Block Copolymer Synthesis -- 9.4 Choice of Activating Group 'Z' for Trithiocarbonate RAFT Agents -- 9.5 Symmetric Trithiocarbonates -- 9.5.1 Bis trithiocarbonates -- 9.6 Nonsymmetric Trithiocarbonates -- 9.7 Functional Trithiocarbonates -- 9.8 Synthesis of Trithiocarbonates -- 9.9 Polymer Syntheses with Trithiocarbonates -- 9.9.1 Methacrylates -- 9.9.2 Methacrylamides -- 9.9.3 Other 1,1Disubstituted Monomers -- 9.9.4 Acrylates -- 9.9.5 Acrylamides -- 9.9.6 Styrenics -- 9.9.7 Diene Monomers -- 9.9.8 Other Monosubstituted Monomers (MAMs, IAMs, LAMs), Vinyl Monomers -- 9.9.9 Monomers with Reactive Functionality -- 9.10 Macromonomers -- 9.11 Cyclopolymerization -- 9.12 Radical RingOpening Polymerization -- 9.13 RAFT Crosslinking Polymerization -- 9.14 RAFT Selfcondensing Vinyl Polymerization -- 9.15 RAFT SingleUnit Monomer Insertion (RAFTSUMI) into Trithiocarbonates -- 9.16 Trithiocarbonates in Mechanism Transformation Processes --

9.16.1 RingOpening Polymerization (ROP) -- 9.16.2 RingOpening
Metathesis Polymerization (ROMP) -- 9.16.3 RingOpening Opening
Alkyne Metathesis Polymerization (ROAMP) -- 9.16.4 Cationic
Polymerization -- 9.16.5 Anionic Polymerization -- 9.16.6 Nitroxide
Mediated Polymerization (NMP) -- 9.16.7 Atom Transfer Radical
Polymerization (ATRP) -- 9.17 Photoinitiated RAFT with
Trithiocarbonates.
9.18 RedoxInitiated RAFT with Trithiocarbonates.
