

1. Record Nr.	UNINA9910555236703321
Autore	Bouyer Patricia
Titolo	Foundations of Software Science and Computation Structures : 25th International Conference, FOSSACS 2022, Held as Part of the European Joint Conferences on Theory and Practice of Software, ETAPS 2022, Munich, Germany, April 2–7, 2022, Proceedings / / edited by Patricia Bouyer, Lutz Schröder
Pubbl/distr/stampa	Cham : , : Springer International Publishing : , : Imprint : Springer, , 2022
ISBN	3-030-99253-5
Edizione	[1st ed. 2022.]
Descrizione fisica	1 online resource (xvi, 471 pages) : illustrations
Collana	Lecture Notes in Computer Science, , 1611-3349 ; ; 13242
Altri autori (Persone)	BouyerPatricia <1976-> SchröderLutz
Disciplina	004.0151
Soggetti	Computer science Mathematical logic Data structures (Computer science) Information theory Computer systems Computer science - Mathematics Theory of Computation Mathematical Logic and Foundations Data Structures and Information Theory Computer System Implementation Mathematics of Computing
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Includes author index. Description based upon print version of record.
Nota di contenuto	Intro -- ETAPS Foreword -- Preface -- Organization -- Parameterized Verification to the Rescue of Distributed Algorithms (Abstract of Invited Talk) -- Contents -- Representing Regular Languages of Infinite Words Using Mod 2 Multiplicity Automata -- 1 Introduction -- 2 Preliminaries -- 2.1 NFAs, UFAs, DFAs, NBAs, UBAs, SUBAs, and DBAs -- 2.2 LTL formulas -- 2.3 M2MAs -- 2.4 Size lower bounds for DFAs, M2MAs and

NFAs -- 3 M2MAs as representations of regular languages -- 3.1
 M2MAs: procedures for operations and properties -- 3.2 Conciseness
 comparisons for regular languages -- 4 Representing regular omega-
 languages using regular languages -- 5 Conciseness comparisons for
 regular omega-languages -- 5.1 Size increases for LTL formulas -- 5.2
 Size increases for DBAs, NBAs, SUBAs -- 6 Empirical results -- 6.1
 SUBAs to minimized M2MAs and DFAs -- 6.2 NBAs and DBAs to
 minimized M2MAs -- 6.3 LTL formulas to minimized M2MAs -- 7
 Summary and conclusions -- References -- Limits and difficulties in
 the design of under-approximation abstract domains -- 1 Introduction
 -- 2 Background -- 3 Integer Domains -- 3.1 Infinite Integer Domain
 -- 3.2 Finite Integer Domain -- 4 Arbitrary domains -- 4.1 Local
 Requirements for Impossibility -- 4.2 Global Requirements for
 Impossibility -- 5 On the necessity of high surjectivity hypothesis -- 6
 Conclusions and Future Works -- References -- On probability-raising
 causality in Markov decision processes -- 1 Introduction -- 2
 Preliminaries -- 3 Strict and global probability-raising causes -- 3.1
 Examples and simple properties of probability-raising causes -- 3.2
 Related work -- 4 Checking the existence of PR causes and the PR
 conditions -- 4.1 Checking the strict probability-raising condition and
 the existence of causes -- 4.2 Checking the global probability-raising
 condition -- 5 Quality and optimality of causes.
 5.1 Quality measures for causes -- 5.2 Computation schemes for the
 quality measures for fixed cause set -- 5.3 Quality-optimal
 probability-raising causes -- 6 Conclusion -- References --
 Parameterized Analysis of Reconfigurable Broadcast Networks -- 1
 Introduction -- 2 Preliminaries -- 2.1 Multisets -- 2.2 Reconfigurable
 Broadcast Networks -- 2.3 Cubes and Counting Sets -- 3 Reachability
 sets of counting sets -- 3.1 Symbolic graph -- 3.2 Properties of the
 symbolic graph -- 4 The PSPACE Theorem -- 5 Application 1: Almost-
 sure coverability -- 5.1 The almost-sure coverability problem -- 5.2 A
 characterization of almost-sure coverability -- 5.3 PSPACE-
 completeness of the almost-sure coverability problem -- 6 Application
 2: Computation by RBN -- 6.1 RBN Protocols -- 6.2 Expressivity --
 References -- Separators in Continuous Petri Nets -- 1 Introduction --
 2 Preliminaries -- 2.1 Separators and bi-separators -- 3 A
 characterization of unreachability -- 4 Separators as certificates -- 4.1
 Locally closed bi-separators -- 5 Constructing locally closed bi-
 separators -- 6 Checking locally closed bi-separators is in NC -- 7 Bi-
 separators for set-to-set unreachability -- 8 Conclusion -- References
 -- Graphical Piecewise-Linear Algebra -- 1 Introduction -- 2
 Preliminaries -- 2.1 Props and Symmetric Monoidal Theories -- 2.2
 Ordered Props and Symmetric Monoidal Inequality Theories -- 2.3
 Graphical Polyhedral Algebra -- 3 Symmetric Monoidal Semi-Lattice
 Theories -- 4 The Theory of Piecewise-Linear Relations -- 4.1 Syntax
 and Semantics -- 4.2 Equational Theory -- 4.3 Completeness Theorem
 -- 5 Generating Piecewise-Linear Relations -- 5.1 The n-Fold Union
 Generators -- 5.2 The Simplest Non-Convex Diagram -- 5.3 The
 Semantics of a Diode -- 5.4 Alternative generators: max, ReLu and abs
 -- 5.5 Conclusion -- 6 Case Study: Electronic Circuits -- References.
 Token Games and History-Deterministic Quantitative Automata -- 1
 Introduction -- 2 Preliminaries -- 3 Token Games -- 4 Deciding
 History-Determinism via One-Token Games -- 5 Deciding History-
 Determinism via Two Token Games -- 5.1 G on LimSup and LimInf
 Automata -- 5.2 G Characterises HDness for LimSup and LimInf
 Automata -- 6 Conclusions -- Acknowledgments -- References -- On
 the Translation of Automata to Linear Temporal Logic -- 1 Introduction
 -- 2 Preliminaries -- 3 Unary Alphabet -- 4 General Alphabet -- 4.1

Cascaded Automata -- 4.2 Encoding Reachability within Reset Cascades
 by LTL Formulas -- 4.3 Depth and Length Analysis -- 4.4 Translating
 Deterministic Counter-Free Automata to LTL -- 5 Conclusions --
 References -- Categorical composable cryptography -- 1 Introduction
 -- 1.1 Related work -- 2 Resource theories -- 3 Cryptography as a
 resource theory -- 4 Computational security -- 5 Applications -- 6
 Outlook -- References -- DyNetKAT: An Algebra of Dynamic Networks
 -- 1 Introduction -- 2 Language Design -- 2.1 Brief Overview of
 NetKAT -- 2.2 Design Decisions -- 2.3 DyNetKAT Syntax -- 2.4
 DyNetKAT Semantics -- 3 Semantic Results -- 4 A Framework for
 Safety -- 5 Implementation -- 6 Experimental Evaluation -- 7
 Conclusions -- References -- A new criterion for M, N-adhesivity, with
 an application to hierarchical graphs -- 1 Introduction -- 2 M, N-
 adhesivity via creation of (co)limits -- 2.1 M, N-adhesive categories --
 2.2 A new criterion for M, N-adhesivity -- 2.3 Comma categories -- 3
 Some paradigmatic examples -- 3.1 Directed (acyclic) graphs -- 3.2
 Tree Orders -- 3.3 Various kinds of hierarchical graphs -- 4
 Conclusions -- References -- Quantifier elimination for counting
 extensions of Presburger arithmetic -- 1 Introduction -- 2 Presburger
 arithmetic with counting quantifiers -- 3 A quantifier elimination
 procedure for PAC.
 4 Discussion, summary of results and roadmap -- 5 The monadically-
 guarded fragment of PAC -- 6 Eliminating monadically-guarded
 counting quantifiers -- 7 The monadically-guarded fragment is in
 doubly exponential space -- 8 A complexity characterisation -- 9
 Conclusion -- References -- A first-order logic characterisation of
 safety and co-safety languages -- 1 Introduction -- 2 Preliminaries --
 3 Safety-FO and coSafety-FO -- 4 Safety-FO captures LTL-definable
 safety languages -- 5 Conclusions -- References -- First-order
 separation over countable ordinals -- 1 Introduction -- 2 Preliminaries
 -- 2.1 Ordinals -- 2.2 Ordinal words -- 2.3 Ordinal monoids -- 2.4
 First-order logic -- 3 The algorithm -- 3.1 The saturation construction
 -- 3.2 The algorithm -- 4 When the algorithm says 'no' -- 5 When the
 algorithm says 'yes' -- 5.1 Merge operators and FO-approximants --
 5.2 Construction of FO-approximants for words of finite and-length
 -- 5.3 Construction of FO-approximants for countable ordinal words
 -- 6 Related problems -- 7 Conclusion -- References -- A Faithful and
 Quantitative Notion of Distant Reduction for Generalized Applications
 -- 1 Introduction -- 2 A Calculus with Generalized Applications -- 2.1
 Syntax and Semantics -- 2.2 Towards a Call-by-Name Operational
 Semantics -- 2.3 Some (Un)typed Properties of J -- 3 Inductive
 Characterization of Strong Normalization -- 3.1 ISN in the -Calculus
 Through Weak-Head Contexts -- 3.2 ISN for d -- 4 Quantitative
 Types Characterize Strong Normalization -- 4.1 The Typing System --
 4.2 The Characterization of d-Strong Normalization -- 4.3 Why Is
 Not Quantitative -- 5 Faithfulness of the Translation -- 5.1 Explicit
 Substitutions -- 5.2 Proof of Faithfulness -- 6 Equivalent Notions of
 Strong Normalization -- 6.1 -Normalization Is Not Enough -- 6.2
 Comparison with $+p_2$ -- 6.3 Comparison with $+$.
 6.4 Consequences for J -- 7 Conclusion -- References -- Modal
 Logics and Local Quantifiers: A Zoo in the Elementary Hierarchy -- 1
 Introduction -- 2 Preliminaries -- 3 Lower bounds for ML(9kFO) and ML
 (9kSO) -- 4 Upper bounds via a small-model property for ML(9kSO) --
 5 Further connections -- References -- Temporal Stream Logic modulo
 Theories -- 1 Introduction -- 2 Preliminaries -- 3 Temporal Stream
 Logic modulo Theories -- 3.1 Temporal Stream Logic -- 3.2 Extending
 TSL with Theories -- 4 TSL modulo TU Satisfiability Checking -- 4.1
 Buchi Stream Automata -- 4.2 An Algorithm for TSL modulo TU

Satisfiability Checking -- 5 Undecidability of TSL modulo TU
 Satisfiability -- 6 (Semi-)Decidable Fragments -- 7 Evaluation -- 8
 Related Work -- 9 Conclusion -- References -- The Different Shades of
 Infinite Session Types -- 1 Introduction -- 2 Shades of types -- 3
 Types, trees and traces -- 4 From types to automata -- 5 From
 automata to types -- 6 Related work -- 7 Conclusion -- References --
 Complete and tractable machine-independent characterizations of
 second-order polytime -- 1 Introduction -- 2 A second-order
 language with imperative procedures -- 3 Type system -- 4
 Characterizations of the class of Basic Feasible Functionals -- 5 A
 completeness-preserving termination criterion -- 6 Conclusion and
 future work -- References -- Variable binding and substitution for
 (nameless) dummies -- 1 Introduction -- 2 De Bruijn monads -- 2.1
 Definition of De Bruijn monads -- 2.2 Lifting assignments -- 2.3
 Binding arities and binding conditions -- 2.4 Binding signatures and
 algebras -- 3 Initial-algebra semantics of binding signatures in De
 Bruijn monads -- 3.1 A category of De Bruijn monads -- 3.2 Categories
 of De Bruijn algebras -- 4 Relation to presheaf-based models -- 4.1
 Trimming down presheaf-based models -- 4.2 Trimming down De
 Bruijn monads.
 4.3 Bridging the gap.

Sommario/riassunto

This open access book constitutes the proceedings of the 25th
 International Conference on Foundations of Software Science and
 Computational Structures, FOSSACS 2022, which was held during April
 4-6, 2022, in Munich, Germany, as part of the European Joint
 Conferences on Theory and Practice of Software, ETAPS 2022. The 23
 regular papers presented in this volume were carefully reviewed and
 selected from 77 submissions. They deal with research on theories and
 methods to support the analysis, integration, synthesis, transformation,
 and verification of programs and software systems. .
