

1. Record Nr.	UNINA9910627246403321
Titolo	Proceedings of the 2nd Energy Security and Chemical Engineering Congress : selected articles from ESCHE 2021, Malaysia // edited by Nasrul Hadi Johari [and five others]
Pubbl/distr/stampa	Singapore : , : Springer, , [2023] ©2023
ISBN	981-19-4425-3
Descrizione fisica	1 online resource (404 pages)
Collana	Lecture Notes in Mechanical Engineering
Disciplina	621.042
Soggetti	Renewable energy sources
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di contenuto	Intro -- Preface -- About This Book -- Contents -- Editors and Contributors -- Prospects of Energy Recovery in Offshore Oil and Gas Operations -- 1 Introduction -- 2 Overview of Offshore Oil and Gas Platform -- 3 Waste Heat -- 4 Waste Heat Recovery -- 5 Prospects -- 6 Future Research -- 7 Conclusions -- References -- An Overview of Organic Rankine Cycle for Waste Heat Recovery on Offshore Oil and Gas Platform -- 1 Introduction -- 2 Overview of Offshore Oil and Gas Platform -- 3 Waste Heat -- 4 Organic Rankine Cycle -- 5 ORC Application for the Waste Heat Recovery on Offshore Oil and Gas Platform -- 6 Analysis -- 7 Conclusion -- References -- Numerical Simulation of Heat Transfer Performance of Water: Ethylene Glycol Mixture (W:EG) Through Turbine-Like Decaying Flow Swirler -- 1 Introduction -- 2 Numerical Modeling -- 3 Result and Discussion -- 4 Conclusion -- References -- Pareto Solution of Autocatalytic Esterification in Semi-batch Reactor Using Control Vector Parameterization (CVP) and -Constraint -- 1 Introduction -- 2 Process Modeling -- 3 Dynamic Multi-objective Optimization -- 3.1 Multi-objective Optimization (MOO) Technique -- 3.2 Problem Optimization Formulation -- 4 Results and Discussion -- 5 Conclusion -- References -- Control Analysis of Biomass Gasification with Combined Heat and Power System -- 1 Introduction -- 2 Modelling of BG-CHP System -- 2.1 A Dynamic BG-CHP Flowsheet Model in Aspen Plus Software --

2.2 An Empirical Model of BG-CHP System in Simulink, Matlab Software -- 2.3 Control Design of BG-CHP System -- 3 Modelling of BG-CHP System -- 3.1 A Control Scenario -- 4 Conclusion -- References -- Effects of Pineapple Leaf Fibre as Reinforcement in Oil Palm Shell Lightweight Concrete -- 1 Introduction -- 2 Experimental Program -- 2.1 Materials -- 2.2 Mix Proportions -- 2.3 Test Methods -- 3 Results and Discussion. 3.1 Workability -- 3.2 Density -- 3.3 Compressive Strength -- 3.4 Splitting Tensile Strength -- 3.5 Flexural Strength -- 4 Conclusions -- References -- Pedal Error Naturalistic Driving Study Among Malaysian Drivers -- 1 Introduction -- 2 Methods -- 2.1 Participants -- 2.2 Apparatus -- 2.3 Naturalistic Driving Study Flow -- 3 Result and Discussion -- 3.1 Naturalistic Driving Test -- 3.2 Driving Experience -- 3.3 Pedal Error Condition -- 3.4 Pedal Error Factors -- 3.5 Factors of Road Accidents -- 3.6 Participants' Feedback for the Naturalistic Driving Study -- 3.7 Pedal Force Comparison -- 4 Conclusion -- References -- Copper Coated Electrode by Fused Deposition Modelling (FDM) Process -- 1 Introduction -- 2 Materials and Methods -- 2.1 Materials -- 2.2 Fabrication -- 2.3 Metallization -- 2.4 Chemical Treatment Route -- 2.5 Electrical Performance Measurement -- 2.6 Surface characterization Scanning Electron Microscope (SEM) -- 3 Results and Discussion -- 3.1 Electrical Performance Measurement -- 3.2 Scanning Electron Microscope (SEM) -- 3.3 Microscopic Testing -- 4 Conclusion -- References -- FTIR Analysis of Plant-Based Cellulose as Adsorbents for Water Remediation -- 1 Introduction -- 1.1 Heavy Metal in Wastewater -- 2 Adsorption -- 3 Methodology -- 4 FTIR Result -- 5 Conclusion -- References -- A Study on the Wear Resistance and Lubrication Properties of Mixed Engine Oils -- 1 Introduction -- 2 Experimental Procedure -- 2.1 Oil Samples -- 2.2 Four-Ball Experiment -- 2.3 Coefficient of Friction (COF) Analysis -- 2.4 Wear Scar Diameter (WSD) Analysis -- 2.5 Viscosity Analysis -- 2.6 Testing Periods -- 3 Results -- 3.1 Wear Scar Diameter (WSD) -- 3.2 Coefficient of Friction (COF) -- 3.3 Viscosity -- 4 Discussion -- 5 Conclusion -- References -- Effect of Hot Cylinder Materials on Gamma-Type Stirling Engine Performance Using Solar Dish Concentrator. 1 Introduction -- 2 Stirling Engine -- 3 Stirling Engine Performance -- 4 Conclusions -- References -- The Analysis of Risk Factor Repetitive Motion in Manufacturing Activities Based on Ergonomics -- 1 Introduction -- 2 Literature Review -- 2.1 Rapid Upper Limb Assessment (RULA) -- 3 Methodology -- 3.1 Research Flowchart -- 4 Results and Discussion -- 5 Conclusion -- References -- The Development of Quick Response Manufacturing in Supply Chains Activities Based on Product Planning Control -- 1 Introduction -- 2 Methodology -- 3 Results and Discussion -- 4 Conclusion -- References -- Rheological Characteristics and Optimization of Novel TiO<sub>2</sub>-POE Nanolubricant Using Response Surface Method (RSM) for Air Conditioning System Compressor Application -- 1 Introduction -- 2 Experimental Methodology -- 2.1 Nanolubricant Preparation -- 2.2 Viscosity Measurement -- 2.3 Uncertainty Analysis -- 2.4 Optimization -- 3 Results and Discussion -- 3.1 The Impact of Volume Fraction on Dynamic Viscosity Analysis -- 3.2 The Impact of Temperature on Dynamic Viscosity Analysis -- 3.3 Optimization Using Response Surface Method (RSM) -- 3.4 Optimization Solution -- 3.5 Uncertainty Analysis -- 4 Conclusion -- References -- A Comprehensive Investigation of Low Proportion TiO<sub>2</sub>-POE Nanolubricant Stability for Residential Air Conditioning System Application -- 1 Introduction -- 2 Experimental Method -- 2.1 Nanolubricant Preparation -- 2.2

TiO<sub>2</sub>-POE Nanolubricant Stability Analysis -- 3 Result and Discussion -- 3.1 TiO<sub>2</sub> Nanoparticle Characterization -- 3.2 TiO<sub>2</sub>-POE Nanolubricant Visual Analysis -- 3.3 TiO<sub>2</sub>-POE Nanolubricant Absorbance Ratio Analysis by Means of UV Visible Spectrophotometry -- 3.4 TiO<sub>2</sub>-POE Nanolubricant Zeta Potential Analysis -- 4 Conclusion -- References -- OFAT Adoption on FAI<sub>2</sub>O<sub>3</sub>-POE Nanolubricant Absorbance Ratio Optimization Based on Spectrophotometric Method. 1 Introduction -- 2 Experimental Method -- 2.1 Nanolubricant Preparation -- 2.2 UV Visible Spectrophotometry Analysis -- 2.3 Optimization -- 3 Result and Discussion -- 3.1 TiO<sub>2</sub>-POE Nanolubricant Absorbance Ratio Analysis Using UV Visible Spectrophotometry -- 3.2 Analysis of Variant (ANOVA) -- 3.3 OFAT Optimization Solution -- 4 Conclusion -- References -- Surface Modification for Dispersion Stability of Novel FAI<sub>2</sub>O<sub>3</sub>-POE Nanolubricant Using Functional SiO<sub>2</sub> -- 1 Introduction -- 2 Experiment -- 2.1 Materials -- 2.2 Functionalized Al<sub>2</sub>O<sub>3</sub> Synthesis Procedure -- 2.3 FAI<sub>2</sub>O<sub>3</sub>-POE Nanolubricant Preparation and Characterization -- 2.4 UV Visible Spectrophotometry -- 3 Result and Discussion -- 3.1 FAI<sub>2</sub>O<sub>3</sub> Characterization -- 3.2 FAI<sub>2</sub>O<sub>3</sub>-POE Absorbance Ratio Analysis -- 4 Conclusion -- References -- Absorbance Ratio Optimization as a Function of TiO<sub>2</sub>-POE Nanolubricant Spectrophotometric Wavelength Using the Quadratic Design on One Factor at a Time -- 1 Introduction -- 2 Experimental Method -- 2.1 Nanolubricant Preparation -- 2.2 UV Visible Spectrophotometry Analysis -- 2.3 Optimization -- 3 Result and Discussion -- 3.1 TiO<sub>2</sub>-POE Nanolubricant Absorbance Ratio Analysis Using UV Visible Spectrophotometry -- 3.2 Analysis of Variant (ANOVA) -- 3.3 OFAT Optimization Solution -- 4 Conclusion -- References -- Multiscale Modelling of 3-Dimensional Brain Tissue Using Ideal Capillary Model -- 1 Introduction -- 2 Mathematical Model -- 2.1 Governing Equation and Asymptotic Expansion Homogenization -- 2.2 Homogenized Macroscale Governing Equations -- 2.3 Microscale Cell Problems -- 2.4 Varying Capillary Tortuosity and Radius -- 3 Results and Discussion -- 3.1 Capillary Hydraulic Conductivity, K -- 3.2 Interstitial Hydraulic Conductivity, G -- 3.3 Parameter Q -- 3.4 Parameter L -- 4 Conclusions -- References.

Tribological Performance Effect of SiO<sub>2</sub> and TiO<sub>2</sub> Nanoparticles as Lubricating Oil Additives -- 1 Introduction -- 2 Methodology -- 2.1 Preparation of Nanolubricants -- 2.2 Tribological Test -- 3 Results and Discussion -- 3.1 Nanolubricant Characterization and Stability -- 3.2 Tribological Performance of Nanolubricants -- 4 Conclusions -- References -- Comparison of Thermal Efficiency and Heat Transfer Rate on the Fluidized-Bed Combustor Using Oil Palm Fuel -- 1 Introduction -- 2 Experimental Setup and Material -- 3 Result and Discussion -- 4 Conclusion -- References -- Performance Optimization of Low Proportion Biodiesel Blend on Marine Diesel Engine Using Response Surface Method -- 1 Introduction -- 2 Research Methodology -- 3 Response Surface Methodology Model -- 4 Results and Discussion -- 4.1 ANOVA Analysis -- 4.2 Brake Power -- 4.3 Brake Specific Fuel Consumption -- 4.4 CO Emissions -- 4.5 NOX Emissions -- 4.6 Optimization Results -- 5 Conclusions -- References -- Performance Investigation of R32 and R410a Refrigerants with Different Compressor Lubricants -- 1 Introduction -- 2 Methodology -- 2.1 Experimental Setup -- 2.2 Measurement and Experimental Procedure -- 2.3 Thermodynamic Analysis -- 3 Results and Discussion -- 3.1 Compressor Performance -- 3.2 Cooling Performance -- 3.3 Overall System Performance -- 4 Conclusions -- References -- Micromechanical Modeling of Glass Filled Epoxy Using the Variational

Asymptotic Method for Unit Cell Homogenization -- 1 Introduction --  
2 Methodology -- 3 Result and Discussion -- 3.1 Comparison  
of Different Size of Glass Particle -- 3.2 Comparison of Volume Fraction  
of Glass Particle -- 4 Conclusion -- References -- Finite Element  
Analysis of Tuned Mass Damper -- 1 Introduction -- 2 Design  
Modelling and Analysis -- 2.1 Modal Analysis in Ansys Workbench --  
2.2 Harmonic Analysis in Ansys Workbench.  
3 Theoretical Equation.

---