

1. Record Nr.	UNINA9910677189603321
Autore	Falangas Eric T.
Titolo	Performance evaluation and design of flight vehicle control systems / / Eric T. Falangas
Pubbl/distr/stampa	Hoboken, New Jersey : , : Wiley, , 2016 [Piscataway, New Jersey] : , : IEEE Xplore, , [2015]
ISBN	1-119-13487-0 1-119-14117-6 1-119-13485-4
Descrizione fisica	1 online resource (434 p.)
Disciplina	629.1326
Soggetti	Flight control - Evaluation Engineering design - Evaluation
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Description based upon print version of record.
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Preface xi -- Acknowledgments xiii -- Introduction 1 -- 1 Description of the Dynamic Models 7 -- 1.1 Aerodynamic Models, 8 -- 1.2 Structural Flexibility, 9 -- 1.3 Propellant Sloshing, 10 -- 1.4 Dynamic Coupling between Vehicle, Actuators, and Control Effectors, 12 -- 1.5 Control Issues, 13 -- 1.6 Coordinate Axes, 15 -- Nomenclature, 16 -- 2 Nonlinear Rigid-Body Equations Used in 6-DOF Simulations 19 -- 2.1 Force and Acceleration Equations, 19 -- 2.2 Moment and Angular Acceleration Equations, 21 -- 2.3 Gravitational Forces, 22 -- 2.4 Engine TVC Forces, 22 -- 2.5 Aerodynamic Forces and Moments, 24 -- 2.6 Propellant Sloshing Using the Pendulum Model, 28 -- 2.7 Euler Angles, 29 -- 2.8 Vehicle Altitude and Cross-Range Velocity Calculation, 30 -- 2.9 Rates with Respect to the Stability Axes, 30 -- 2.10 Turn Coordination, 31 -- 2.11 Acceleration Sensed by an Accelerometer, 31 -- 2.12 Vehicle Controlled with a System of Momentum Exchange Devices, 32 -- 2.13 Spacecraft Controlled with Reaction Wheels Array, 33 -- 2.14 Spacecraft Controlled with an Array of Single-Gimbal CMGs, 37 -- 2.14.1 Math Model of a SGCMG Array, 38 -- 2.14.2 Steering Logic for a Spacecraft with SGCMGs, 42 -- 3 Linear Perturbation Equations Used in Control Analysis 47 -- 3.1 Force and

Acceleration Equations, 47 -- 3.2 Linear Accelerations, 48 -- 3.3
 Moment and Angular Acceleration Equations, 50 -- 3.4 Gravitational
 Forces, 51 -- 3.5 Forces and Moments due to an Engine Pivoting and
 Throttling, 52 -- 3.6 Aerodynamic Forces and Moments, 58 -- 3.7
 Modeling a Wind-Gust Disturbance, 70 -- 3.8 Propellant Sloshing
 (Spring / Mass Analogy), 73 -- 3.9 Structural Flexibility, 80 -- 3.9.1
 The Bending Equation, 85 -- 3.10 Load Torques, 90 -- 3.10.1 Load
 Torques at the Nozzle Gimbal, 91 -- 3.10.2 Hinge Moments at the
 Control Surfaces, 93 -- 3.11 Output Sensors, 97 -- 3.11.1 Vehicle
 Attitude, Euler Angles, 97 -- 3.11.2 Altitude and Cross-Range Velocity
 Variations, 98 -- 3.11.3 Gyros or Rate Gyros, 98 -- 3.11.4 Acceleration
 Sensed by an Accelerometer, 100.
 3.11.5 Angle of Attack and Sideslip Sensors, 101 -- 3.12 Angle of
 Attack and Sideslip Estimators, 102 -- 3.13 Linearized Equations of a
 Spacecraft with CMGs in LVLH Orbit, 104 -- 3.14 Linearized Equations
 of an Orbiting Spacecraft with RWA and Momentum Bias, 106 -- 3.15
 Linearized Equations of Spacecraft with SGCMG, 107 -- 4 Actuators for
 Engine Nozzles and Aerosurfaces Control 109 -- 4.1 Actuator Models,
 111 -- 4.1.1 Simple Actuator Model, 112 -- 4.1.2 Electrohydraulic
 Actuator, 114 -- 4.1.3 Electromechanical Actuator, 118 -- 4.2
 Combining a Flexible Vehicle Model with Actuators, 123 -- 4.3
 Electromechanical Actuator Example, 126 -- 5 Effector Combination
 Logic 137 -- 5.1 Derivation of an Effector Combination Matrix, 138 --
 5.1.1 Forces and Moments Generated by a Single Engine, 139 -- 5.1.2
 Moments and Forces Generated by a Single Engine Gimbaling in Pitch
 and Yaw, 141 -- 5.1.3 Moments and Forces of an Engine Gimbaling in a
 Single Skewed Direction, 142 -- 5.1.4 Moments and Forces Generated
 by a Throttling Engine or an RCS Jet, 143 -- 5.1.5 Moment and Force
 Variations Generated by a Control Surface Deflection from Trim, 144 --
 5.1.6 Vehicle Accelerations due to the Combined Effect from all
 Actuators, 145 -- 5.2 Mixing-Logic Example, 147 -- 5.3 Space Shuttle
 Ascent Analysis Example, 152 -- 5.3.1 Pitch Axis Analysis, 153 --
 5.3.2 Lateral Axes Flight Control System, 163 -- 5.3.3 Closed-Loop
 Simulation Analysis, 168 -- 6 Trimming the Vehicle Effectors 171 --
 6.1 Classical Aircraft Trimming, 171 -- 6.2 Trimming along a
 Trajectory, 172 -- 6.2.1 Aerodynamic Moments and Forces, 176 --
 6.2.2 Moments and Forces from an Engine Gimbaling in Pitch and Yaw,
 178 -- 6.2.3 Numerical Solution for Calculating the Effector Trim
 Deflections and Throttles, 180 -- 6.2.4 Adjusting the Trim Profile along
 the Trajectory, 183 -- 7 Static Performance Analysis along a Flight
 Trajectory 187 -- 7.1 Transforming the Aeromoment Coefficients, 188
 -- 7.2 Control Demands Partial Matrix (CT), 188 -- 7.2.1 Vehicle
 Moments and Forces Generated from a Double-Gimbaling Engine, 190.
 7.2.2 Vehicle Moments and Forces Generated by an Engine Gimbaling
 in Single Direction, 191 -- 7.2.3 Moment and Force Variations
 Generated by a Throttling Engine, 191 -- 7.2.4 Vehicle Moments and
 Forces Generated by Control Surfaces, 192 -- 7.2.5 Total Vehicle
 Moments and Forces due to All Effectors Combined, 192 -- 7.3
 Performance Parameters, 194 -- 7.3.1 Aerodynamic Center, 194 --
 7.3.2 Static Margin, 195 -- 7.3.3 Center of Pressure, 195 -- 7.3.4 Pitch
 Static Stability/Time to Double Amplitude Parameter (T₂), 195 -- 7.3.5
 Derivation of Time to Double Amplitude, 196 -- 7.3.6 Directional
 Stability (C_n^{DEFD}-dynamic), 197 -- 7.3.7 Lateral Static
 Stability/Time to Double Amplitude Parameter (T₂), 198 -- 7.3.8
 Authority of the Control Effectors, 198 -- 7.3.9 Biased Effectors, 200
 -- 7.3.10 Control to Disturbance Moments Ratio (M_{DEFC}/
 M_{DEFF}), 201 -- 7.3.11 Pitch Control Authority Against
 an Angle of Attack & M_{DEFC};max Dispersion, 201 -- 7.3.12

Lateral Control Authority Against an Angle of Sideslip �
 �max Disturbance, 203 -- 7.3.13 Normal and Lateral Loads, 204 -- 7.3.14 Bank Angle and Side Force During a Steady Sideslip, 204 -- 7.3.15 Engine-Out or Ycg Offset Situations, 205 -- 7.3.16 Lateral Control Departure Parameter, 206 -- 7.3.17 Examples Showing the Effects of LCDP Sign Reversal on Stability, 209 -- 7.3.18 Effector Capability to Provide Rotational Accelerations, 211 -- 7.3.19 Effector Capability to Provide Translational Accelerations, 212 -- 7.3.20 Steady Pull-Up Maneuverability, 212 -- 7.3.21 Pitch Inertial Coupling Due to Stability Roll, 214 -- 7.3.22 Yaw Inertial Coupling Due to Loaded Roll, 215 -- 7.3.23 Moments at the Hinges of the Control Surfaces, 216 -- 7.4 Notes on Spin Departure (By Aditya A. Paranjape), 217 -- 7.4.1 Stability-Based Criteria, 217 -- 7.4.2 Solution-Based Criteria, 220 -- 7.5 Appendix, 224 -- References, 224 -- 8 Graphical Performance Analysis 225 -- 8.1 Contour Plots of Performance Parameters versus (Mach and Alpha), 225 -- 8.2 Vector Diagram Analysis, 228 -- 8.2.1 Maximum Moment and Force Vector Diagrams, 229. 8.2.2 Maximum Acceleration Vector Diagrams, 233 -- 8.2.3 Moment and Force Partial Vector Diagrams, 234 -- 8.2.4 Vector Diagram Partial of Acceleration per Acceleration Demand, 238 -- 8.3 Converting the Aero Uncertainties from Individual Surfaces to Vehicle Axes, 239 -- 8.3.1 Uncertainties in the Control Partial, 241 -- 8.3.2 Uncertainties due to Peak Control Demands, 241 -- 8.3.3 Acceleration Uncertainties, 243 -- 9 Flight Control Design 245 -- 9.1 LQR State-Feedback Control, 246 -- 9.2 H-Infinity State-Feedback Control, 248 -- 9.3 H-Infinity Control Using Full-Order Output Feedback, 249 -- 9.4 Control Design Examples, 251 -- 9.5 Control Design for a Reentry Vehicle, 251 -- 9.5.1 Early Reentry Phase, 253 -- 9.5.2 Midphase, 261 -- 9.5.3 Approach and Landing Phase, 268 -- 9.6 Rocket Plane with a Throttling Engine, 275 -- 9.6.1 Design Model, 276 -- 9.6.2 LQR Control Design, 277 -- 9.6.3 Simulation of the Longitudinal Control System, 278 -- 9.6.4 Stability Analysis, 281 -- 9.7 Shuttle Ascent Control System Redesign Using H-Infinity, 282 -- 9.7.1 Pitch Axis H-Infinity Design, 283 -- 9.7.2 Lateral Axes H-Infinity Design, 289 -- 9.7.3 Sensitivity Comparison Using Simulations, 294 -- 9.8 Creating Uncertainty Models, 298 -- 9.8.1 The Internal Feedback Loop Structure, 299 -- 9.8.2 Implementation of the IFL Model, 303 -- 10 Vehicle Design Examples 305 -- 10.1 Lifting-Body Space-Plane Reentry Design Example, 305 -- 10.1.1 Control Modes and Trajectory Description, 307 -- 10.1.2 Early Hypersonic Phase Using Alpha Control, 307 -- 10.1.3 Normal Acceleration Control Mode, 317 -- 10.1.4 Flight-Path Angle Control Mode, 329 -- 10.1.5 Approach and Landing Phase, 341 -- 10.1.6 Six-DOF Nonlinear Simulation, 361 -- 10.2 Launch Vehicle with Wings, 381 -- 10.2.1 Trajectory Analysis, 382 -- 10.2.2 Trimming along the Trajectory, 382 -- 10.2.3 Trimming with an Engine Thrust Failure, 385 -- 10.2.4 Analysis of Static Performance along the Trajectory, 387 -- 10.2.5 Controllability Analysis Using Vector Diagrams, 390. 10.2.6 Creating an Ascent Dynamic Model and an Effector Mixing Logic, 393 -- 10.2.7 Ascent Control System Design, Analysis and Simulation, 393 -- 10.3 Space Station Design Example, 400 -- 10.3.1 Control Design, 401 -- 10.3.2 Simulation and Analysis, 405 -- Bibliography 409 -- Index 413.

Sommario/riassunto

This book will help students, control engineers and flight dynamics analysts to model and conduct sophisticated and systemic analyses of early flight vehicle designs controlled with multiple types of effectors and to design and evaluate new vehicle concepts in terms of satisfying mission and performance goals. Performance Evaluation and Design of

Flight Vehicle Control Systems begins by creating a dynamic model of a generic flight vehicle that includes a range of elements from airplanes and launch vehicles to re-entry vehicles and spacecraft. The models may include dynamic effects dealing with structural flexibility, as well as dynamic coupling between structures and actuators, propellant sloshing, and aeroelasticity, and they are typically used for control analysis and design. The book shows how to efficiently combine different types of effectors together, such as aero-surfaces, TVC, throttling engines and RCS, to operate as a system by developing a mixing logic matrix. Methods of trimming a vehicle controlled by multiple effectors are presented for calculating the effector positions required to balance the vehicle moments and forces. Flight vehicle performance, stability, and controllability are also evaluated along a trajectory in terms of performance parameters and by means of vector diagrams and contour plots. The book concludes with control design examples of two flight vehicles and a space station, accompanied by graphical methods for analysing vehicle performance. This book also presents: Adjustable equations of motion for various types of vehicles and modeling complexities. Mixing-Logic Algorithms for optimally combining different types of control effectors. Algorithms for developing dynamic models used to analyze system robustness. Control Design Methodologies and Algorithms. This book presents a unified approach in modeling, effector trimming, and combining multiple types of flight vehicle control effectors.
