

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Record Nr.           | UNINA9910677240603321                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Autore                  | Dunsmore Joel P.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Titolo                  | Handbook of microwave component measurements : with advanced VNA techniques / / by Joel P. Dunsmore                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Pubbl/distr/stampa      | Hoboken, New Jersey : , : John Wiley & Sons, Inc., , 2020<br>[Piscataway, New Jersey] : , : IEEE Xplore, , [2020]                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| ISBN                    | 1-119-47712-3<br>1-119-47711-5<br>1-119-47716-6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Edizione                | [Second edition.]                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Descrizione fisica      | 1 online resource (837 pages)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Disciplina              | 621.381330287                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Soggetti                | Microwave devices - Testing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Lingua di pubblicazione | Inglese                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Formato                 | Materiale a stampa                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Livello bibliografico   | Monografia                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Note generali           | Previous edition issued in print: 2012.<br><p>Preface to the First Edition</p> <p>Preface to the Second Edition</p> <p>1. Introduction to Microwave Measurement</p> <p>2. VNA Measurement Systems</p> <p>3. Calibration and Vector Error Correction</p> <p>4. Time Domain Transforms</p> <p>5. Measuring Linear Passive Devices</p> <p>6. Measuring Amplifiers</p> <p>7. Mixer and Frequency Converter Measurements</p> <p>8. Spectrum Analysis: Distortion and Modulation Measurements</p> <p>9. Measuring Noise Figure and Noise Power</p> <p>10. VNA Measurement Systems</p> <p>11. Advanced Measurement Techniques</p> <p>Appendix</p>                                                                                                         |
| Nota di bibliografia    | Includes bibliographical references and index.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Nota di contenuto       | Foreword to the Second Edition xvii -- Foreword to the First Edition xix -- Preface to the Second Edition xxi -- Preface to the First Edition xxiii -- Acknowledgments for the Second Edition xxv -- Acknowledgments from the First Edition xxvii -- 1 Introduction to Microwave Measurements 1 -- 1.1 Modern Measurement Process 2 -- 1.2 A Practical Measurement Focus 3 -- 1.3 Definition of Microwave Parameters 3 -- 1.3.1 S-Parameter Primer 4 -- 1.3.2 Phase Response of Networks 11 -- 1.4 Power Parameters 13 -- 1.4.1 Incident and Reflected Power 13 -- 1.4.2 Available Power 13 -- 1.4.3 Delivered Power 14 -- 1.4.4 Power Available from a Network 14 -- 1.4.5 Available Gain 15 -- 1.5 Noise Figure and Noise Parameters 15 -- 1.5.1 |

Noise Temperature 16 -- 1.5.2 Effective or Excess Input Noise Temperature 17 -- 1.5.3 Excess Noise Power and Operating Temperature 17 -- 1.5.4 Noise Power Density 17 -- 1.5.5 Noise Parameters 18 -- 1.6 Distortion Parameters 19 -- 1.6.1 Harmonics 19 -- 1.6.2 Second-Order Intercept 19 -- 1.6.3 Two-Tone Intermodulation Distortion 20 -- 1.6.4 Adjacent Channel Power and Adjacent Channel Level Ratio 23 -- 1.6.5 Noise Power Ratio (NPR) 24 -- 1.6.6 Error Vector Magnitude (EVM) 25 -- 1.7 Characteristics of Microwave Components 26 -- 1.8 Passive Microwave Components 27 -- 1.8.1 Cables, Connectors, and Transmission Lines 27 -- 1.8.2 Connectors 31 -- 1.8.3 Non-coaxial Transmission Lines 44 -- 1.9 Filters 47 -- 1.10 Directional Couplers 49 -- 1.11 Circulators and Isolators 51 -- 1.12 Antennas 52 -- 1.13 PC Board Components 53 -- 1.13.1 SMT Resistors 53 -- 1.13.2 SMT Capacitors 56 -- 1.13.3 SMT Inductors 57 -- 1.13.4 PC Board Vias 57 -- 1.14 Active Microwave Components 58 -- 1.14.1 Linear and Non-linear 58 -- 1.14.2 Amplifiers: System, Low-Noise, High Power 58 -- 1.14.3 Mixers and Frequency Converters 59 -- 1.14.4 Frequency Multiplier and Limiters and Dividers 61 -- 1.14.5 Oscillators 62 -- 1.15 Measurement Instrumentation 63 -- 1.15.1 Power Meters 63 -- 1.15.2 Signal Sources 64. 1.15.3 Spectrum Analyzers 65 -- 1.15.4 Vector Signal Analyzers 66 -- 1.15.5 Noise Figure Analyzers 67 -- 1.15.6 Network Analyzers 67 -- References 70 -- 2 VNA Measurement Systems 71 -- 2.1 Introduction 71 -- 2.2 VNA Block Diagrams 72 -- 2.2.1 VNA Source 73 -- 2.2.2 Understanding Source-Match 76 -- 2.2.3 VNA Test Set 82 -- 2.2.4 Directional Devices 85 -- 2.2.5 VNA Receivers 91 -- 2.2.6 IF and Data Processing 95 -- 2.2.7 Multiport VNAs 97 -- 2.2.8 High-Power Test Systems 104 -- 2.2.9 VNA with mm-Wave Extenders 105 -- 2.3 VNA Measurement of Linear Microwave Parameters 107 -- 2.3.1 Measurement Limitations of the VNA 107 -- 2.3.2 Limitations Due to External Components 111 -- 2.4 Measurements Derived from S-Parameters 112 -- 2.4.1 The Smith Chart 112 -- 2.4.2 Transforming S-Parameters to Other Impedances 117 -- 2.4.3 Concatenating Circuits and T-Parameters 118 -- 2.5 Modeling Circuits Using Y and Z Conversion 120 -- 2.5.1 Reflection Conversion 120 -- 2.5.2 Transmission Conversion 120 -- 2.6 Other Linear Parameters 121 -- 2.6.1 Z-Parameters, or Open-Circuit Impedance Parameters 122 -- 2.6.2 Y-Parameters, or Short-Circuit Admittance Parameters 123 -- 2.6.3 ABCD Parameters 124 -- 2.6.4 H-Parameters or Hybrid Parameters 125 -- 2.6.5 Complex Conversions and Non-equal Reference Impedances 126 -- References 126 -- 3 Calibration and Vector Error Correction 127 -- 3.1 Introduction 127 -- 3.1.1 Error Correction and Linear Measurement Methods for S-Parameters 128 -- 3.1.2 Power Measurements with a VNA 131 -- 3.2 Basic Error Correction for S-Parameters: Cal-Application 134 -- 3.2.1 12-Term Error Model 134 -- 3.2.2 1-Port Error Model 136 -- 3.2.3 8-Term Error Model 136 -- 3.3 Determining Error Terms: Cal-Acquisition for 12-Term Models 139 -- 3.3.1 1-Port Error Terms 139 -- 3.3.2 1-Port Standards 141 -- 3.3.3 2-Port Error Terms 148 -- 3.3.4 12-Term to 11-Term Error Model 153 -- 3.4 Determining Error Terms: Cal-Acquisition for 8-Term Models 153 -- 3.4.1 TRL Standards and Raw Measurements 153. 3.4.2 Special Cases for TRL Calibration 157 -- 3.4.3 Unknown Thru or SOLR (Reciprocal Thru Calibration) 158 -- 3.4.4 Applications of Unknown Thru Calibrations 159 -- 3.4.5 QSOLT Calibration 161 -- 3.4.6 Electronic Calibration (ECalo) or Automatic Calibration 162 -- 3.5 Waveguide Calibrations 166 -- 3.6 Calibration for Source Power 167 --

|                                                                              |     |
|------------------------------------------------------------------------------|-----|
| 3.6.1 Calibrating Source Power for Source Frequency Response                 | 168 |
| 3.6.2 Calibration for Power Sensor Mismatch                                  | 169 |
| 3.6.3 Calibration for Source Power Linearity                                 | 171 |
| 3.7 Calibration for Receiver Power                                           | 173 |
| 3.7.1 Some Historical Perspective                                            | 173 |
| 3.7.2 Modern Receiver Power Calibration                                      | 173 |
| 3.7.3 Response Correction for the Transmission Test Receiver                 | 178 |
| 3.7.4 Power Waves vs. Actual Waves                                           | 181 |
| 3.8 Calibrating Multiple Channels Simultaneously: Cal All                    | 182 |
| 3.9 Multiport Calibration Strategies                                         | 186 |
| 3.9.1 N x 2-Port Calibrations: Switching Test Sets                           | 186 |
| 3.9.2 N-port Calibration: True Multiport                                     | 188 |
| 3.10 Automatic In-Situ Calibrations: CalPod                                  | 191 |
| 3.10.1 CalPod Initialization and Recorrection                                | 192 |
| 3.10.2 CalPod-as-Ecal                                                        | 194 |
| 3.11 Devolved Calibrations                                                   | 194 |
| 3.11.1 Response Calibrations                                                 | 195 |
| 3.11.2 Enhanced Response Calibration                                         | 196 |
| 3.12 Determining Residual Errors                                             | 199 |
| 3.12.1 Reflection Errors                                                     | 199 |
| 3.12.2 Using Airlines to Determine Residual Errors                           | 199 |
| 3.13 Computing Measurement Uncertainties                                     | 210 |
| 3.13.1 Uncertainty in Reflection Measurements                                | 210 |
| 3.13.2 Uncertainty in Source Power                                           | 211 |
| 3.13.3 Uncertainty in Measuring Power (Receiver Uncertainty)                 | 212 |
| 3.14 S21 or Transmission Uncertainty                                         | 212 |
| 3.14.1 General Uncertainty Equation for S21                                  | 214 |
| 3.14.2 Dynamic Uncertainty Computation                                       | 215 |
| 3.15 Errors in Phase                                                         | 218 |
| 3.16 Practical Calibration Limitations                                       | 219 |
| 3.16.1 Cable Flexure                                                         | 220 |
| 3.16.2 Changing Power after Calibration                                      | 221 |
| 3.16.3 Compensating for Changes in Step Attenuators                          | 223 |
| 3.16.4 Connector Repeatability                                               | 225 |
| 3.16.5 Noise Effects                                                         | 226 |
| 3.16.6 Drift: Short-Term and Long-Term                                       | 227 |
| 3.16.7 Interpolation of Error Terms                                          | 229 |
| 3.16.8 Calibration Quality: Electronic vs. Mechanical Kits                   | 231 |
| Reference                                                                    | 232 |
| 4 Time-Domain Transforms                                                     | 235 |
| 4.1 Introduction                                                             | 235 |
| 4.2 The Fourier Transform                                                    | 236 |
| 4.2.1 The Continuous Fourier Transform                                       | 236 |
| 4.2.2 Even and Odd Functions and the Fourier Transform                       | 236 |
| 4.2.3 Modulation (Shift) Theorem                                             | 237 |
| 4.3 The Discrete Fourier Transform                                           | 238 |
| 4.3.1 Fast Fourier Transform (FFT) and Inverse Fast Fourier Transform (IFFT) | 238 |
| 4.3.2 Discrete Fourier Transforms                                            | 240 |
| 4.4 Fourier Transform (Analytic) vs. VNA Time Domain Transform               | 240 |
| 4.4.1 Defining the Fourier Transform                                         | 241 |
| 4.4.2 Effects of Discrete Sampling                                           | 242 |
| 4.4.3 Effects of Truncated Frequency                                         | 244 |
| 4.4.4 Windowing to Reduce Effects of Truncation                              | 246 |
| 4.4.5 Scaling and Renormalization                                            | 248 |
| 4.5 Low-Pass Transforms                                                      | 248 |
| 4.5.1 Low-Pass Impulse Mode                                                  | 248 |
| 4.5.2 DC Extrapolation                                                       | 249 |
| 4.5.3 Low-Pass Step Mode                                                     | 249 |
| 4.5.4 Band-Pass Mode                                                         | 251 |
| 4.6 Time-Domain Gating                                                       | 252 |
| 4.6.1 Gating Loss and Renormalization                                        | 253 |
| 4.7 Examples of Time-Domain Transforms of Various Networks                   | 256 |
| 4.7.1 Time-Domain Response of Changes in Line Impedance                      | 256 |
| 4.7.2 Time-Domain Response of Discrete Discontinuities                       | 257 |
| 4.7.3 Time-Domain Responses of Various Circuits                              | 257 |
| 4.8 The Effects of Masking and Gating on Measurement Accuracy                | 259 |
| 4.8.1 Compensation for Changes in Line Impedance                             | 259 |
| 4.8.2 Compensation for Discrete Discontinuities                              | 260 |
| 4.8.3 Time-Domain Gating                                                     | 260 |
| 4.8.4 Estimating an Uncertainty Due to Masking                               | 265 |
| 4.9 Time-Domain Transmission Using VNA                                       | 265 |
| 4.10 Conclusions                                                             | 269 |
| References                                                                   | 269 |
| 5 Measuring Linear Passive Devices                                           | 271 |
| 5.1 Transmission Lines, Cables, and Connectors                               | 271 |
| 5.1.1 Calibration for Low Loss Devices with Connectors                       | 271 |
| 5.1.2 Measuring Electrically Long Devices                                    | 273 |
| 5.1.3 Attenuation Measurements                                               | 278 |
| 5.1.4 Return Loss Measurements                                               | 295 |
| 5.1.5 Cable Length and Delay                                                 | 305 |
| 5.2 Filters and Filter Measurements                                          | 306 |

|                                                                              |     |
|------------------------------------------------------------------------------|-----|
| 5.2.1 Filter Classes and Difficulties                                        | 306 |
| 5.2.2 Duplexer and Diplexers                                                 | 307 |
| 5.2.3 Measuring Tunable High-Performance Filters                             | 308 |
| 5.2.4 Measuring Transmission Response                                        | 310 |
| 5.2.5 High Speed vs. Dynamic Range                                           | 315 |
| 5.2.6 Extremely High Dynamic Range Measurements                              | 317 |
| 5.2.7 Calibration Considerations                                             | 326 |
| 5.3 Multiport Devices                                                        | 327 |
| 5.3.1 Differential Cables and Lines                                          | 328 |
| 5.3.2 Couplers                                                               | 328 |
| 5.3.3 Hybrids, Splitters, and Dividers                                       | 331 |
| 5.3.4 Circulators and Isolators                                              | 334 |
| 5.4 Resonators                                                               | 336 |
| 5.4.1 Resonator Responses on a Smith Chart                                   | 336 |
| 5.5 Antenna Measurements                                                     | 338 |
| 5.6 Conclusions                                                              | 340 |
| References                                                                   | 341 |
| 6 Measuring Amplifiers                                                       | 343 |
| 6.1 Amplifiers as a Linear Devices                                           | 343 |
| 6.1.1 Pretesting an Amplifier                                                | 344 |
| 6.1.2 Optimizing VNA Settings for Calibration                                | 346 |
| 6.1.3 Calibration for Amplifier Measurements                                 | 347 |
| 6.1.4 Amplifier Measurements                                                 | 351 |
| 6.1.5 Analysis of Amplifier Measurements                                     | 357 |
| 6.1.6 Saving Amplifier Measurement Results                                   | 367 |
| 6.2 Gain Compression Measurements                                            | 372 |
| 6.2.1 Compression Definitions                                                | 372 |
| 6.2.2 AM-to-PM or Phase Compression                                          | 376 |
| 6.2.3 Swept Frequency Gain and Phase Compression                             | 377 |
| 6.2.4 Gain Compression Application, Smart Sweep, and Safe-Sweep Mode         | 378 |
| 6.3 Measuring High-Gain Amplifiers                                           | 384 |
| 6.3.1 Setup for High-Gain Amplifiers                                         | 386 |
| 6.3.2 Calibration Considerations                                             | 386 |
| 6.4 Measuring High-Power Amplifiers                                          | 389 |
| 6.4.1 Configurations for Generating High Drive Power                         | 389 |
| 6.4.2 Configurations for Receiving High-Power                                | 391 |
| 6.4.3 Power Calibration and Pre/Post Leveling                                | 393 |
| 6.5 Making Pulsed-RF Measurements                                            | 394 |
| 6.5.1 Wideband vs. Narrowband Measurements                                   | 395 |
| 6.5.2 Pulse Profile Measurements                                             | 398 |
| 6.5.3 Pulse-to-Pulse Measurements                                            | 401 |
| 6.5.4 DC Measurements for Pulsed RF Stimulus                                 | 401 |
| 6.6 Distortion Measurements                                                  | 403 |
| 6.6.1 Harmonic Measurements on Amplifiers                                    | 404 |
| 6.7 Measuring Doherty Amplifiers                                             | 410 |
| 6.8 X-Parameters, Load-Pull Measurements, Active Loads, and Hot S-Parameters | 413 |
| 6.8.1 Non-linear Responses and X-Parameters                                  | 414 |
| 6.8.2 Load-Pull, Source-Pull, and Load Contours                              | 417 |
| 6.8.3 Hot S-Parameters and True Hot-S <sub>22</sub>                          | 421 |
| 6.9 Conclusions on Amplifier Measurements                                    | 433 |
| References                                                                   | 434 |
| 7 Mixer and Frequency Converter Measurements                                 | 435 |
| 7.1 Mixer Characteristics                                                    | 435 |
| 7.1.1 Small Signal Model of Mixers                                           | 438 |
| 7.1.2 Reciprocity in Mixers                                                  | 442 |
| 7.1.3 Scalar and Vector Responses                                            | 444 |
| 7.2 Mixers vs. Frequency Converters                                          | 445 |
| 7.2.1 Frequency Converter Design                                             | 446 |
| 7.2.2 Multiple Conversions and Spur Avoidance                                | 446 |
| 7.3 Mixers as a 12-Port Device                                               | 448 |
| 7.3.1 Mixer Conversion Terms                                                 | 448 |
| 7.4 Mixer Measurements: Frequency Response                                   | 451 |
| 7.4.1 Introduction                                                           | 451 |
| 7.4.2 Amplitude Response                                                     | 452 |
| 7.4.3 Phase Response                                                         | 456 |
| 7.4.4 Group Delay and Modulation Methods                                     | 466 |
| 7.4.5 Swept LO Measurements                                                  | 469 |
| 7.5 Calibration for Mixer Measurements                                       | 476 |
| 7.5.1 Calibrating for Power                                                  | 476 |
| 7.5.2 Calibrating for Phase                                                  | 479 |
| 7.5.3 Determining the Phase and Delay of a Reciprocal Calibration Mixer      | 482 |
| 7.6 Mixers Measurements vs. Drive Power                                      | 493 |
| 7.6.1 Mixer Measurements vs. LO Drive                                        | 493 |
| 7.6.2 Mixer Measurements vs. RF Drive Level                                  | 497 |
| 7.7 TOI and Mixers                                                           | 501 |
| 7.7.1 IMD vs. LO Drive Power                                                 | 502 |
| 7.7.2 IMD vs. RF Power                                                       | 502 |
| 7.7.3 IMD vs. Frequency Response                                             | 505 |
| 7.8 Noise Figure in Mixers and Converters                                    | 507 |
| 7.9 Special Cases                                                            | 507 |
| 7.9.1 Mixers with RF or LO Multipliers                                       | 507 |
| 7.9.2 Segmented Sweeps                                                       | 509 |
| 7.9.3 Measuring Higher-Order Products                                        | 509 |
| 7.9.4 Mixers with an Embedded LO                                             | 515 |
| 7.9.5 High-Gain and High-Power Converters                                    | 517 |
| 7.10 I/Q Converters and Modulators                                           | 518 |
| 7.11 Conclusions on Mixer Measurements                                       | 530 |
| References                                                                   | 531 |
| 8 Spectrum Analysis: Distortion and Modulation Measurements                  | 533 |

|                                                                             |     |
|-----------------------------------------------------------------------------|-----|
| 8.1 Spectrum Analysis in Vector Network Analyzers                           | 534 |
| 8.1.1 Spectrum Analysis Fundamentals                                        | 534 |
| 8.1.2 SA Block Diagrams: Image Rejection: Hardware vs. Software             | 539 |
| 8.1.3 Attributes of Repetitive Signals and Spectrum Measurements            | 546 |
| 8.1.4 Coherent Spectrum Analysis                                            | 559 |
| 8.1.5 Calibration of SA Results                                             | 568 |
| 8.1.6 Two-Tone Measurements, IMD, and TOI Definition                        | 571 |
| 8.1.7 Measurement Techniques for Two-Tone TOI                               | 574 |
| 8.1.8 Swept IMD                                                             | 576 |
| 8.1.9 Optimizing Results                                                    | 579 |
| 8.1.10 Error Correction                                                     | 582 |
| 8.2 Distortion Measurement of Complex Modulated Signals                     | 583 |
| 8.2.1 Adjacent Power Measurements                                           | 584 |
| 8.2.2 Noise Power Ratio (NPR) Measurements                                  | 587 |
| 8.2.3 NPR Signal Quality and Correction                                     | 592 |
| 8.2.4 EVM Derived from Distortion Measurements                              | 596 |
| 8.3 Measurements of Spurious Signals with VNA Spectrum Analyzer             | 605 |
| 8.3.1 Spurious at Predictable Frequencies                                   | 605 |
| 8.3.2 Multiport Mixer Spurious Measurements                                 | 607 |
| 8.3.3 Spurious Oscillations                                                 | 608 |
| 8.4 Measurements of Pulsed Signals and Time-Gated Spectrum Analysis         | 611 |
| 8.4.1 Understanding Pulsed Spectrum                                         | 611 |
| 8.4.2 Time-Gated Spectrum Analysis                                          | 612 |
| 8.5 Summary                                                                 | 615 |
| 9 Measuring Noise Figure and Noise Power                                    | 617 |
| 9.1 Noise-Figure Measurements for Amplifiers                                | 617 |
| 9.1.1 Definition of Noise Figure                                            | 618 |
| 9.1.2 Noise-Power Measurements                                              | 619 |
| 9.1.3 Computing Noise Figure from Noise Powers                              | 623 |
| 9.1.4 Computing DUT Noise Figure from Y-Factor Measurements                 | 624 |
| 9.1.5 Cold-Source Methods                                                   | 626 |
| 9.1.6 Noise Parameters                                                      | 628 |
| 9.1.7 Noise Parameter Measurement Results                                   | 634 |
| 9.1.8 Error Correction in Noise Figure Measurements                         | 637 |
| 9.2 Active Antenna Noise-Figure Measurements (G/T)                          | 638 |
| 9.3 Noise Figure in Mixers and Converters                                   | 642 |
| 9.3.1 Y-Factor Measurements on Mixers                                       | 642 |
| 9.3.2 Cold-Source Measurements on Mixers                                    | 644 |
| 9.4 Other Noise-Related Measurements                                        | 650 |
| 9.4.1 Noise Power Measurements with a VNA Spectrum Analyzer                 | 650 |
| 9.4.2 Noise-Power Measurements                                              | 650 |
| 9.4.3 Noise Figure Measurements Using Spectrum Analysis                     | 653 |
| 9.4.4 Carrier-to-Noise Measurements                                         | 654 |
| 9.5 Uncertainty, Verification, and Improvement of Noise-Figure Measurements | 655 |
| 9.5.1 Uncertainty of Noise-Figure Measurements                              | 655 |
| 9.5.2 Existing Methodologies                                                | 656 |
| 9.5.3 Techniques for Improving Noise-Figure Measurements                    | 665 |
| 9.6 Summary: Noise and Noise-Figure Measurements                            | 668 |
| References                                                                  | 668 |
| 10 VNA Balanced Measurements                                                | 669 |
| 10.1 Differential and Balanced S-Parameters                                 | 669 |
| 10.2 3-Port Balanced Devices                                                | 674 |
| 10.3 Measurement Examples for Mixed-Mode Devices                            | 675 |
| 10.3.1 Passive Differential Devices: Balanced Transmission Lines            | 675 |
| 10.3.2 Differential Amplifier Measurements                                  | 680 |
| 10.3.3 Differential Amplifiers and Non-linear Operation                     | 682 |
| 10.4 True-Mode VNA for Non-linear Testing                                   | 689 |
| 10.4.1 True-Mode Instruments                                                | 689 |
| 10.4.2 True-Mode Measurements                                               | 692 |
| 10.4.3 Determining the Phase Skew of a Differential Device                  | 698 |
| 10.4.4 Differential Harmonic Measurements                                   | 700 |
| 10.5 Differential Testing Using Baluns, Hybrids, and Transformers           | 708 |
| 10.5.1 Transformers vs. Hybrids                                             | 708 |
| 10.5.2 Using Hybrids and Baluns with a 2-Port VNA                           | 711 |
| 10.6 Distortion Measurements of Differential Devices                        | 714 |
| 10.6.1 Comparing Single-Ended IMD Measurement to True-Mode Measurements     | 715 |
| 10.6.2 Differential IMD without Baluns                                      | 718 |
| 10.7 Noise Figure Measurements on Differential Devices                      | 723 |
| 10.7.2 Measurement Setup                                                    | 725 |
| 10.8 Conclusions on Differential Device Measurement                         | 731 |
| References                                                                  | 732 |
| 11 Advanced Measurement Techniques                                          | 733 |
| 11.1 Creating Your Own Cal-Kits                                             | 733 |
| 11.1.1 PC Board Example                                                     | 734 |
| 11.1.2 Evaluating PC Board Fixtures                                         | 735 |
| 11.2                                                                        |     |

Fixturing and De-embedding 750 -- 11.2.1 De-embedding Mathematics 751 -- 11.3 Determining S-Parameters for Fixtures 753 -- 11.3.1 Fixture Characterization Using 1-Port Calibrations 753 -- 11.4 Automatic Port Extensions (APE) 759 -- 11.5 AFR: Fixture Removal Using Time Domain 764 -- 11.5.1 2-Port AFR 764 -- 11.5.2 Fixture-Enhanced AFR 768 -- 11.5.3 1-Port AFR 770 -- 11.6 Embedding Port-Matching Elements 772 -- 11.7 Impedance Transformations 774 -- 11.8 De-embedding High-Loss Devices 775 -- 11.9 Understanding System Stability 778 -- 11.9.1 Determining Cable Transmission Stability 778. 11.9.2 Determining Cable Mismatch Stability 778 -- 11.9.3 Reflection Tracking Stability 781 -- 11.10 Some Final Comments on Advanced Techniques and Measurements 782 -- References 783 -- Appendix A Physical Constants 785 -- Appendix B Common RF and Microwave Connectors 787 -- Appendix C Common Waveguides 789 -- Appendix D Some Definitions for Calibration Kit Opens and Shorts 791 -- Appendix E Frequency, Wavelength, and Period 795 -- Index 797.

---

## Sommario/riassunto

Handbook of Microwave Component Measurements Second Edition is a fully updated, complete reference to this topic, focusing on the modern measurement tools, such as a Vector Network Analyzer (VNA), gathering in one place all the concepts, formulas, and best practices of measurement science. It includes basic concepts in each chapter as well as appendices which provide all the detail needed to understand the science behind microwave measurements. The book offers an insight into the best practices for ascertaining the true nature of the device-under-test (DUT), optimizing the time to setup and measure, and to the greatest extent possible, remove the effects of the measuring equipment from that result. Furthermore, the author writes with a simplicity that is easily accessible to the student or new engineer, yet is thorough enough to provide details of measurement science for even the most advanced applications and researchers. This welcome new edition brings forward the most modern techniques used in industry today, and recognizes that more new techniques have developed since the first edition published in 2012. Whilst still focusing on the VNA, these techniques are also compatible with other vendor's advanced equipment, providing a comprehensive industry reference.

---