1.	Record Nr.	UNINA9910695362703321
	Autore	Johnson Robert D (Robert David), <1974->
	Titolo	Poppy seed consumption or opiate use [[electronic resource] ] : the determination of thebaine and opiates of abuse in postmortem fluids and tissues : final report / / Robert D. Johnson, Russell J. Lewis, Rachel A. Hattrup
	Pubbl/distr/stampa	Washington, D.C. : , : U.S. Dept. of Transportation, Federal Aviation Administration, Office of Aerospace Medicine [Ft. Belvoir, VA] : , : [Available through the Defense Technical Information Center] Springfield, Va. : , : Available through the National Technical Information Service, , [2005]
	Descrizione fisica	i, 12 pages : digital, PDF file
	Altri autori (Persone)	LewisRussell J HattrupRachel A
	Soggetti	Aircraft accidents - Human factors Narcotics - Analysis Opioid peptides - Analysis Thebaine - analysis Autopsy - methods Morphine Derivatives - analysis Narcotics - analysis Technical Report
	Lingua di pubblicazione	Inglese
	Formato	Materiale a stampa
	Livello bibliografico	Monografia
	Note generali	Title from PDF cover (viewed Aug. 18, 2006). "June 2005." "DOT/FAA/AM-05/11."
	Nota di bibliografia	Includes bibliographical references (pages 6-7).
	Sommario/riassunto	Thebaine is a naturally occurring opiate that is introduced into the body, along with morphine and codeine, following the consumption of poppy seeds. Scientific literature has clearly demonstrated the distinct possibility of a morphine and/or codeine positive due to poppy seed

consumption. The potential legal consequences of an opiate positive necessitates that laboratories, both drug testing and forensic, differentiate between an opiate positive due to morphine or codeine use and an opiate positive due to poppy seed consumption. Identification and quantitation of opiates in postmortem fluids and tissues are important aspects of forensic toxicology and may provide crucial information in determining the cause of impairment and/or death. This report describes a rapid, automated procedure for the single-step extraction and simultaneous determination of hydrocodone, dihydrocodeine, codeine, oxycodone, hydromorphone, 6-MAM, morphine, and thebaine in postmortem fluids and tissues using a Zymark RapidTrace automated solid-phase extraction (SPE) system and gas chromatography with mass spectrometry.