

1. Record Nr.	UNINA9910715163403321
Autore	Peterson Kim
Titolo	Evidence brief Use of patient reported outcome measures for measurement based care in mental health shared decision-making // investigators, Kim Peterson, Johanna Anderson, Donald Bourne
Pubbl/distr/stampa	Washington, DC : , : Department of Veterans Affairs, Veterans Health Administration, Quality Enhancement Research Initiative, Health Services Research & Development Service, , November 2018
Descrizione fisica	1 online resource (3 volumes) : illustrations (some color)
Soggetti	Mental illness Therapeutics Decision making Outcome assessment (Medical care) Mental illness - Treatment Tables (Data)
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	"November 2018."
Nota di bibliografia	Includes bibliographical references.
Nota di contenuto	Brief -- Executive summary -- Supplemental materials.
Sommario/riassunto	Measurement based care (MBC) is a care delivery approach involving the regular use of standardized measures in routine mental health care to identify individuals not improving as expected and to prompt treatment changes. In the US Department of Veterans Affairs (VA), MBC is specifically defined as: (1) Collect = use of "reliable, validated, clinically appropriate measures at intake and at regular intervals", (2) Share = "results from the measures are immediately shared and discussed with the Veteran and other providers involved in the Veteran's Care", and (3) Act = "Together, providers and Veterans use outcome measures to develop treatment plans, assess progress over time, and inform shared decisions about changes to the treatment plan over time". As of January 2018, the Joint Commission requires MBC use in all mental health treatment programs accredited under behavioral health standards both within and outside of VA. As MBC delivery has

varied widely and shown equally variable clinically meaningful effects across studies, guidance is needed on which specific delivery approaches may operate most effectively and why. This rapid evidence synthesis builds on recent conflicting reviews by adding 14 new studies and focusing on the subset of approaches with the most clinically meaningful and highest-strength evidence and with the most relevance to the specific approach currently recommended by VA.
