

1. Record Nr.	UNINA9910479880903321
Titolo	Appropriate use of advanced technologies of radiation therapy and surgery in oncology : workshop summary // Sharyl J. Nass and Margie Patlak, rapporteurs ; National Cancer Policy Forum, Board on Health Care Services, Institute of Medicine
Pubbl/distr/stampa	Washington, D.C. : , : The National Academies Press, , [2016] ©2016
ISBN	0-309-38130-4
Descrizione fisica	1 online resource (111 p.)
Disciplina	616
Soggetti	Radiotherapy - Data processing Oncology Electronic books.
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Description based upon print version of record.

2. Record Nr.	UNISALENTO991004028459707536
Autore	Leach, Andrew R.
Titolo	Molecular modelling : principles and applications / Andrew R. Leach
Pubbl/distr/stampa	Harlow, England ; New York : Prentice Hall, 2001
ISBN	0582382106
Edizione	[2nd ed.]
Descrizione fisica	xxiv, 744 p., [16] p. of plates : ill. (some col.) ; 24 cm
Disciplina	541.2/2/0113
Soggetti	Molecular structure - Computer simulation Molecules - Models - Computer simulation
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di bibliografia	Includes bibliographical references and index

3. Record Nr.	UNINA9910716163703321
Titolo	Bridge across Palmer River, Swansea, Mass. January 16 (calendar day, January 23), 1926. -- Ordered to be printed
Pubbl/distr/stampa	[Washington, D.C.] : , : [U.S. Government Printing Office], , 1926
Descrizione fisica	1 online resource (2 pages)
Collana	Senate report / 69th Congress, 1st session. Senate ; ; no. 88 [United States congressional serial set] ; ; [serial no. 8524]
Altri autori (Persone)	BinghamHiram <1875-1956> (Republican (CT))
Soggetti	Bridge construction industry Bridges - Design and construction Bridges Legislative materials.
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Batch processed record: Metadata reviewed, not verified. Some fields updated by batch processes. FDLP item number not assigned.