

1. Record Nr.	UNINA9910743348803321
Titolo	Proceedings of the 3rd Malaysian international Tribology conference // edited by Syahrullail Samion, [and four others]
Pubbl/distr/stampa	Singapore : , : Springer, , [2022] ©2022
ISBN	981-16-9949-6 981-16-9948-8
Descrizione fisica	1 online resource (248 pages)
Collana	Lecture Notes in Mechanical Engineering
Disciplina	605
Soggetti	Tribology
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Intro -- Contents -- Friction Properties of Epoxidised Natural Rubber Based Tyre Treads -- 1 Introduction -- 2 Methodology -- 2.1 Sample Preparation -- 2.2 Physical Properties -- 2.3 Physical Properties -- 3 Result and Discussion -- 3.1 Physical Properties -- 3.2 Sliding Friction -- 4 Conclusion -- References -- The Tribofilm Formation of MoS ₂ Nanolubricant in Boundary Lubrication Regime -- 1 Introduction -- 2 Experimental Works -- 3 Results and Discussion -- 3.1 Friction and Wear Performance -- 3.2 A Subsection Sample -- 4 Conclusion -- References -- Wear Performance of Alumina-Zirconia, Alumina-Zirconia-Chromia and Alumina-Zirconia-Magnesia in Machining AISI 1045 Steel -- 1 Introduction -- 2 Methodology -- 3 Results and Discussion -- 4 Conclusion -- References -- The Comparison of Tribological Characteristics of TMP Based Cotton-Bio Lubricant and Commercial Lubricant for Cylinder Liner-Piston Ring Combination -- 1 Introduction -- 2 Materials and Methods -- 3 Results and Discussion -- 3.1 Physiochemical Properties -- 3.2 High Frequency Reciprocating Rig (HFRR) -- 3.3 Four-Ball -- 4 Conclusion -- References -- Micro-abrasive Surface for Producing Microplastics for Testing -- 1 Introduction -- 2 Materials and Methods -- 3 Results and Discussion -- References -- Tribological Properties of a Medical Mouthguard Material in Reciprocating Rotation Sliding -- 1 Introduction -- 2 Experimental Apparatus and Procedure -- 3 Results

and Discussion -- 4 Conclusions -- References -- Effect of Surface Texturing on the Morphology and Wettability Properties of Plasma Sprayed TiO₂ Coating -- 1 Introduction -- 2 Materials and Methods -- 2.1 Preparation of TiO₂ Coating -- 2.2 Laser Surface Texturing -- 2.3 Wettability Analysis -- 3 Result and Discussion -- 3.1 Coating Morphology -- 3.2 Wettability Properties -- 4 Conclusion -- References.

The Investigation About Formation Mechanism of Tribofilm Induces Super-Lubricity of DLC Films Sliding Against ZrO₂ in Vaporized Ethanol Environment -- 1 Introduction -- 2 Experimental Setup -- 3 Result and Discussion -- 4 Conclusion -- References -- The Effect of Thickener Composition Ratios on the Rheological Behaviour of Palm Bio-Grease Formulation -- 1 Introduction -- 2 Materials and Method -- 2.1 Materials -- 2.2 Synthesis of the Calcium Complex Grease -- 2.3 Characterization of Greases -- 3 Results and Discussion -- 3.1 Palm Grease Formulation -- 3.2 Grease Consistency -- 3.3 Rheological Characteristic -- 4 Conclusion -- References -- A Review on Coating and Finite Element Analysis for Optimization Gas Turbine -- 1 Introduction -- 2 Gas Turbine Parts Optimization Using Finite Element Analysis -- 2.1 Gas Turbine Casing Optimization via Finite Element Analysis -- 2.2 Gas Turbine Blade Optimization via Finite Element Analysis -- 3 Coating Optimization of Gas Turbine Part via Finite Element Analysis -- 3.1 Coating Development of TBC via FEM -- 3.2 Mesh and Boundary Condition -- 4 Discussion and Results TBC Simulation -- 5 Conclusion -- References -- The Influence of Engineered Tool Surfaces in Ironing -- 1 Introduction -- 2 Methodology and Materials -- 3 Results and Discussion -- 4 Conclusion -- References -- Friction and Wear Behaviours of Hard-Coated/Uncoated Bearing Steels Under Nano-additive Oil Lubrication -- 1 Introduction -- 2 Methodology and Materials -- 3 Results and Discussion -- 4 Conclusion -- References -- The Effect of Rotational Speed in Weldability of Friction Stir Welded Copper C10200 Using Conventional Milling Machine -- 1 Introduction -- 2 Methodology -- 3 Results and Discussion -- 4 Conclusions -- References -- Contact Measurement of Loaded Rubber Seals -- 1 Overview -- 2 Theoretical Background -- 3 Experiment Setup. 3.1 Material -- 3.2 Test Rig -- 3.3 Image Post-processing -- 4 Results and Discussion -- 4.1 Measurement of the Actual Contact Area of Rubber O-ring Seal by Using the Pixel Count Method of Image Post Processing -- 4.2 The Effect of Image Resolution to the Contact Area Measurement -- 5 Conclusions -- References -- Nanohardness Properties of MOF-199 Synthesized Using Facile Method as Bulk Adsorbents and Screen-Printed Thin-Film -- 1 Introduction -- 2 Experimental Methods -- 2.1 Materials -- 2.2 Fabrication -- 2.3 Structural Characterization -- 3 Results and Discussion -- 4 Conclusion -- References -- Basic Evaluation for Sliding Behavior of Silicone Sheet with Surface Topography Using Equation of Motion -- 1 Introduction -- 2 Experiment and Analysis -- 3 Results and Discussion -- 4 Conclusion -- References -- Effect of Vegetable-Based Nanofluid Enriched with Nanoparticles as Metalworking Fluids During Orthogonal Cutting Process -- 1 Introduction -- 2 Methodology -- 3 Result and Discussion -- 4 Conclusion -- References -- Effect of Cutting Speeds on Wear Performance of 22MnB5 Boron Steel When Machining with Al 6061 Aluminum Alloy -- 1 Introduction -- 2 Methodology -- 3 Results and Discussion -- 4 Conclusion -- References -- Finishing Mode of the Taper of the Femoral Stem Trunnion and its Influence on the Fretting Wear of the Taper Junction with the Femoral Head of the Total Hip Prostheses -- 1 Introduction --

2 Methods -- 2.1 Finite Element Model -- 2.2 Measuring the Wear of Recovered Hip Prostheses -- 3 Results -- 3.1 Wear Evolution and Volumetric Wear Rate -- 4 Conclusions -- References -- Microstructure Development and Wear Behavior of Al-15% Mg₂Si-xGd Composites Before and After Hot Extrusion -- 1 Introduction -- 2 Experimental Procedures -- 2.1 Material Fabrication -- 2.2 Microstructural Characterization -- 2.3 Dry Sliding Wear Test. 3 Results and Discussion -- 3.1 Microstructural Analysis -- 3.2 Wear Properties -- 4 Conclusion -- References -- Thermohydrodynamic Analysis of a Hydrophobic Rayleigh Step Bearing Considering Cavitation: Effect of Hydrophobic Coating Arrangement -- 1 Introduction -- 2 Analysis -- 3 Results and Discussion -- References -- Tribological Performance of Palm Olein with Additive Using Linear Reciprocating Tribotester -- 1 Introduction -- 2 Methodology -- 2.1 Sample Lubricant -- 2.2 Experimental Set up -- 3 Result and Discussion -- 3.1 Coefficient of Friction -- 3.2 Wear Scar Diameter -- 4 Conclusion -- References -- Wear Mechanism of Treated Oil Palm Empty Fruit Bunch Fibre Reinforced Polyoxymethylene Composite -- 1 Introduction -- 2 Materials and Methods -- 2.1 Pin-On-Disc Test -- 2.2 Worn Surface Characterization -- 3 Fibre Treatment Effect on Worn Surfaces -- 4 Conclusion -- References -- Bioinspired Surface for Cell Overlay and the Tribological Performances -- 1 Introduction -- 2 Conclusions and Outlook -- References -- A Study of Palm Oil and Engine Oil Viscosity Effect by Using CFD -- 1 Introduction -- 2 Methodology -- 2.1 UDF Coding -- 2.2 Validation -- 3 Result and Discussion -- 4 Conclusion -- References -- Comparison of Leakage Flow Performance Analysis of Newly Designed Finger Seal with Radial Wedge -- 1 Introduction -- 2 Methodology -- 2.1 Description of Experimental Installation -- 2.2 Seal for Experimental Testing -- 3 Results and Discussion -- 3.1 Leakage Analysis of Three Row Finger Seal -- 4 Conclusions -- References -- Experimental Analysis for Leakage Flow in a Newly Designed Finger Seal with Axial Wedge -- 1 Introduction -- 2 Methodology -- 2.1 Seal for Experimental Testing -- 3 Results and Discussion -- 3.1 Leakage Analysis of Three Row Finger Seal -- 4 Conclusions -- References. Effect of Surface Texturing on Organic Carbon Nanotubes Tribological Performance on Sliding Contact Lubrication -- 1 Introduction -- 2 Materials and Method -- 2.1 Experimental Procedure and Test Conditions -- 3 Experimental Results -- 3.1 Effect of Surface Textures on Frictional Properties -- 3.2 Wear Characteristics -- 4 EC-CNT Nanoparticle Tribofilm Formation and Mechanism -- 5 Conclusion -- References -- Tribological Performance of Hybrid Ti₃C₂/Graphene Additive on Outboard Engine Oil -- 1 Introduction -- 1.1 Pollution -- 1.2 Nanolubricant -- 2 Methods and Materials -- 2.1 Nanolubricant Formulation -- 2.2 Four-Ball Test -- 3 Result and Discussion -- 3.1 Characterization -- 3.2 Wear Test -- 4 Conclusion -- References -- Optimization of Machining Parameters During Milling of Carbon Fibre Reinforced Plastics (CFRP) -- 1 Introduction -- 2 Methodology -- 3 Results and Discussion -- 3.1 ANOVA Analysis -- 3.2 Wear Mechanism -- 4 Conclusion -- References -- Soot Emissions and Time Taken for Extinguishing from Ignition of Treated Candle Waste Cooking Oil (WCO)-Based -- 1 Introduction -- 1.1 Waste Cooking Oil (WCO) -- 2 Methodology -- 3 Results and Discussion -- 4 Conclusions -- References -- Effect of Activator Pre-treatment to the Cobalt Alloys Coating Performance -- 1 Introduction -- 2 Experiment and Testing -- 3 Results and Discussion -- 4 Conclusion -- References -- Compatibility Study on Cobalt Alloy Coating Due to Different Current Distribution in Electroplating -- 1 Introduction -- 2 Experiment

and Testing -- 3 Results and Discussion -- 4 Conclusion -- References
-- Biomimetic Comparison of Animals and Plants -- 1 Introduction -- 2
Experimental Procedure -- 3 Results and Discussion -- 4 Conclusions
-- References -- Improving Thermal and Tribological Properties
of Enhanced Biolubricant with Graphene and Maghemite Nano-additives
-- 1 Introduction.
2 Methodology.
