

1. Record Nr.	UNINA9910781330303321
Titolo	Review of the environmental protection agency's draft IRIS assessment of formaldehyde [[electronic resource] /] / Committee to Review EPA's Draft IRIS Assessment of Formaldehyde
Pubbl/distr/stampa	Washington, DC, : National Academies Press, 2011
ISBN	0-309-21196-4 1-283-13515-9 9786613135155 0-309-21194-8
Descrizione fisica	1 online resource (194 p.)
Disciplina	344.04626
Soggetti	Formaldehyde - Risk assessment Formaldehyde - Toxicology
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Description based upon print version of record.
Nota di bibliografia	Includes bibliographical references.
Nota di contenuto	""Front Matter""; ""Preface""; ""Contents""; ""REVIEW OF THE ENVIRONMENTAL PROTECTION AGENCY'S DRAFT IRIS ASSESSMENT OF FORMALDEHYDE""; ""Summary""; ""1 Introduction""; ""2 Review of Methods""; ""3 Toxicokinetics and Modes of Action of Formaldehyde""; ""4 Portal-of-Entry Health Effects""; ""5 Systemic Health Effects""; ""6 Reference Concentrations for Noncancer Effects and Unit Risks for Cancers""; ""7 A Roadmap for Revision""; ""Appendix A: Biographic Information on the Committee to Review EPAa€S Draft IRIS Assessment of Formaldehyde"" ""Appendix B: Weight-of-Evidence Descriptions from U.S. Environmental Protection Agency Guidelines""
Sommario/riassunto	Formaldehyde is ubiquitous in indoor and outdoor air, and everyone is exposed to formaldehyde at some concentration daily. Formaldehyde is used to produce a wide array of products, particularly building materials; it is emitted from many sources, including power plants, cars, gas and wood stoves, and cigarettes; it is a natural product in some foods; and it is naturally present in the human body as a metabolic intermediate. Much research has been conducted on the

health effects of exposure to formaldehyde, including effects on the upper airway, where formaldehyde is deposited when inhaled, and effects on tissues distant from the site of initial contact. The U.S. Environmental Protection Agency (EPA) released noncancer and cancer assessments of formaldehyde for its Integrated Risk Information System (IRIS) in 1990 and 1991, respectively. The agency began reassessing formaldehyde in 1998 and released a draft IRIS assessment in June 2010. Given the complexity of the issues and the knowledge that the assessment will be used as the basis of regulatory decisions, EPA asked the National Research Council (NRC) to conduct an independent scientific review of the draft IRIS assessment. In this report, the Committee to Review EPA's Draft IRIS Assessment of Formaldehyde first addresses some general issues associated with the draft IRIS assessment. The committee next focuses on questions concerning specific aspects of the draft assessment, including derivation of the reference concentrations and the cancer unit risk estimates for formaldehyde. The committee closes with recommendations for improving the IRIS assessment of formaldehyde and provides some general comments on the IRIS development process--

---