Record Nr.	UNINA9910789926503321
Titolo	Vulnerability to psychosis : from neurosciences to psychopathology / / edited by Paolo Fusar-Poli, Stefan J. Borgwardt and Philip McGuire
Pubbl/distr/stampa	Hove, East Sussex;; New York, N.Y.:,: Psychology Press,, 2012
ISBN	1-136-59638-0 1-136-59639-9 0-203-33268-7
Descrizione fisica	1 online resource (209 p.)
Collana	Maudsley series
Altri autori (Persone)	BorgwardtStefan Fusar-PoliPaolo McGuirePhilip
Disciplina	616.89
Soggetti	Psychoses - Physiological aspects Nervous system - Diseases - Complications Mental illness
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Description based upon print version of record.
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Cover; The Maudsley Series: Vulnerability to Psychosis: From Neurosciences to Psychopathology; Copyright; Contents; Plates; Figures; Tables; Contributors; Acknowledgements; 1. Introduction; 2. Neuroscience, continua and the prodromal phaseof psychosis; 3. Defining the risk for psychosis: Can neurosciencehelp psychopathology?; 4. Genetic determinants of the vulnerability to psychosis: Findings from twin studies; 5. Stress and cortisol in the prepsychotic phases; 6. Neurocognitive indicators of high-risk states for psychosis; 7. Grey matters: Mapping the transition to psychosis 8. Functional MRI in prodromal psychosis9. Glutamate: Gateway to psychosis?; 10. Does dopamine start the psychotic "fire"?; 11. Neurophysiological alterations in the pre-psychotic phases; 12. Stigma in early stages of psychotic illness: Connections with cognitive neuroscience; 13. Conclusions; Index
Sommario/riassunto	Early clinical intervention in psychosis is now a major objective of mental health services and the development of specialist intervention services has greatly facilitated research on the early phases of this

disorder.In this book, contributors provide a review of the neurobiological research in people at high risk of psychosis, focusing on the transition from being at a high risk state to their first episode. Contributors consider unaffected family members and twin studies as well as the individual's data before and after the onset of the illness. The environmental factors that cont