

1. Record Nr.	UNINA9910808297603321
Autore	Kobayashi Nagao
Titolo	Circular dichroism and magnetic circular dichroism spectroscopy for organic chemists // Nagao Kobayashi, Atsuya Muranaka, John Mack
Pubbl/distr/stampa	Cambridge [England], : RSC Pub., 2012
ISBN	1-84973-293-0
Edizione	[1st ed.]
Descrizione fisica	1 online resource (217 p.)
Altri autori (Persone)	MuranakaAtsuya MackJohn
Disciplina	543.54
Soggetti	Circular dichroism Magnetic circular dichroism
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Description based upon print version of record.
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Circular Dichroism and Magnetic Circular Dichroism Spectroscopy for Organic Chemists -- Contents -- Abbreviations -- CHAPTER 1 Theory of Optical Spectroscopy -- 1.1 Electronic Absorption Spectroscopy -- 1.1.1 Exciton Coupling Theory -- 1.2 CD Spectroscopy -- 1.2.1 Units used for CD Spectroscopy -- 1.2.2 Analysis of CD Spectra -- 1.3 MCD Spectroscopy -- 1.3.1 Zeeman Splitting of States -- 1.3.2 MCD Intensity Mechanism, Sign Conventions and Intensity Units -- 1.3.3 Quantitative Analysis of Groundstate and Excited State Magnetic Dipole Moments -- 1.3.4 MCD Spectroscopy of Transition Metal Complexes -- 1.3.5 Qualitative Analysis of MCD Spectra -- References -- CHAPTER 2 Empirical Rules in CD Spectra and Absolute Configuration of Molecules -- 2.1 The Octant Rule -- 2.2 Benzene Sector and Benzene Chirality Rules -- 2.2.1 Benzene Sector Rule -- 2.2.2 Benzene Chirality Rule -- References -- CHAPTER 3 Representative Systems Analysed by the Exciton Coupling Method -- 3.1 Exciton Coupling among Fewer than Four Identical Chromophores -- 3.1.1 Spectra of 5-Cholestane-2, 3- and 3,6-diol Bis(p-dimethylamino-benzoate) -- 3.1.2 Spectra of (6R,15R)-(+)-6,15-Dihydro-6,15-ethanonaphtho[2,3-c]pentaphene -- 3.1.3 Additivity Relationship in the Amplitudes of Exciton-Split CD Curves of Sugar Benzoates -- 3.1.4 Determination of the Absolute Configuration of Oligonaphthalenes -- 3.1.5 Determination of the Absolute Configuration of a Natural Catechol Product, Haematoxylin,

using the Phthalocyanine Chromophore -- 3.1.6 Supramolecular Chirality in a Bisporphyrin System Axially Coordinated by a Chiral Guest -- 3.1.7 A Chiral Biscyanine Dye exhibiting an Exciton Couplet with Well-resolved Absorption Bands -- 3.1.8 CD and Absolute Configuration of C₃ Symmetry Chiral Cyclotrimeratrylenes -- 3.2 Polymer Systems (Systems Consisting of more than Four Chromophores).

3.2.1 Helical Structures of N-Alkylated Poly(p-benzamide)s -- 3.2.2 Conformation of Helical Poly(2,3-quinoxaline)s -- 3.3 Exciton Coupling between Non-Identical Chromophores -- 3.3.1 Determination of the Absolute Configuration of Allylic Alcohols: Systems Containing a C=C Double Bond and a Benzoate -- 3.3.2 Application of the Exciton Chirality Method to Conjugated Enones, Esters and Lactones --

References -- CHAPTER 4 Cyclodextrin Inclusion Compounds -- 4.1 Induced Circular Dichroism of CyDs -- 4.1.1 Inclusion of Pyrene in -CyD at Room Temperature and in -CyD at 70° -- 4.1.2 Inclusion of 2,3-Diaminonaphthalene and 1,8-Diaminonaphthalene in -CyD -- 4.1.3 Lid-type Inclusion of Pyrene-1,3,6,8-tetrasulphonate Anion by -CyD -- 4.1.4 Inclusion of 4,4'-Substituted Biphenyls by -CyD -- 4.1.5 Inclusion of Bipyridyls by -CyD -- 4.1.6 Disposition of Ferrocene in - or -CyD -- 4.1.7 Chirality of Two Pyrene Molecules in -CyD --

References -- CHAPTER 5 Metal Complexes -- 5.1 Systems which can be Analysed by Excitation Coupling Theory: Absolute Configurations of Metal Complexes Containing o-Phenanthroline, 2,2'-Bipyridyl or Acetylacetonate -- 5.2 CD spectra in the d-d Transition Region --

5.2.1 [Co(en)₃]³⁺ and [Cr(en)₃]³⁺ -- 5.2.2 Near-IR Absorption and CD Spectra of Ferrocyclochromes: d-d Transitions -- References --

CHAPTER 6 Circular Dichroism Induced by Optically Active Binaphthyl -- 6.1 Chiral Binaphthyl-Induced CD in Phthalocyanines -- References --

CHAPTER 7 Analysis of Chiral Systems by Theoretical Calculations --

7.1 Semi-empirical Calculations -- 7.1.1 Absolute Stereochemistry of (+)-1,8a-Dihydro-3,8-Dimethylazulene -- 7.1.2 Analysis of Naphthalene-diene Derivatives -- 7.2 TD-DFT Calculations -- 7.2.1 Correlation between CD Sign and Conformation in Optically Active Oxo(phthalocyaninato)vanadium(IV) -- 7.2.2 Optically Active Porphyrin Dimers.

7.2.3 Absolute Configuration and Chiroptical Properties of Three-layered [3,3]Paracyclophane -- References -- CHAPTER 8 Circular Dichroism of Biomolecules -- 8.1 Protein Chromophores and Electronic Absorption Spectroscopy -- 8.2 CD Spectroscopy of Peptides -- 8.2.1 -Helix CD -- 8.2.2 -Sheet and random coil CD -- 8.2.3 -Turn CD --

References -- CHAPTER 9 Analysis of MCD Spectra -- 9.1 Examples

of the Analysis of Faraday A₁ Terms -- 9.1.1 Cyclononatetraenide Anion -- 9.1.2 Cycloheptatrienyl (Tropylium) Cation -- 9.1.3 C₆₀ Fullerene -- 9.1.4 Identification of the Electronic Origin of the S₁ State of Zinc Tetraphenyltetraacenaphthoporphyrin -- 9.2 Examples of the Analysis of Faraday B₀ Terms -- 9.2.1 Analysis of the Symmetry-split Excited States of Azaporphyrins -- 9.2.2 Analysis of Data Recorded at Cryogenic Temperature: Phthalocyanine Anion Radicals -- 9.3

Examples of Analysis of Faraday C₀ MCD Terms -- 9.3.1 The "Fingerprint" Approach -- 9.3.2 Analysis of Data Recorded at Cryogenic Temperatures -- 9.3.3 The Quantitative Analysis of Magnetisation Curves -- 9.4 Analysis of MCD Spectra based on Molecular Orbital

Calculations -- References -- CHAPTER 10 Michl's Perimeter Model in MCD Spectroscopy -- 10.1 Michl's 4N+2-Perimeter Model for Aromatic -Systems -- 10.2 Michl's 4N-Perimeter Model for Antiaromatic -Systems -- 10.3 Applications of Michl's Perimeter Model -- 10.3.1

Negative Faraday A₁ MCD Term in a Cyclobutadiene Dianion -- 10.3.2

The Effect of Ligand Non-planarity on the Alignment of the Excited State Magnetic Moments of Zinc Tetraphenyltetraacenaphthoporphyrin -- 10.3.3 The Application of the $4N$ and $4N+2$ Perimeter Model to the Spectra of Hexaphyrin(1.1.1.1.1)s -- 10.3.4 Using Michl's Perimeter Model to Conceptualise the Optical Properties of Low Symmetry Aromatic -Systems.
10.3.5 Analysis of the MCD Spectra of Benzofuran Derivatives Substituted with Group 16 Heteroatoms -- References -- Subject Index.

Sommario/riassunto

CD and MCD spectroscopy can provide key information about the conformations and electronic states of chromophore containing molecules. However, the theory has remained too challenging and inaccessible for many organic chemists and biochemists and only a few researchers have carried out detailed quantitative analyses of their spectral data. This is not surprising as people who excel at spectroscopic theory usually lack the skills set required to design and synthesise the molecules that would be most appropriate for describing and explaining the theory of CD and MCD spectroscopy. Most of the boo
