

1. Record Nr.	UNINA9910809374103321
Autore	Saini Kulbir
Titolo	Squid Proxy Server 3.1 : beginner's guide // Kulbir Saini
Pubbl/distr/stampa	Birmingham, UK, : Packt Open Source Pub., c2011
ISBN	1-283-01610-9 9786613016102 1-84951-391-0
Edizione	[1st edition]
Descrizione fisica	1 online resource (857 p.)
Collana	Learn by Doing: Less Theory, More Results
Disciplina	005.376
Soggetti	Superconducting quantum interference devices Web servers Electronic books.
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Includes index.
Nota di contenuto	Table of Contents; Squid Proxy Server 3.1 Beginner's Guide; Squid Proxy Server 3.1 Beginner's Guide; Credits; About the Author; About the Reviewers; www.PacktPub.com; Support files, eBooks, discount offers, and more; Why Subscribe?; Free Access for Packt account holders; Preface; What this book covers; What you need for this book; Who this book is for; Conventions; Time for action - heading; What just happened?; Pop quiz; Have a go hero - heading; Reader feedback; Customer support; Errata; Piracy; Questions; 1. Getting Started with Squid; Proxy server; Reverse proxy; Getting Squid Time for action - identifying the right version What just happened?; Methods of obtaining Squid; Using source archives; Time for action - downloading Squid; What just happened?; Obtaining the latest source code from Bazaar VCS; Time for action - using Bazaar to obtain source code; What just happened?; Have a go hero - fetching the source code; Using binary packages; Installing Squid; Installing Squid from source code; Compiling Squid; Why compile?; Uncompressing the source archive; Configure or system check; --prefix; --enable-gnuregex; --disable-inline; --disable-optimizations --enable-storeio--enable-removal-policies; --enable-icmp; --enable-delay-pools; --enable-esi; --enable-useragent-log; --enable-referer-

log; --disable-wccp; --disable-wccpv2; --disable-snmp; --enable-cachemgr-hostname; --enable-arp-acl; --disable-htcp; --enable-ssl; --enable-cache-digests; --enable-default-err-language; --enable-err-languages; --disable-http-violations; --enable-ipfw-transparent; --enable-ipf-transparent; --enable-pf-transparent; --enable-linux-netfilter; --enable-follow-x-forwarded-for; --disable-ident-lookups; --disable-internal-dns; --enable-default-hostsfile; --enable-auth Old Syntax New Syntax; --enable-auth-basic; --enable-auth-ntlm; --enable-auth-negotiate; --enable-auth-digest; --enable-ntlm-fail-open; --enable-external-acl-helpers; --disable-translation; --disable-auto-locale; --disable-unlinkd; --with-default-user; --with-logdir; --with-pidfile; --with-aufs-threads; --without-pthreads; --with-openssl; --with-large-files; --with-filedescriptors; Have a go hero - file descriptors; Time for action - running the configure command; What just happened?; Have a go hero - debugging configure errors; Time for action - compiling the source; What just happened? Time for action - installing Squid What just happened?; Time for action - exploring Squid files; bin; bin/squidclient; etc; etc/squid.conf; etc/squid.conf.default; etc/squid.conf.documented; libexec; libexec/cachemgr.cgi; sbin; sbin/squid; share; share/errors; share/icons; share/man; var; var/cache; var/logs; What just happened?; Installing Squid from binary packages; Fedora, CentOS or Red Hat; Debian or Ubuntu; FreeBSD; OpenBSD or NetBSD; Dragonfly BSD; Gentoo; Arch Linux; Pop quiz; Summary; 2. Configuring Squid; Quick start; Syntax of the configuration file; Types of directives Single valued directives

Sommario/riassunto

Improve the performance of your network using the caching and access control capabilities of Squid
