

1. Record Nr.	UNINA9910810919803321
Autore	Gucer Vasfi
Titolo	Implementing IBM Tivoli OMEGAMON XE for WebSphere Business Integration v1.1 // [Vasfi Gucer ... et al.]
Pubbl/distr/stampa	Austin, TX, : IBM International Technical Support Organization, 2005
Edizione	[1st ed.]
Descrizione fisica	1 online resource (338 p.)
Collana	IBM redbooks
Disciplina	658.8/72/0285
Soggetti	Business enterprises - Computer networks - Management Web services
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Bibliographic Level Mode of Issuance: Monograph
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Front cover -- Contents -- Figures -- Tables -- Notices -- Trademarks -- Preface -- The team that wrote this redbook -- Become a published author -- Comments welcome -- Chapter 1. Introduction -- 1.1 WebSphere MQ overview -- 1.1.1 Queue managers and queues -- 1.1.2 Channels -- 1.1.3 Dead Letter Queue -- 1.1.4 Triggering -- 1.2 WebSphere Business Integration Message Broker overview -- 1.3 WebSphere InterChange Server overview -- 1.4 Why do I need to manage my middleware? -- 1.5 OMEGAMON XE for WBI overview -- 1.6 OMEGAMON XE for WBI and ITIL -- 1.7 Our lab environment for the redbook -- Chapter 2. OMEGAMON XE/DE Distributed Architecture -- 2.1 Overview -- 2.2 Terminology -- 2.3 Communications -- 2.4 Deployment scenarios -- 2.4.1 Simple deployment with no firewall -- 2.4.2 Simple deployment with firewall -- 2.4.3 Complex deployment: CMS, RMS, and a firewall -- 2.5 Scalability -- Chapter 3. Installation of the OMEGAMON infrastructure -- 3.1 Planning for the installation -- 3.1.1 Business requirements -- 3.1.2 Hardware requirements -- 3.1.3 Software requirements -- 3.1.4 Network requirements -- 3.2 Candle Management Server -- 3.2.1 Candle Management Server installation -- 3.2.2 CandleNet Portal -- 3.2.3 Modes of operation -- 3.2.4 Supported operating systems -- 3.2.5 Product prerequisites -- 3.2.6 Starting the InstallShield Wizard -- 3.3 IBM Tivoli OMEGAMON DE -- 3.3.1 Installing IBM Tivoli OMEGAMON DE -- 3.4 Verifying the installation -- Chapter 4. Installation and configuration of WebSphere MQ Agents -- 4.1

WebSphere MQ Agent installation and configuration -- 4.1.1 Installing the WebSphere MQ Agent on z/OS -- 4.1.2 Installing the WebSphere MQ Agent on UNIX -- 4.1.3 Installing OMEGAMON WebSphere MQ Agent on Windows -- 4.1.4 Create additional instances of the agent -- 4.2 WebSphere MQ Configuration Agent configuration.

Chapter 5. WebSphere MQ Configuration -- 5.1 OMEGAMON XE for WebSphere MQ Configuration overview -- 5.1.1 Centralized configuration information -- 5.1.2 A graphical representation of your configuration -- 5.1.3 Common prototype models for creating WebSphere MQ objects -- 5.1.4 Managing resources from a business perspective -- 5.1.5 Keeping your actual and defined configurations in sync -- 5.1.6 Scheduling actions -- 5.1.7 Entering WebSphere MQ commands from the Defined View -- 5.2 WebSphere MQ Configuration scenario -- 5.2.1 Scheduling an action -- 5.2.2 Connecting queue managers -- 5.2.3 Creating resources -- 5.3 Audit Logging feature -- 5.3.1 Audit Log reports -- 5.3.2 Accessing additional details reports -- 5.4 Backing up the configuration database -- 5.4.1 Restoring the configuration database -- Chapter 6. WebSphere MQ Monitoring -- 6.1 OMEGAMON XE for WebSphere MQ Monitoring overview -- 6.2 WebSphere MQ Monitoring options -- 6.2.1 Editing WebSphere MQ Monitoring options -- 6.2.2 Install WebSphere MQ Agent on z/OS -- 6.3 Workspaces -- 6.4 Monitoring scenarios -- 6.4.1 WebSphere MQ queue manager monitoring -- 6.4.2 WebSphere MQ queue monitoring -- 6.4.3 SYSTEM.DEAD.LETTER alert -- 6.4.4 WebSphere MQ channel monitoring -- Chapter 7. WebSphere Integration Brokers Monitoring -- 7.1 IBM Tivoli OMEGAMON XE for WebSphere Integration Brokers -- 7.1.1 What does the agent do? -- 7.1.2 How does the agent work? -- 7.2 Planning for installation of the WebSphere Integration Brokers Monitoring Agent -- 7.2.1 Prerequisite information -- 7.2.2 Setting up the environment prior to installation -- 7.3 Installing the WebSphere Integration Brokers Monitoring Agent -- 7.3.1 Running the installer -- 7.4 Installing the seed file on the CMS -- 7.4.1 Seeding the CMS on Windows -- 7.4.2 Seeding the CMS on UNIX.

7.5 Configuring the WebSphere Integration Brokers Monitoring Agent -- 7.5.1 Configuring the agent on Windows -- 7.5.2 Configuring the agent on UNIX -- 7.6 The agent's configuration file -- 7.7 Using situations -- 7.8 Using Take Actions -- 7.9 Automating responses -- 7.10 Workspaces -- 7.11 Monitoring scenarios -- 7.12 Other considerations -- 7.12.1 Performance considerations -- 7.12.2 Working with the CandleMonitor Node -- 7.12.3 Using the sample programs -- Chapter 8. WebSphere Interchange Server Monitoring -- 8.1 OMEGAMON XE for WebSphere InterChange Server overview -- 8.1.1 What does OMEGAMON XE for WICS do? -- 8.1.2 How does OMEGAMON XE for WICS help you? -- 8.1.3 How does OMEGAMON XE for WICS work? -- 8.1.4 OMEGAMON XE for WICS key features -- 8.2 WebSphere InterChange Server configuration for monitoring -- 8.2.1 SNMP Agent configuration -- 8.2.2 SNMP Configuration Manager configuration -- 8.2.3 WebSphere InterChange Server Monitoring Agent configuration -- 8.3 Monitoring your integration systems -- 8.3.1 Workspaces -- 8.3.2 Customizing the monitoring -- 8.3.3 Monitoring scenarios -- Chapter 9. Troubleshooting -- 9.1 Overview -- 9.2 Tracing -- 9.2.1 Enabling trace settings for the CNPS -- 9.2.2 Enabling trace settings for the CMS -- 9.3 Logs -- 9.3.1 CNPS and CNP -- 9.3.2 CMS -- 9.3.3 Agents -- 9.4 Top issues -- 9.4.1 Installation -- 9.4.2 Configuration -- 9.4.3 Maintenance -- 9.5 Miscellaneous tips and tools -- 9.5.1 Changing the JRE version of the CNPS -- 9.5.2 Using the digup tool on UNIX -- 9.5.3 Mutex and shared memory cleanup -- 9.5.4 WebSphere MQ Configuration problem determination -- Appendix A.

Additional material -- Locating the Web material -- Using the Web material -- System requirements for downloading the Web material -- How to use the Web material -- Related publications -- IBM Redbooks -- Other publications -- Online resources.
How to get IBM Redbooks -- Help from IBM -- Index -- Back cover.

Sommario/riassunto

IBM Tivoli OMEGAMON XE for WebSphere Business Integration is a new product in Tivoli portfolio that manages WebSphere MQ, Message Broker, and InterChange Server environments from a single console. IBM Tivoli OMEGAMON XE for WebSphere Business Integration supports distributed and mainframe systems and provides an end-to-end view across all systems. It analyzes application performance and identifies slowdowns and monitors message rates, brokers, message flows, and sub-flows. This IBM Redbooks publication covers the installation, configuration, and troubleshooting of IBM Tivoli OMEGAMON XE for WebSphere Business Integration on Windows, AIX, Linux, and z/OS platforms, with real life scenarios. OMEGAMON Framework architecture is also covered with typical deployment scenarios, best practices, and scalability considerations. This book is an essential reading for IT Specialists who will implement IBM Tivoli OMEGAMON XE for WebSphere Business Integration, or in general OMEGAMON Framework in a customer environment.
