

1. Record Nr.	UNINA9910810925603321
Autore	Gavin Lee
Titolo	B2B solutions using WebSphere partner gateway V6.0 // Lee Gavin et al
Pubbl/distr/stampa	White Plains, N.Y., : IBM, c2005
Descrizione fisica	1 online resource (830 p.)
Collana	Redbooks
Altri autori (Persone)	DaltonRonan LishokMatthew NamuduriVamsi Krishna SankaranarayananSreelatha
Soggetti	Electronic commerce
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	"November 2005."
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Front cover -- Contents -- Notices -- Trademarks -- Preface -- The team that wrote this redbook -- Become a published author -- Comments welcome -- Part 1 Overview of the technology and products -- Chapter 1. Business-to-business concepts -- 1.1 Impact of the Internet on the world of business applications -- 1.2 E-commerce -- 1.2.1 Business-to-consumer -- 1.2.2 Business-to-business -- 1.2.3 Evolution of the B2B data structures -- 1.2.4 Evolution of B2B data communications -- 1.3 Enterprise application integration and B2B -- 1.4 B2B integration -- 1.4.1 Types of B2B integration -- 1.4.2 Summary -- Chapter 2. Business-to-business technologies and standards -- 2.1 Requirements for a B2B solution -- 2.2 Some terminology -- 2.2.1 Messaging and queuing -- 2.2.2 Electronic data interchange -- 2.2.3 Transport protocols -- 2.2.4 Security -- 2.2.5 Java -- 2.2.6 Extensible Markup Language -- 2.2.7 Web services -- Chapter 3. Introduction to WebSphere Partner Gateway -- 3.1 Editions of WebSphere Partner Gateway -- 3.2 Architecture of WebSphere Partner Gateway -- 3.2.1 Runtime components -- 3.2.2 Configuration components -- 3.2.3 Profile management -- 3.3 B2B features and standards -- 3.3.1 Transport options -- 3.3.2 Messaging protocol options -- 3.3.3 Business document formats -- 3.3.4 Security options in WebSphere Partner Gateway -- 3.4 Extensible architecture -- 3.4.1 Encryption,

validation and transformation -- 3.4.2 Custom transports, packages and protocols -- 3.5 Enterprise Integration -- Part 2 Building a B2B exchange -- Chapter 4. Implementation scenarios -- 4.1 Implementing WebSphere Partner Gateway Enterprise for Windows -- 4.2 Implementing WebSphere Partner Gateway Advanced for AIX -- 4.3 Implementing a basic exchange -- 4.4 Securing the exchange between Company E and Company A -- 4.5 Implementing WebSphere Partner Gateway Express for Windows.

4.6 Using FTP with WebSphere Partner Gateway -- 4.7 Using FTP Scripting to enable Value Added Network (VAN) connectivity -- 4.8 Managing the B2B infrastructure -- 4.9 EDI translation -- Chapter 5. WebSphere Partner Gateway Enterprise on Windows -- 5.1 Implementation overview -- 5.2 Verify software levels on the hub and data servers -- 5.2.1 Verifying WebSphere MQ 6.0 -- 5.2.2 Verifying DB2 -- 5.3 Installing the software for the data machine -- 5.3.1 Adding user IDs and a group -- 5.3.2 Configuring WebSphere MQ 6.0 -- 5.3.3 Installing the database schema -- 5.3.4 Local validation -- 5.4 Install WebSphere Partner Gateway -- 5.4.1 Adding a user and group -- 5.4.2 Installing the product code -- 5.4.3 Local validation -- 5.5 Initial configuration of the WebSphere Partner Gateway server -- Chapter 6. WebSphere Partner Gateway Advanced for AIX -- 6.1 Implementation Overview -- 6.2 Verifying software levels on the AIX machine -- 6.2.1 Verifying DB2 -- 6.2.2 Verifying WebSphere MQ -- 6.3 Software Installation -- 6.3.1 Adding the user accounts -- 6.3.2 Configuring WebSphere MQ -- 6.3.3 Installing the database schema -- 6.3.4 Installing the Product Code -- 6.3.5 Local Validation -- 6.3.6 Starting the help system -- 6.4 Initial configuration of the WebSphere Partner Gateway server -- Chapter 7. Creating a basic B2B exchange -- 7.1 Scenario overview -- 7.2 Role-based configuration -- 7.2.1 Outbound flow -- 7.2.2 Inbound Flow -- 7.3 Configuration tasks for hubadmin of Company E -- 7.3.1 Creating targets -- 7.3.2 Creating interactions -- 7.3.3 Creating a Community Manager -- 7.3.4 Creating a Community Participant -- 7.4 Configuration tasks for Company E administrator -- 7.4.1 Initial logon by the Community Manager -- 7.4.2 Creating a gateway -- 7.4.3 Providing B2B capabilities -- 7.5 Configuration tasks for partner Company A -- 7.6 Connecting Company E to Company A. 7.7 Configuration tasks for the Company A hubadmin -- 7.8 Validating communication -- 7.9 Revisiting role-based configuration -- Chapter 8. Securing the B2B exchange -- 8.1 What is needed to perform encryption and decryption -- 8.2 Enabling encryption -- 8.2.1 Company E generates a public/private key pair -- 8.2.2 Company E uploads private key to its own server -- 8.2.3 Company E uploads public certificate to partner's server -- 8.2.4 What happens next? -- 8.2.5 Company A generates a private/public key pair -- 8.2.6 Company A uploads a private key to its own server -- 8.2.7 Company A uploads their public key to their partner's server -- 8.2.8 Updating the participant connections -- 8.2.9 Validating that encryption is enabled -- 8.3 What is needed to digitally sign and verify the signature? -- 8.4 Enabling digital signatures -- 8.4.1 Changes to be performed on the server of Company A -- 8.4.2 Changes to perform on the server of Company E -- 8.4.3 Validating that digital signatures are enabled -- Chapter 9. WebSphere Partner Gateway Express on Windows -- 9.1 Overview of the Express edition -- 9.2 Software installation and configuration -- 9.3 Initial configuration of the Express server -- Chapter 10. Extending the B2B exchange -- 10.1 Scenario overview -- 10.2 Implementation steps -- 10.3 Configuration of Company X -- 10.3.1 Customizing My Profile -- 10.3.2 Customizing the profile of Participant Company E -- 10.4 Additional configuration of Company E

-- 10.4.1 Creating a new Community Participant -- 10.4.2 Creating a new document flow definition -- 10.4.3 Creating a new XML format -- 10.4.4 Create an interaction -- 10.4.5 Updating Company X's profile on Company E's server -- 10.4.6 Updating Company E's profile on the Company E server -- 10.5 Validating Communication -- 10.5.1 Sending XML documents from Company E to Company X. 10.5.2 Sending XML documents from Company X to Company E -- Chapter 11. Managing the B2B exchange -- 11.1 Tools available to manage the exchange -- 11.2 System log files -- 11.3 Event Viewer -- 11.4 Document Viewer -- 11.5 AS1/AS2 Viewer -- 11.6 Gateway queue -- 11.7 Using the tools for problem determination -- 11.7.1 MDN HTTP URL not defined -- 11.7.2 Problems with encryption -- 11.7.3 Problems with digital signatures -- Part 3 FTP support -- Chapter 12. Integrating FTP servers -- 12.1 Overview of FTP and FTP Scripting scenarios -- 12.1.1 FTP method one: FTP servers -- 12.1.2 FTP method two: FTP Scripting -- 12.2 Configuration of Company A for FTP outbound -- 12.2.1 Outbound implementation steps -- 12.2.2 Creating the directory structure -- 12.2.3 Updating the hubadmin profile -- 12.2.4 Updating the profile for Company F -- 12.2.5 Updating the profile for Company A -- 12.2.6 Creating a participant connection -- 12.2.7 Validating outbound communication -- 12.3 Configuration of Company A for FTP Inbound -- 12.3.1 Integrating with the AIX FTP server -- 12.3.2 Updating the configuration of WebSphere Partner Gateway -- 12.3.3 Validating Inbound communication -- 12.4 Implementing FTPS -- 12.4.1 FTPS outbound -- 12.4.2 FTPS client authentication -- 12.4.3 FTPS inbound -- 12.5 Configuration of FTP Scripting outbound -- 12.5.1 Outbound FTP Scripting overview -- 12.5.2 Updating the B2B Capabilities of Company F -- 12.5.3 Creating the new interaction -- 12.5.4 Create an FTP Scripting Gateway for Company F -- 12.5.5 Update the participant connection -- 12.5.6 Validating the connection -- 12.6 Configuration of FTP Scripting inbound -- 12.6.1 FTP Scripting inbound overview -- 12.6.2 Creating the FTP Scripting Target -- 12.6.3 Updating the participant connection -- 12.6.4 Validating inbound communication with FTP Scripting target. 12.7 FTPS for FTP Scripting Gateways and Targets -- 12.7.1 FTPS for the FTP Scripting Gateway -- 12.7.2 FTPS for the FTP Scripting Target -- 12.8 Comparing FTP and FTP Scripting -- Chapter 13. Enabling VAN connectivity using FTP Scripting -- 13.1 Scenario overview -- 13.2 Configuration of Company E for outbound -- 13.2.1 Implementation steps -- 13.2.2 Updating the profile of hubadmin -- 13.2.3 Updating the profile of Company V -- 13.2.4 Updating the profile of Company E -- 13.2.5 Creating a participant connection -- 13.2.6 Validating communication -- 13.3 Configuration of Company E for inbound -- 13.3.1 Creating a FTP Scripting Target for Company E -- 13.3.2 Updating the WebSphere Partner Gateway configuration -- 13.3.3 Validating communication -- 13.4 Securing VAN connectivity -- 13.4.1 Uploading certificates to Company E's WebSphere Partner Gateway -- 13.4.2 Updating the FTP Scripting gateway to use secure mode -- 13.4.3 Validating outbound communication -- 13.4.4 Using secure mode for inbound communication -- 13.4.5 Validating inbound communication -- 13.5 Summary -- Part 4 Native mapping support for non-EDI standards -- Chapter 14. Native mapping support in WebSphere Partner Gateway -- 14.1 Install the Data Interchange Services client -- 14.2 The system view of Data Interchange Services -- 14.3 Development environment -- 14.3.1 Configure a development environment using DB2 -- 14.4 Component view of the development environment -- 14.5 Connect the Data Interchange Services client to a development database -- 14.6 Functional areas -- 14.6.1 XML

functional area -- 14.6.2 EDI functional area -- 14.6.3 Record Oriented Data (ROD) functional area -- 14.6.4 Mapping functional area -- 14.7 Runtime environment -- Chapter 15. Mapping -- 15.1 Scenario overview -- 15.2 Create a ROD document definition -- 15.2.1 Create a new ROD dictionary.
15.2.2 Create a new Record ID.
