

1. Record Nr.	UNINA9910810928003321
Titolo	Biorefinery of inorganics : recovering mineral nutrients from biomass and organic waste / / edited by Erik Meers [et al.]
Pubbl/distr/stampa	Hoboken, New Jersey : , : John Wiley & Sons, Inc., , [2020] ©2020
ISBN	1-118-92147-X 1-118-92146-1 1-118-92148-8
Descrizione fisica	1 online resource (xxviii, 440 pages) : diagrams
Collana	Wiley series in renewable resources
Disciplina	631.869
Soggetti	Sewage - Purification - Nutrient removal Factory and trade waste - Purification Nutrient pollution of water
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Includes bibliographical references and index.
Nota di contenuto	Cover -- Title Page -- Copyright -- Contents -- List of Contributors -- Series Preface -- Preface -- Part I Global Nutrient Flows and Cycling in Food Systems -- Chapter 1 Global Nutrient Flows and Cycling in Food Systems -- 1.1 Introduction -- 1.2 Primary and Secondary Driving Forces of Nutrient Cycling -- 1.3 Anthropogenic Influences on Nutrient Cycling -- 1.4 The Global Nitrogen Cycle -- 1.5 The Global Phosphorus Cycle -- 1.6 Changes in Fertilizer Use During the Last 50 Years -- 1.7 Changes in Harvested Crop Products and in Crop Residues During the Last 50 Years -- 1.8 Changes in the Amounts of N and P in Animal Products and Manures -- 1.9 Changes in the Trade of Food and Feed -- 1.10 Changes in Nutrient Balances -- 1.11 General Discussion -- 1.11 References -- Part II The Role of Policy Frameworks in the Transition Toward Nutrient Recycling -- Chapter 2.1 Toward a Framework that Stimulates Mineral Recovery in Europe -- 2.1.1 The Importance of Managing Organic Residues -- 2.1.2 The Rise of Nutrient and Carbon Recycling -- 2.1.3 The European Framework for Nutrient Recovery and Reuse (NRR) -- 2.1.4 EU Waste Legislation -- 2.1.5 Moving from Waste to Product Legislation and the Interplay with Other

EU Legislation -- 2.1.6 Complying with Existing Environmental and Health & Safety Legislation -- 2.1.7 Conclusion -- 2.1.7
References -- Chapter 2.2 Livestock Nutrient Management Policy Framework in the United States -- 2.2.1 Introduction -- 2.2.2 The LegalRegulatory Framework for Manure Nutrient Management -- 2.2.3 Current ManureManagement Practices -- 2.2.4 Public Investments for Improvement of ManureManagement Practices -- 2.2.5 The Role of the Judicial Process and ConsumerDriven Preferences -- 2.2.6 Limitations of the Current Framework -- 2.2.7 Conclusion -- 2.2.7 References.

Chapter 2.3 Biomass Nutrient Management in China: The Impact of Rapid Growth and Energy Demand -- 2.3.1 Introduction -- 2.3.2 The Impact of Economic Liberalization Policy in the 1980s and 1990s -- 2.3.3 Environmental Protection Efforts and Unintended Consequences -- 2.3.4 Renewable Energy Policy and Its Impact on Biomass Management -- 2.3.5 Conclusion -- 2.3.5 References -- Chapter 2.4 Nutrient Cycling in Agriculture in China -- 2.4.1 Introduction -- 2.4.2 Nutrient Cycling in China -- 2.4.3 Effects on the Environment -- 2.4.4 Nutrient Management Policies -- 2.4.5 Future Perspectives -- 2.4.5.1 National Nutrient Management Strategy -- 2.4.5.2 Challenges of Technology Transfer in Manure Management -- 2.4.5.3 Environmental Protection -- 2.4.6 Conclusion -- 2.4.6 References -- Part III State of the Art and Emerging Technologies in Nutrient Recovery from Organic Residues -- Chapter 3.1 Manure as a Resource for Energy and Nutrients -- 3.1.1 Introduction -- 3.1.2 Energy Production from Animal Manure -- 3.1.2.1 Anaerobic Digestion -- 3.1.2.2 Thermochemical Conversion Process -- 3.1.3 Nutrient Recovery Techniques -- 3.1.3.1 Phosphorus Precipitation -- 3.1.3.2 Ammonia Stripping and Scrubbing -- 3.1.3.3 Membrane Filtration -- 3.1.3.4 Phosphorus Extraction from Ashes -- 3.1.4 Conclusion -- 3.1.4 References -- Chapter 3.2 Municipal Wastewater as a Source for Phosphorus -- 3.2.1 Introduction -- 3.2.2 Phosphorus Removal from Wastewater -- 3.2.3 Sludge Management -- 3.2.4 Current State of P Recovery Technologies -- 3.2.4.1 Phosphorus Salts Precipitation -- 3.2.4.2 Phosphorus Recovery Via WetChemical Processes -- 3.2.4.3 Phosphorus Recovery Via Thermal Processes -- 3.2.4.4 Choice of Phosphorus Technologies Today -- 3.2.5 Future P Recovery Technologies -- 3.2.5.1 Phosphorus Salt Recovery Upgrades -- 3.2.5.2 Thermal Processes.

3.2.5.3 Natural Process for the Recovery of Phosphorus -- 3.2.6 Conclusion -- 3.2.6 References -- Chapter 3.3 Ammonia Stripping and Scrubbing for Mineral Nitrogen Recovery -- 3.3.1 Introduction -- 3.3.2 Ammonia Stripping and Scrubbing from Biobased Resources -- 3.3.2.1 Acid Scrubbing of Exhaust Air -- 3.3.2.2 Stripping and Scrubbing from Manure -- 3.3.2.3 Stripping and Scrubbing from Anaerobic Digestate -- 3.3.2.4 Manure and Digestate Processing by Evaporation -- 3.3.3 Alternative Scrubbing Agents -- 3.3.3.1 Organic Acids -- 3.3.3.2 Nitric Acid -- 3.3.3.3 Gypsum -- 3.3.4 Industrial Cases of Stripping and Scrubbing -- 3.3.4.1 Waste Air Cleaning Via Acid Scrubbing -- 3.3.4.2 Raw Digestate Processing Via Stripping and Scrubbing and Recirculation of the NDepleted Digestate -- 3.3.4.3 Liquid Fraction Digestate Processing Via Stripping and Scrubbing -- 3.3.4.4 Liquid Fraction of Digestate Processing Via Membrane Separation and Stripping and Scrubbing -- 3.3.5 Product Quality of Ammonium Sulfate and Ammonium Nitrate -- 3.3.5.1 Ammonium Sulfate -- 3.3.5.2 Ammonium Nitrate -- 3.3.6 Conclusion -- 3.3.6 References -- Part IV Inspiring Cases in Nutrient Recovery Processes -- Chapter 4.1 Struvite Recovery from Domestic Wastewater -- 4.1.1 Introduction -- 4.1.2 Process Description -- 4.1.3 Analyses and Tests -- 4.1.3.1 Mass Balance -- 4.1.3.2 Struvite Purity -- 4.1.4 Operational Benefits --

4.1.4.1 Enhanced Dewaterability -- 4.1.4.2 Enhanced Recovery Potential -- 4.1.4.3 Reduced Scaling -- 4.1.4.4 Reduced Phosphorus Content in the Sludge Pellets -- 4.1.4.5 Reduced P and N Load in the Rejection Water -- 4.1.5 Economic Evaluation -- 4.1.6 Future Challenges -- 4.1.6.1 InDepth Quality Screening -- 4.1.6.2 Improved Crystal Separation -- 4.1.7 Conclusion -- 4.1.7 References -- Chapter 4.2 Mineral Concentrates from Membrane Filtration -- 4.2.1 Introduction.
4.2.2 Production of Mineral Concentrates -- 4.2.2.1 General Setup -- 4.2.2.2 Solid/Liquid Separation -- 4.2.2.3 Pretreatment of the Liquid Fraction (Effluent from Mechanical Separation) -- 4.2.2.4 Reverse Osmosis -- 4.2.3 Mass Balance -- 4.2.4 Composition of Raw Slurry, Solid Fraction, and ROConcentrate -- 4.2.4.1 Raw Slurry -- 4.2.4.2 Solid Fraction -- 4.2.4.3 ROConcentrate -- 4.2.5 Quality Requirements -- 4.2.6 Conclusion -- 4.2.6 References -- Chapter 4.3 Pyrolysis of AgroDigestate: Nutrient Distribution -- 4.3.1 Introduction -- 4.3.1.1 Background -- 4.3.1.2 The Pyrolysis Process -- 4.3.1.3 Pyrolysis of AgroDigestate -- 4.3.2 Investigation -- 4.3.2.1 Materials and Methods -- 4.3.2.2 Product Analysis and Evaluation -- 4.3.3 Results and Discussion -- 4.3.3.1 Fast Pyrolysis: Influence of Temperature -- 4.3.3.2 Influence of Heating Rate -- 4.3.4 Conclusion -- 4.3.4 Acknowledgment -- 4.3.4 References -- Chapter 4.4 Agronomic Effectivity of Hydrated Poultry Litter Ash -- 4.4.1 Introduction -- 4.4.2 Energy Production Process -- 4.4.3 Composition of HPLA -- 4.4.4 Agronomic Effectivity of HPLA -- 4.4.5 Phosphorus -- 4.4.6 Potassium -- 4.4.7 Rye Grass -- 4.4.8 AcidNeutralizing Value -- 4.4.9 Efficacy -- 4.4.10 Conclusion -- 4.4.10 References -- Chapter 4.5 Bioregenerative Nutrient Recovery from Human Urine: Closing the Loop in Turning Waste into Wealth -- 4.5.1 Introduction -- 4.5.2 Composition and Fertilizer Potential -- 4.5.3 State of the Art of Regenerative Practices -- 4.5.3.1 HU in Agriculture -- 4.5.3.2 HU in Aquaculture -- 4.5.4 Cautions, Concerns, and Constraints -- 4.5.5 Conclusion -- 4.5.5 References -- Chapter 4.6 PilotScale Investigations on Phosphorus Recovery from Municipal Wastewater -- 4.6.1 Introduction -- 4.6.2 European and National Incentives to Act on Market Drivers -- 4.6.3 Pilot Investigations.
4.6.3.1 Acid Leaching Solutions to Recover Phosphorus from Sewage Sludge Ashes -- 4.6.3.2 Pilot Demonstration of Thermal Solutions to Recover Phosphorus from Sewage Sludge: The EuPhoRe® Process -- 4.6.3.3 Demonstration of struvite solution with biological acidification to increase the P recovery from sewage sludge -- 4.6.3.4 Innovative Technical Solutions to Recover P from SmallScale WWTPs: Downscaling Struvite Precipitation for Rural Areas -- 4.6.3.5 AlgalBased Solutions to Recover Phosphorus from SmallScale WWTPs: A Promising Approach for Remote, Rural, and Island Areas -- 4.6.3 References -- Part V Agricultural and Environmental Performance of Biobased Fertilizer Substitutes: Overview of Field Assessments -- Chapter 5.1 Fertilizer Replacement Value: Linking Organic Residues to Mineral Fertilizers -- 5.1.1 Introduction -- 5.1.2 Nutrient Pathways from Land Application to Crop Uptake -- 5.1.2.1 Nitrogen -- 5.1.2.2 Phosphorus -- 5.1.3 Fertilizer Replacement Value -- 5.1.3.1 Crop Response -- 5.1.3.2 Response Period -- 5.1.4 Reference Mineral Fertilizer -- 5.1.4.1 Crop and Soil Type -- 5.1.4.2 Application Time and Method -- 5.1.4.3 Assessment Method -- 5.1.5 Fertilizer Replacement Values in Fertilizer Plans -- 5.1.6 Conclusion -- 5.1.6 References -- Chapter 5.2 Anaerobic Digestion and Renewable Fertilizers: Case Studies in Northern Italy -- 5.2.1 Introduction -- 5.2.2 Anaerobic Digestion as a Tool to Correctly Manage Animal Slurries -- 5.2.3 Chemical and

Physical Modification of Organic Matter and Nutrients during Anaerobic Digestion -- 5.2.4 From Digestate to Renewable Fertilizers -- 5.2.4.1 NFertilizer from the LF of Digestate -- 5.2.4.2 Organic Fertilizer from the SF of Digestate -- 5.2.5 Environmental Safety and Health Protection Using Digestate -- 5.2.6 Conclusion -- 5.2.6 References.
Chapter 5.3 Nutrients and Plant Hormones in Anaerobic Digestates: Characterization and Land Application.

Sommario/riassunto

"As part of the move towards a bio-based economy, it is important to recycle the valuable nutrients that currently end up in waste streams. Nutrient resources are depleting and significant amounts of fossil energy are required for the production of synthetic fertilizers, but waste streams including agricultural waste, wastewater/sewage and municipal waste are significant sources of nutrients. The production of biogas through anaerobic digestion also produces nutrient-rich digestates, which have the potential for use as green fertilizers in agriculture"--
