

1. Record Nr.	UNINA9910816468603321
Titolo	Microsoft SQL Server to IBM DB2 UDB conversion guide // Whei-Jen Chen ... [et al.]
Pubbl/distr/stampa	San Jose, CA, : IBM Corp., International Technical Support Organization, 2005
Edizione	[1st ed.]
Descrizione fisica	xxviii, 524 p. : ill
Collana	Redbooks
Disciplina	005.75/85
Soggetti	Database management Software maintenance
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	"June 2005." "This edition applies to DB2 UDB Version 8.2, Microsoft SQL Server 2000, and Windows 2000 Server."
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Front cover -- Contents -- Figures -- Tables -- Notices -- Trademarks -- Preface -- The team that wrote this redbook -- Acknowledgements -- Become a published author -- Comments welcome -- Chapter 1. Introduction -- 1.1 DB2 Universal Database - a high-level overview -- 1.2 Project environment -- 1.3 IBM migration offering -- 1.3.1 DB2 UDB promotion -- 1.3.2 DB2 migration services and support -- Chapter 2. Architecture -- 2.1 Instances -- 2.1.1 SQL Server instance definition -- 2.1.2 DB2 UDB instance definition -- 2.2 Memory allocation -- 2.2.1 SQL Server memory allocation -- 2.2.2 DB UDB memory allocation -- 2.3 Processes -- 2.3.1 SQL Server process model -- 2.3.2 DB2 UDB process model -- 2.4 Allocating disk space -- 2.4.1 SQL Server disk allocation -- 2.4.2 DB2 UDB disk allocation -- 2.5 Transaction logs -- 2.5.1 SQL Server transaction log overview -- 2.5.2 DB2 UDB transaction log overview -- 2.6 Query optimization -- 2.6.1 SQL Server query optimization -- 2.6.2 DB2 UDB query optimization -- 2.7 Parallelism -- 2.7.1 SQL Server parallelism -- 2.7.2 DB2 UDB parallelism -- 2.8 Message logs -- 2.8.1 SQL Server error logs -- 2.8.2 DB2 error logs -- 2.9 Security -- 2.9.1 SQL Server security -- 2.9.2 DB2 UDB Security -- 2.9.3 Security enhancements in V8.2 -- 2.10 High availability -- 2.10.1 SQL Server high availability strategies -- 2.10.2

DB2 high availability strategies -- Chapter 3. DB2 UDB administration tools -- 3.1 GUI tools -- 3.1.1 Control Center -- 3.1.2 Command Editor -- 3.1.3 SQL Assist -- 3.1.4 Visual Explain -- 3.1.5 Task Center -- 3.1.6 Journal -- 3.1.7 Health Center -- 3.1.8 Development Center -- 3.1.9 Configuration Assistant -- 3.1.10 Information Center -- 3.1.11 License Center -- 3.1.12 Replication Center -- 3.1.13 Data Warehouse Center -- 3.1.14 Information Catalog Center -- 3.1.15 Satellite Administration Center. 3.1.16 Web administration -- 3.2 Wizards -- 3.3 Advisors -- 3.4 Command Line -- 3.5 Utilities -- 3.5.1 Maintaining database integrity -- 3.5.2 Throttling utilities -- 3.5.3 Validating a backup -- 3.5.4 DDL extraction -- 3.6 Performance monitor integration -- 3.7 Optional tools -- 3.7.1 DB2 Performance Expert -- 3.7.2 DB2 Recovery Expert -- 3.7.3 DB2 High Performance Unload -- 3.7.4 DB2 Test Database Generator -- 3.7.5 DB2 Table Editor -- 3.7.6 DB2 Web Query Tool -- Chapter 4. SQL considerations -- 4.1 SQL standard compliance -- 4.2 Data types -- 4.2.1 Data type mapping -- 4.2.2 Strong type casting -- 4.2.3 ROWVERSION data type -- 4.2.4 NULL value considerations -- 4.2.5 Large object (LOB) considerations -- 4.3 Date and time considerations -- 4.3.1 Retrieving date and time values -- 4.3.2 Date and time conversion -- 4.3.3 Date and time arithmetic -- 4.3.4 Examining date and time components -- 4.3.5 Additional date and time examples -- 4.4 String considerations -- 4.5 Case sensitivity -- 4.6 SQL language syntax and semantics -- 4.6.1 SELECT statements -- 4.6.2 SELECT INTO -- 4.6.3 INSERT statements -- 4.6.4 UPDATE and DELETE statements -- 4.6.5 TRUNCATE TABLE -- 4.6.6 ANSI joins -- 4.6.7 ORDER BY and GROUP BY clauses -- 4.6.8 Top n clause -- 4.6.9 Cursors -- 4.7 Built-in SQL functions -- 4.8 System catalog queries -- 4.8.1 Catalog interrogation and instance/database metadata -- 4.8.2 System table mapping -- 4.8.3 Authorizations on system catalog tables -- 4.9 Transact-SQL to SQL PL translation -- 4.9.1 EXECUTE <string> -- 4.9.2 PRINT -- 4.9.3 @@ERROR -- 4.9.4 RAISERROR -- 4.9.5 @@SQLSTATUS -- 4.9.6 @@ROWCOUNT -- 4.9.7 @@TRANCOUNT -- 4.10 XML -- 4.10.1 FOR XML statement -- 4.10.2 OPENXML statement -- 4.11 SQL limits -- Chapter 5. Planning for a conversion -- 5.1 Preparation -- 5.1.1 Performing a porting assessment. 5.1.2 Understanding and selecting conversion tools -- 5.1.3 Estimating the effort required -- 5.1.4 Planning the conversion -- 5.1.5 Becoming educated on DB2 UDB -- 5.1.6 Environment preparation -- 5.2 Conversion -- 5.2.1 Converting the database structure -- 5.2.2 Converting database objects -- 5.2.3 Porting additional database components and products -- 5.2.4 Modifying the application -- 5.2.5 Modifying the database interface -- 5.2.6 Migrating the data -- 5.3 Post-conversion -- 5.3.1 Performance tuning -- 5.3.2 Utilizing additional DB2 utilities -- 5.3.3 Defining a maintenance strategy -- 5.4 Additional references -- Chapter 6. The IBM DB2 Migration Toolkit for SQL Server -- 6.1 MTK technical overview -- 6.1.1 Supported operating system and versions -- 6.1.2 Hardware requirements -- 6.1.3 MTK software requirements -- 6.1.4 Where to install MTK -- 6.2 MTK setup -- 6.3 Using MTK -- 6.3.1 MTK GUI interface -- 6.3.2 Migration tasks -- 6.3.3 The MTK SQL Translator -- Chapter 7. Database structure conversion -- 7.1 Databases -- 7.2 Table spaces -- 7.3 Tables -- 7.3.1 Data types -- 7.3.2 IDENTITY -- 7.3.3 Computed columns -- 7.3.4 Constraints -- 7.4 Indexes -- 7.5 Schemas -- 7.6 Views -- 7.7 Privileges -- 7.8 Examples -- 7.8.1 Database structure conversion using MTK -- 7.8.2 Manually converting database structure -- Chapter 8. Data and script migration -- 8.1 Introduction -- 8.2 A typical data migration process -- 8.2.1 Migrating a subset of data using MTK --

8.2.2 Verifying referential integrity -- 8.3 Using Export, Import, and Load -- 8.4 Using WebSphere Information Integrator -- 8.4.1 Accessing SQL Server data from DB2 UDB -- 8.4.2 Replicating data from SQL Server to DB2 UDB -- 8.5 Using other tools -- 8.6 Converting scripts -- Chapter 9. Converting database objects -- 9.1 Temporary tables -- 9.1.1 Private temporary tables. 9.1.2 Global temporary tables -- 9.1.3 Additional information -- 9.2 Stored procedures -- 9.2.1 Temporary stored procedures -- 9.2.2 Extended stored procedures -- 9.2.3 Remote procedure calls -- 9.2.4 @@PROCID -- 9.2.5 Simple conversion example -- 9.2.6 Default parameter values -- 9.2.7 Passing parameter values -- 9.2.8 Returning a cursor to the caller -- 9.2.9 Exception handling and transaction control -- 9.2.10 Additional information -- 9.3 User defined functions -- 9.3.1 Scalar functions -- 9.3.2 Table functions -- 9.3.3 Overcoming inline SQL PL limitations in user defined functions -- 9.3.4 Additional information -- 9.4 Triggers -- 9.4.1 Accessing transition values in triggers -- 9.4.2 Simple conversion example -- 9.4.3 IF UPDATE (column) -- 9.4.4 Overcoming inline SQL PL limitations in triggers -- 9.4.5 INSTEAD OF triggers -- 9.4.6 Additional information -- Chapter 10. Application conversion considerations -- 10.1 Introduction -- 10.2 Converting to DB2 UDB compatible SQL syntax -- 10.2.1 Using MTK's SQL Translator -- 10.2.2 Manual conversion -- 10.3 Identifying transaction differences -- 10.4 Identifying locking and lock escalation differences -- 10.4.1 Types of locks -- 10.4.2 Lock escalation -- 10.4.3 Deadlock -- 10.5 Identifying isolation level differences -- 10.5.1 Repeatable Read (RR) -- 10.5.2 Read Stability (RS) -- 10.5.3 Cursor Stability (CS) -- 10.5.4 Uncommitted Read (UR) -- 10.6 Identifying and modifying database interfaces -- 10.6.1 ActiveX Data Objects .NET (ADO.NET) interfaces -- 10.6.2 ActiveX Data Object (ADO) -- 10.6.3 Java Database Connectivity (JDBC) -- 10.6.4 Embedded SQL for C (ESQL/C) -- 10.7 Integrating DB2 UDB in Integration Development Environment (IDE) -- 10.7.1 Microsoft .NET add-in (Visual Studio) -- 10.7.2 IBM WebSphere Studio Application Developer -- 10.8 Approaching packaged application migration -- 10.8.1 SAP. 10.8.2 Siebel -- Chapter 11. Performing administrative tasks in DB2 UDB -- 11.1 Working with instances -- 11.1.1 Create, drop, and list instances -- 11.1.2 Attaching / switching instances -- 11.1.3 Start, stop, and quiesce instances -- 11.1.4 Configure instances -- 11.2 Working with databases -- 11.2.1 Create, drop, and list databases -- 11.2.2 Activate and terminate databases -- 11.2.3 Connect, disconnect, and quiesce databases -- 11.2.4 Configure databases -- 11.2.5 List and force off applications -- 11.3 Managing database storage -- 11.3.1 Table spaces and containers -- 11.3.2 Monitoring table space and container storage -- 11.3.3 Transaction logging -- 11.4 Working with buffer pools -- 11.5 Task Center and the DB2 Tools Catalog -- 11.5.1 DB2 Administration Server and Tools Catalog Database -- 11.5.2 Task Center and Scheduler -- 11.6 Backup, recovery, and log administration -- 11.6.1 Automatic backup maintenance -- 11.6.2 Backup using throttling mode -- 11.6.3 Log file inclusion in backup images -- 11.6.4 Backup compression -- 11.6.5 Automated log file management -- 11.6.6 Undo management -- 11.7 High availability -- 11.7.1 Failover clustering -- 11.7.2 HADR -- 11.7.3 Log mirroring -- 11.7.4 Replication -- 11.7.5 Online split mirror and suspended I/O support -- 11.8 REORG and RUNSTATS -- 11.8.1 Database reorganization -- 11.8.2 Database statistics -- Chapter 12. Post-conversion tuning considerations -- 12.1 Performance tuning -- 12.2 Quick-start tips for performance tuning -- 12.2.1 Design Advisor -- 12.2.2 Configuration Advisor -- 12.2.3 ACTIVATE DATABASE

command -- 12.2.4 RUNSTATS and REORG -- 12.3 Configuring
automatic maintenance -- 12.4 Other performance tuning advice --
12.4.1 Table spaces -- 12.4.2 Physical placement of database objects
-- 12.4.3 Buffer pools -- 12.4.4 Large transactions -- 12.4.5 Process
tuning.
12.5 Data access strategies.
