

1. Record Nr.	UNINA9910822663103321
Autore	Sharkh S. M (Suleiman M.)
Titolo	Power electronic converters for microgrids / / Suleiman M. Sharkh... [and others]
Pubbl/distr/stampa	Singapore : , : Wiley-IEEE Press, , [2014] [Piscataqay, New Jersey] : , : IEEE Xplore, , [2014]
ISBN	0-470-82832-3 0-470-82403-4 0-470-82404-2
Descrizione fisica	1 online resource (312 p.)
Disciplina	621.31/4
Soggetti	Electric current converters Small power production facilities - Equipment and supplies
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Description based upon print version of record.
Nota di bibliografia	Includes bibliographical references at the end of each chapters and index.
Nota di contenuto	About the Authors xi -- Preface xiii -- Acknowledgments xv -- 1 Introduction 1 -- 1.1 Modes of Operation of Microgrid Converters 2 -- 1.1.1 Grid Connection Mode 2 -- 1.1.2 Stand-Alone Mode 3 -- 1.1.3 Battery Charging Mode 3 -- 1.2 Converter Topologies 4 -- 1.3 Modulation Strategies 6 -- 1.4 Control and System Issues 7 -- 1.5 Future Challenges and Solutions 9 -- References 10 -- 2 Converter Topologies 13 -- 2.1 Topologies 13 -- 2.1.1 The Two-Level Converter 13 -- 2.1.2 The NPC Converter 14 -- 2.1.3 The CHB Converter 15 -- 2.2 Pulse Width Modulation Strategies 16 -- 2.2.1 Carrier-Based Strategies 17 -- 2.2.2 SVM Strategies 22 -- 2.3 Modeling 27 -- References 28 -- 3 DC-Link Capacitor Current and Sizing in NPC and CHB Inverters 29 -- 3.1 Introduction 29 -- 3.2 Inverter DC-Link Capacitor Sizing 30 -- 3.3 Analytical Derivation of DC-Link Capacitor Current RMS Expressions 32 -- 3.3.1 NPC Inverter 33 -- 3.3.2 CHB Inverter 36 -- 3.4 Analytical Derivation of DC-Link Capacitor Current Harmonics 37 -- 3.4.1 NPC Inverter 38 -- 3.4.2 CHB Inverter 39 -- 3.5 Numerical Derivation of DC-Link Capacitor Current RMS Value and Voltage Ripple Amplitude 41 -- 3.6 Simulation Results 42 -- 3.7 Discussion 45 -- 3.7.1 Comparison of Capacitor Size for the NPC and

CHB Inverters 45 -- 3.7.2 Comparison of Presented Methods for Analyzing DC-Link Capacitor Current 46 -- 3.7.3 Extension to Higher-Level Inverters 48 -- 3.8 Conclusion 48 -- References 48 -- 4 Loss Comparison of Two- and Three-Level Inverter Topologies 51 -- 4.1 Introduction 51 -- 4.2 Selection of IGBT-Diode Modules 53 -- 4.3 Switching Losses 54 -- 4.3.1 Switching Losses in the Two-Level Inverters 54 -- 4.3.2 Switching Losses in the NPC Inverter 57 -- 4.3.3 Switching Losses in the CHB Inverter 58 -- 4.4 Conduction Losses 58 -- 4.4.1 Conduction Losses in the Two-Level Inverter 60 -- 4.4.2 Conduction Losses in the NPC Inverter 61 -- 4.4.3 Conduction Losses in the CHB Inverter 63 -- 4.5 DC-Link Capacitor RMS Current 65 -- 4.6 Results 69.

4.7 Conclusion 70 -- References 71 -- 5 Minimization of Low-Frequency Neutral-Point Voltage Oscillations in NPC Converters 73 -- 5.1 Introduction 73 -- 5.2 NPC Converter Modulation Strategies 74 -- 5.3 Minimum NP Ripple Achievable by NV Strategies 77 -- 5.3.1 Locally Averaged NP Current 78 -- 5.3.2 Effect of Switching Constraints 79 -- 5.3.3 Zero-Ripple Region 81 -- 5.3.4 A Lower Boundary for the NP Voltage Ripple 81 -- 5.4 Proposed Band-NV Strategies 83 -- 5.4.1 Criterion Used by Conventional NV Strategies 83 -- 5.4.2 Proposed Criterion 84 -- 5.4.3 Regions of Operation 85 -- 5.4.4 Algorithm 88 -- 5.4.5 Switching Sequences - Conversion to Band-NV 90 -- 5.5 Performance of Band-NV Strategies 91 -- 5.5.1 NP Voltage Ripple 91 -- 5.5.2 Effective Switching Frequency - Output Voltage Harmonic Distortion 93 -- 5.6 Simulation of Band-NV Strategies 94 -- 5.7 Hybrid Modulation Strategies 100 -- 5.7.1 Proposed Hybrid Strategies 101 -- 5.7.2 Simulation Results 102 -- 5.8 Conclusions 106 -- References 107 -- 6 Digital Control of a Three-Phase Two-Level Grid-Connected Inverter 109 -- 6.1 Introduction 109 -- 6.2 Control Strategy 112 -- 6.3 Digital Sampling Strategy 113 -- 6.4 Effect of Time Delay on Stability 115 -- 6.5 Capacitor Current Observer 116 -- 6.6 Design of Feedback Controllers 119 -- 6.7 Simulation Results 121 -- 6.8 Experimental Results 123 -- 6.9 Conclusions 127 -- References 128 -- 7 Design and Control of a Grid-Connected Interleaved Inverter 131 -- 7.1 Introduction 131 -- 7.2 Ripple Cancellation 135 -- 7.3 Hardware Design 137 -- 7.3.1 Hardware Design Guidelines 138 -- 7.3.2 Application of the Design Guidelines 145 -- 7.4 Controller Structure 146 -- 7.5 System Analysis 149 -- 7.5.1 Effect of Passive Damping and Grid Impedance 151 -- 7.5.2 Effect of Computational Time Delay 151 -- 7.5.3 Grid Disturbance Rejection 154 -- 7.6 Controller Design 154 -- 7.7 Simulation and Practical Results 158 -- 7.8 Conclusions 167 -- References 167 -- 8 Repetitive Current Control of an Interleaved Grid-Connected Inverter 171.

8.1 Introduction 171 -- 8.2 Proposed Controller and System Modeling 172 -- 8.3 System Analysis and Controller Design 175 -- 8.4 Simulation Results 178 -- 8.5 Experimental Results 179 -- 8.6 Conclusions 182 -- References 182 -- 9 Line Interactive UPS 185 -- 9.1 Introduction 185 -- 9.2 System Overview 188 -- 9.3 Core Controller 192 -- 9.3.1 Virtual Impedance and Grid Harmonics Rejection 193 -- 9.4 Power Flow Controller 195 -- 9.4.1 Drooping Control Equations 195 -- 9.4.2 Small Signal Analysis 196 -- 9.4.3 Stability Analysis and Drooping Coefficients Selection 200 -- 9.5 DC Link Voltage Controller 206 -- 9.6 Experimental Results 209 -- 9.7 Conclusions 217 -- References 218 -- 10 Microgrid Protection 221 -- 10.1 Introduction 221 -- 10.2 Key Protection Challenges 221 -- 10.2.1 Fault Current Level Modification 221 -- 10.2.2 Device Discrimination 223 -- 10.2.3 Reduction in Reach of Impedance Relays 223 -- 10.2.4 Bidirectionality and Voltage Profile Change 224 -- 10.2.5 Sympathetic

Tripping 224 -- 10.2.6 Islanding 224 -- 10.2.7 Effect on Feeder Reclosure 224 -- 10.3 Possible Solutions to Key Protection Challenges 225 -- 10.3.1 Possible Solutions to Key Protection Challenges for an Islanded Microgrid Having IIDG Units 225 -- 10.4 Case Study 229 -- 10.4.1 Fault Level Modification 231 -- 10.4.2 Blinding of Protection 232 -- 10.4.3 Sympathetic Tripping 233 -- 10.4.4 Reduction in Reach of Distance Relay 233 -- 10.4.5 Discussion 234 -- 10.5 Conclusions 235 -- References 236 -- 11 An Adaptive Relaying Scheme for Fuse Saving 239 -- 11.1 Introduction 239 -- 11.1.1 Preventive Solutions Proposed in the Literature 240 -- 11.1.2 Remedial Solutions Proposed in the Literature 241 -- 11.1.3 Contributions of the Chapter 242 -- 11.2 Case Study 242 -- 11.3 Simulation Results and Discussion 245 -- 11.4 Fuse Saving Strategy 247 -- 11.4.1 Options and Considerations for the Selection of Ipickup of the 50 Element 249 -- 11.4.2 Adaptive Algorithm 251 -- 11.5 How Reclosing Will Be Applied 252 -- 11.6 Observations 255. 11.7 Conclusions 257 -- References 257 -- Appendix A SVM for the NPC Converter-MATLAB
-Simulink Models 261 -- A.1 Calculation of Duty Cycles for Nearest Space Vectors 261 -- A.2 Symmetric Modulation Strategy 262 -- A.3 MATLAB
-Simulink Models 263 -- References 279 -- Appendix B DC-Link Capacitor Current Numerical Calculation 281 -- Index 285.

Sommario/riassunto

As concerns about climate change, energy prices, and energy security loom, regulatory and research communities have shown growing interest in alternative energy sources and their integration into distributed energy systems. However, many of the candidate microgeneration and associated storage systems cannot be readily interfaced to the 50/60 Hz grid. In Power Electronic Converters for Microgrids, Sharh and Abu-Sara introduce the basics and practical concerns of analyzing and designing such micro-generation grid interface systems. Readers will become familiar with methods for stably feeding th