

1. Record Nr.	UNINA990001801850403321
Autore	Orlandi, Diego
Titolo	Effetti di diversi tipi di fertilizzanti sulla composizione floristica e sul valore nutritivo di un nardeto / Diego Orlandi, Fabrizio Clementel, Alessandro Bezzi
Pubbl/distr/stampa	Villazzano di Trento : ISAFA, 1996
Descrizione fisica	p. 15-22 ; 30 cm
Collana	Comunicazioni di ricerca / Istituto sperimentale per l'asestamento forestale e per l'alpicoltura ; 96-2
Altri autori (Persone)	Bezzi, Alessandro Clementel, Fabrizio
Disciplina	634.99
Locazione	FAGBC
Collocazione	60 634.95 A 3/96-2A
Lingua di pubblicazione	Italiano
Formato	Materiale a stampa
Livello bibliografico	Monografia

2. Record Nr.	UNINA9910824562603321
Autore	Rohde Ulrich L
Titolo	The design of modern microwave oscillators for wireless applications : theory and optimization // Ulrich L. Rohde, Ajay Kumar Poddar, and Georg Bock
Pubbl/distr/stampa	Hoboken, NJ, : J. Wiley, 2005
ISBN	9786610275779 9781280275777 1280275774 9780470362280 0470362286 9780471727170 0471727172 9780471727163 0471727164
Edizione	[1st ed.]
Descrizione fisica	1 online resource (561 p.)
Altri autori (Persone)	PoddarAjay Kumar <1967-> BockGeorg <1951->
Disciplina	621.381/323
Soggetti	Oscillators, Microwave Wireless communication systems - Equipment and supplies
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Description based upon print version of record.
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	THE DESIGN OF MODERN MICROWAVE OSCILLATORS FOR WIRELESS APPLICATIONS; CONTENTS; Foreword; Preface; Biographies; 1 Introduction; 1.1 Organization; 2 General Comments on Oscillators; 2.1 Sinusoidal Oscillators; 2.2 Phase Noise Effects; 2.3 Specifications of Oscillators and VCOs; 2.4 History of Microwave Oscillators; 2.5 Three Approaches to Designing Microwave Oscillators; 2.6 Colpitts Oscillator, Grounded Base Oscillator, and Meissen Oscillator; 2.7 Three-Reactance Oscillators Using Y-Parameters: An Introduction; 2.8 Voltage-Controlled Oscillators (VCOs); 3 Transistor Models; 3.1 Introduction 3.2 Bipolar Transistors3.3 Field-Effect Transistors (FETs); 3.4 Tuning Diodes; 4 Large-Signal S-Parameters; 4.1 Definition; 4.2 Large-Signal

S-Parameter Measurements; 5 Resonator Choices; 5.1 LC Resonators; 5.2 Microstrip Resonators; 5.3 Ceramic Resonators; 5.4 Dielectric Resonators; 5.5 YIG-Based Resonators; 6 General Theory of Oscillators; 6.1 Oscillator Equations; 6.2 Large-Signal Oscillator Design; 7 Noise in Oscillators; 7.1 Linear Approach to the Calculation of Oscillator Phase Noise; 7.2 The Lee and Hajimiri Noise Model; 7.3 Nonlinear Approach to the Calculation of Oscillator Phase Noise; 7.4 Phase Noise Measurements; 7.5 Support Circuits; 8 Calculation and Optimization of Phase Noise in Oscillators; 8.1 Introduction; 8.2 Oscillator Configurations; 8.3 Oscillator Phase Noise Model for the Synthesis Procedure; 8.4 Phase Noise Analysis Based on the Negative Resistance Model; 8.5 Phase Noise Analysis Based on the Feedback Model; 8.6 2400 MHz MOSFET-Based Push-Pull Oscillator; 8.7 Phase Noise, Biasing, and Temperature Effects; 9 Validation Circuits; 9.1 1000 MHz CRO; 9.2 4100 MHz Oscillator with Transmission Line Resonators; 9.3 2000 MHz GaAs FET-Based Oscillator; 9.4 77 GHz SiGe Oscillator; 9.5 900-1800 MHz Half-Butterfly Resonator-Based Oscillator; 10 Systems of Coupled Oscillators; 10.1 Mutually Coupled Oscillators Using the Classical Pendulum Analogy; 10.2 Phase Condition for Mutually Locked (Synchronized) Coupled Oscillators; 10.3 Dynamics of Coupled Oscillators; 10.4 Dynamics of N-Coupled (Synchronized) Oscillators; 10.5 Oscillator Noise; 10.6 Noise Analysis of the Uncoupled Oscillator; 10.7 Noise Analysis of Mutually Coupled (Synchronized) Oscillators; 10.8 Noise Analysis of N-Coupled (Synchronized) Oscillators; 10.9 N-Push Coupled Mode (Synchronized) Oscillators; 10.10 Ultra-Low-Noise Wideband Oscillators; 11 Validation Circuits for Wideband Coupled Resonator VCOs; 11.1 300-1100 MHz Coupled Resonator Oscillator; 11.2 1000-2000/2000-4000 MHz Push-Push Oscillator; 11.3 1500-3000/3000-6000 MHz Dual Coupled Resonator Oscillator; 11.4 1000-2000/2000-4000 MHz Hybrid Tuned VCO; References; Appendix A Design of an Oscillator Using Large-Signal S-Parameters; Appendix B Example of a Large-Signal Design Based on Bessel Functions

---

## Sommario/riassunto

Delivering the best possible solution for phase noise and output power efficiency in oscillators. This complete and thorough analysis of microwave oscillators investigates all aspects of design, with particular emphasis on operating conditions, choice of resonators and transistors, phase noise, and output power. It covers both bipolar transistors and FETs. Following the authors' guidance, readers learn how to design microwave oscillators and VCOs that can be tuned over a very wide frequency range, yet have good phase noise, are low cost, and are small in size. All the essential topics in osc

---