

1. Record Nr.	UNINA9910827749703321
Titolo	CICS Performance Monitor release 2 // [Chris Rayns ... et al.]
Pubbl/distr/stampa	Poughkeepsie, NY, : IBM, International Technical Support Organization, c2004
Edizione	[1st ed.]
Descrizione fisica	xii, 492 p. : ill
Collana	IBM redbooks
Altri autori (Persone)	RaynsChris
Disciplina	005.4/3
Soggetti	CICS (Computer system) Teleprocessing monitors (Computer programs)
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	"January 2004."
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Front cover -- Contents -- Notices -- Trademarks -- Preface -- The team that wrote this redbook -- Become a published author -- Comments welcome -- Part 1 Product overview -- Chapter 1. CICS online performance overview -- 1.1 How to approach CICS performance monitoring and tuning -- 1.2 CICS tools -- 1.2.1 CICS Performance Analyzer -- 1.2.2 CICS Performance Monitor -- 1.2.3 CICS Performance Analyzer and CICS Performance Monitor benefits -- 1.2.4 CICS Online Transmission Time Optimizer -- 1.2.5 CICS Interdependency Analyzer -- 1.2.6 CICS Business Event Publisher for MQSeries -- 1.2.7 IBM Session Manager for z/OS -- 1.2.8 CICS VSAM Recovery -- 1.2.9 Other relevant information sources -- Chapter 2. CICS PM overview -- 2.1 What is CICS PM? -- 2.2 CICS PM architecture -- 2.3 Minimum CICSplex SM concepts for CICS PM -- 2.3.1 Basic CICSplex SM components -- 2.3.2 CICSplex SM for CICS PM -- 2.4 CICS PM GUI application -- 2.4.1 Event Monitor -- 2.4.2 Threshold Definitions -- 2.4.3 Installed Threshold Definitions -- 2.4.4 History Definitions -- 2.4.5 Installed History Definitions -- 2.4.6 History Query -- 2.5 CICS PM use of Web User Interface view sets -- 2.6 The CICS PM server -- 2.7 System requirements -- 2.7.1 Server software prerequisites -- 2.7.2 Workstation prerequisites -- 2.8 Post-SMP/E installation and configuration -- Chapter 3. CICSplex SM installation -- 3.1 Overview of the installation of CICSplex SM -- 3.1.1 Planning your installation -- 3.2 MVS environment setup -- 3.3 Build the system components --

3.3.1 CICSplex SM data sets and initialization job CMZDEFDS -- 3.3.2 Create the CICSplex SM CSD definitions -- 3.4 Coordinating address space creation -- 3.4.1 Editing sample CAS procedure -- 3.4.2 Starting the CAS -- 3.5 CICSplex SM address space creation -- 3.5.1 Create CMAS region -- 3.5.2 Editing the sample CMAS procedure. 3.5.3 Creating the CMAS parameters -- 3.5.4 CMAS SIT SYSIN parameters -- 3.5.5 Start the CMAS -- 3.6 Create the CICSplex -- 3.6.1 Editing CMZBATCH JCL -- 3.6.2 Definition statements -- 3.7 CICSplex SM Web User Interface (WUI) -- 3.7.1 Create Web User Interface region data sets -- 3.7.2 Editing the sample Web User Interface procedure -- 3.7.3 Code page conversion -- 3.7.4 Language support -- 3.7.5 CICS initialization parameters -- 3.7.6 CICSplex SM initialization parameters for the Web User Interface -- 3.7.7 Server initialization parameters -- 3.7.8 Starting the Web User Interface -- 3.8 Creating a Managed Application System (MAS) -- 3.8.1 Adding libraries to your CICS regions' JCL -- 3.8.2 CSD definitions -- 3.8.3 System initialization parameters -- 3.8.4 LMAS parameters and JCL changes -- 3.8.5 Restart the LMAS -- 3.9 Security implications -- Chapter 4. Customizing an existing CICSplex SM installation to use CICS PM -- 4.1 Upgrade your Web User Interface region CSD with the CICS PM resources -- 4.2 Import CICS PM threshold definitions into CMAS repository -- 4.3 Add CICS PM support to your Web User Interface server -- 4.4 Add PassTicket support -- Chapter 5. CICS PM client installation -- 5.1 Reviewing prerequisites -- 5.2 Download the CICS PM workstation client -- 5.2.1 FTP download -- 5.2.2 Terminal emulation download -- 5.3 Unload and install the CICS PM workstation client -- 5.4 Connect and start working with CICS PM -- Chapter 6. CICS PM GUI interface -- 6.1 Workstation client startup -- 6.2 Workstation client components -- 6.2.1 CICS PM window navigation -- 6.2.2 Monitor window status area -- 6.3 Monitoring component -- 6.3.1 Event Monitor window -- 6.4 Threshold definition component -- 6.4.1 Threshold definitions -- 6.4.2 Threshold definition groups -- 6.4.3 Threshold Definitions window -- 6.4.4 Installed threshold definition window. 6.5 CMZBase threshold definitions -- 6.6 History definition component -- 6.6.1 History definitions -- 6.6.2 History definition groups -- 6.6.3 History Definitions window -- 6.6.4 History Groups pane -- 6.6.5 History Definitions pane -- 6.6.6 Installed History Definitions window -- 6.6.7 History Query -- Chapter 7. The CICSplex SM Web User Interface -- 7.1 Using the CICSplex SM Web User Interface -- 7.1.1 The CICS PM Web User Interface main menu -- 7.2 View walkthroughs -- 7.2.1 History views -- 7.2.2 View menus -- 7.3 The CICSplex SM Web User Interface view editor -- 7.3.1 Creating your own menus and view sets -- 7.4 CICSplex SM Web User Interface administration -- 7.4.1 The CICSplex SM Web User Interface transaction COVC -- 7.4.2 Security considerations -- Chapter 8. Security -- 8.1 Associating a user ID with the started tasks -- 8.2 Activating CICS security in the CMAS -- 8.3 CICS security in the MAS -- 8.4 Activating CICS security in the WUI server -- 8.5 Getting ready for CICSplex SM security -- 8.6 FACILITY task profiles for CAS, CMAS, and EUI users -- 8.7 CICSplex SM object security -- 8.8 CICSplex SM simulated security -- 8.8.1 CICSplex SM Simulated Security exemption processing -- 8.9 CICSplex SM Web User Interface security -- 8.9.1 User authentication -- 8.9.2 Access control -- 8.9.3 CICS TS 2.3 Web User Interface access control enhancements -- 8.10 CICS PM Security -- 8.10.1 Activating SSL -- 8.10.2 WUI server JCL updates -- 8.10.3 Define digital certificates and keyring -- 8.10.4 Review SIT parameters -- 8.10.5 Set the WUI server SSL initialization parameters -- 8.10.6 Update the CICS PM TCPIP SERVICE -- 8.10.7 Using SSL with the CICS PM client -- 8.10.8 Using SSL with the CICSplex

SM WUI -- 8.10.9 Securing CICSplex SM -- 8.10.10 PassTicket support
-- Part 2 CICS PM in action -- Chapter 9. System setup and scenario
overview.

9.1 CICS region setup -- 9.1.1 Configuration for traditional workloads
-- 9.1.2 Configuration for Enterprise JavaBean workloads -- 9.1.3 CICS
Web Support and 3270 Bridge setup -- 9.1.4 CICS Transaction Gateway
setup -- 9.2 Scenarios -- 9.2.1 CICS VSAM problems -- 9.2.2 Tuning
the CICS-DB2 attachment facility -- 9.2.3 CICS ISC problems -- 9.2.4
CICS storage -- 9.2.5 Java applications in CICS -- 9.2.6 Historical Data
-- Chapter 10. VSAM system problems scenarios -- 10.1 VSAM LSR
high-volume scenario -- 10.1.1 Setting up the thresholds for the VSAM
LSR scenario -- 10.1.2 Running the VSAM LSR scenario -- 10.2 VSAM
Enqueues problem scenario -- 10.3 VSAM RLS problem scenario --
10.3.1 Setting up the thresholds for the VSAM RLS scenario -- 10.3.2
Running the VSAM RLS scenario -- 10.4 Conclusion -- Chapter 11. DB2
system problems -- 11.1 CICS and DB2 -- 11.1.1 Overview of the CICS
DB2 attachment facility -- 11.2 CICS DB2 attachment tuning overview
-- 11.2.1 CICS PM monitoring of the CICS DB2 attachment facility --
11.3 CICS PM DB2 thresholds -- 11.3.1 DB2 connection thresholds and
alerts -- 11.3.2 DB2 Entries thresholds and alerts -- 11.3.3 DB2 Trans
thresholds and alerts -- 11.3.4 DB2 Threads thresholds and alerts --
11.3.5 DB2 subsys thresholds and alerts -- 11.3.6 XTASK thresholds
and alerts -- 11.4 CICS PM DB2 threshold monitoring scenarios --
11.4.1 Scenario: DB2 connection drop -- 11.4.2 Scenario: DB2
transaction workload using dedicated entry threads -- 11.4.3 Scenario:
DB2 transaction workload using pool threads -- 11.4.4 Scenario: DB2
transaction workload lockout -- 11.4.5 Scenario: DB2 transaction
workload entry vs. pool threads -- 11.4.6 CICS PA threshold
monitoring -- 11.5 Conclusion -- Chapter 12. Storage scenario in CICS
-- 12.1 The CICS dynamic storage areas -- 12.1.1 CICS subpools --
12.1.2 Monitoring CICS dynamic storage areas.
12.2 Scenario one -- 12.3 Scenario two -- 12.3.1 Conclusion --
Chapter 13. Java scenario in CICS -- 13.1 CICS and Java -- 13.1.1 Java
language programs in CICS -- 13.1.2 Stateless CORBA objects --
13.1.3 Enterprise JavaBeans -- 13.2 Monitoring JVM performance --
13.2.1 JVM-related threshold attributes -- 13.2.2 Threshold values --
13.2.3 Threshold groups -- 13.2.4 Threshold group JVM_reset_NO --
13.2.5 Threshold group JVM_reset_YES -- 13.2.6 Installing the
threshold definitions -- 13.3 JCICS workload scenario -- 13.3.1
Topology -- 13.3.2 Monitoring AOR with Xresettable=NO -- 13.3.3
Monitoring AOR with Xresettable=YES -- 13.4 EJB workload scenario --
13.4.1 Topology -- 13.4.2 Monitoring the AORs for EJBs with
Xresettable=YES -- 13.4.3 Resettable events and JVM pool phaseout --
13.5 Monitoring an IIOPI Listener TCPIPService -- 13.5.1 TCP/IP-related
thresholds -- 13.5.2 IIOPI Listener scenario -- 13.5.3 TCPIPService
status scenario -- 13.5.4 MAXSOCKETS condition scenario -- 13.6
Conclusion -- Chapter 14. ISC scenario in CICS -- 14.1 Overview of the
scenario -- 14.1.1 Creating a threshold group -- 14.1.2 Add
thresholds to group -- 14.1.3 The Attribute field -- 14.1.4 Operator,
Eval Data fields, and event severity -- 14.1.5 Save and install -- 14.1.6
Setting up other thresholds -- 14.2 Problems -- 14.2.1 Dealing with
the first problem -- 14.2.2 Our next problem -- 14.3 Conclusion --
Chapter 15. Historical data -- 15.1 Defining a set of history files to
CICS -- 15.2 History scenario 1: particular transaction ID -- 15.3
History scenario 2: particular transaction abend -- 15.4 History
scenario 3: any transaction with high storage usage -- Chapter 16.
Hints and tips -- 16.1 CICSplex SM system parameters -- 16.2
Preventing Message EYUXD0807I -- 16.3 Where have all of my SMF 110

records gone? -- 16.4 Stall detection.

16.5 History-related CICSplex SM MAS initialization parameters.
