

1. Record Nr.	UNINA9910829920603321
Autore	Dinavahi Venkata
Titolo	Real-time electromagnetic transient simulation of AC-DC networks / / Venkata Dinavahi, Ning Lin
Pubbl/distr/stampa	Hoboken, New Jersey : , : Wiley : , : IEEE Press, , [2021] ©2021
ISBN	1-119-69547-3 1-119-81903-2 1-119-69549-X
Descrizione fisica	1 online resource (595 pages)
Collana	IEEE Press series on power and energy systems
Disciplina	621.31921
Soggetti	Transients (Electricity) - Simulation methods
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Cover -- Title Page -- Copyright -- Contents -- About the Authors -- Preface -- Acknowledgments -- List of Acronyms -- Chapter 1 Field Programmable Gate Arrays -- 1.1 Overview -- 1.1.1 FPGA Hardware Architecture -- 1.1.2 Configurable Logic Block -- 1.1.3 Block RAM -- 1.1.4 Digital Signal Processing Slice -- 1.2 Multiprocessing Systemon Chip Architecture -- 1.3 Communication -- 1.4 HIL Emulation -- 1.4.1 Vivado® HighLevel Synthesis Tool -- 1.4.2 Vivado® TopLevel Design -- 1.4.3 Number Representation and Operations -- 1.4.4 FPGA Design Schemes -- 1.4.4.1 Pipeline Design Architecture -- 1.4.4.2 Parallel Design Architecture -- 1.4.5 FPGA Experiment -- 1.5 Summary -- Chapter 2 Hardware Emulation Building Blocks for Power System Components -- 2.1 Overview -- 2.2 Concept of HEBB -- 2.3 Numerical Integration -- 2.4 Linear Lumped Passive Elements -- 2.4.1 Model Formulation -- 2.4.1.1 Resistance R -- 2.4.1.2 Inductance L -- 2.4.1.3 Capacitance C -- 2.4.1.4 RL Branch -- 2.4.1.5 LC Branch -- 2.4.1.6 RLCG Branch -- 2.4.2 Hardware Emulation of Linear Lumped Passive Elements -- 2.5 Sources -- 2.5.1 Hardware Emulation of Sources -- 2.6 Switches -- 2.6.1 Hardware Emulation of Switches -- 2.7 Transmission Lines -- 2.7.1 Traveling Waves -- 2.7.2 Traveling Wave Model -- 2.7.2.1 Modal Transformation -- 2.7.3 Hardware Emulation of the TWM -- 2.7.3.1 Transformation Unit -- 2.7.3.2 Update Unit -- 2.7.4

Frequency Dependent Line Model -- 2.7.5 Hardware Emulation of FDLM
 -- 2.7.5.1 Convolution Unit -- 2.7.5.2 Update Unit -- 2.7.6 Universal
 Line Model -- 2.7.6.1 FrequencyDomain Formulation -- 2.7.6.2 Time
 Domain Formulation -- 2.7.7 Hardware Emulation of the ULM --
 2.7.7.1 Update x Unit -- 2.7.7.2 Convolution Unit -- 2.7.7.3
 Interpolation Unit -- 2.8 Network Solver -- 2.8.1 Hardware Emulation
 of Network Solver -- 2.8.2 Paralleled EMT Solution Algorithm.
 2.8.3 MainControl Module -- 2.8.4 RealTime Emulation Case Study --
 2.9 Nonlinear Elements: Iterative RealTime EMT Solver -- 2.9.1
 Compensation Method -- 2.9.2 Newton-Raphson Method -- 2.9.3
 Hardware Emulation of Nonlinear Solver -- 2.9.3.1 Nonlinear Function
 Evaluation -- 2.9.3.2 Parallel Calculation of J and F(ikm) -- 2.9.3.3
 Parallel Gauss-Jordan Elimination -- 2.9.3.4 Computing vc -- 2.9.4
 Case Studies -- 2.10 Summary -- Chapter 3 Power Transformers -- 3.1
 Overview -- 3.2 Nonlinear AdmittanceBased RealTime Transformer
 Model -- 3.2.1 Linear Model Formulation -- 3.2.2 Linear Module
 Hardware Design -- 3.2.3 Inode Unit Module -- 3.2.4 Nonlinear Model
 Solution -- 3.2.4.1 Preisach Hysteresis Model -- 3.2.4.2 Nonlinear
 Module Hardware Design -- 3.2.5 FrequencyDependent Eddy Current
 Model -- 3.2.6 Hardware Emulation of Power Transformer -- 3.2.7
 RealTime Emulation Case Studies -- 3.2.7.1 Case I -- 3.2.7.2 Case II
 -- 3.3 Nonlinear Magnetic Equivalent Circuit Based Realtime Multi
 Winding Transformer Model -- 3.3.1 Topological ST EMT Model --
 3.3.1.1 ST Operating Principle -- 3.3.1.2 Tapselection Algorithm --
 3.3.1.3 HighFidelity Nonlinear MECBased ST Model -- 3.3.1.4 Iron
 Core Hysteresis and Eddy Currents -- 3.3.2 HighFidelity Nonlinear
 MECBased ST Hardware Emulation -- 3.3.2.1 Network Transient
 Emulation with Embedded ST -- 3.3.3 RealTime Emulation Case
 Studies -- 3.3.3.1 Finite Element Modeling and Validation -- 3.3.3.2
 Case Studies -- 3.4 RealTime FiniteElement Model of Power
 Transformer -- 3.4.1 Magnetodynamic Problem Formulation -- 3.4.1.1
 Refined TLM Solution -- 3.4.1.2 FieldCircuit Coupling -- 3.4.2
 Hardware Emulation of Finite Element Model -- 3.4.3 Case Studies --
 3.4.3.1 Results and Validation -- 3.4.3.2 Speedup and Scalability --
 3.5 Summary -- Chapter 4 Rotating Machines -- 4.1 Overview -- 4.2
 Lumped Universal Machine (UM) Model.
 4.2.1 UM Model Formulation -- 4.2.2 Interfacing UM Model with
 Network -- 4.2.3 UM HEBB -- 4.2.3.1 Speed & Angle Unit --
 4.2.3.2 FrmTran Unit -- 4.2.3.3 CompIdq0 Unit -- 4.2.3.4 Flux &
 Torque Unit -- 4.2.3.5 Update & CompVc Unit -- 4.2.4 Real
 Time Emulation Case Study -- 4.2.5 Overall Power System HEBB for
 RealTime EMT Emulation -- 4.3 General Framework for StateSpace
 Electrical Machine Emulation -- 4.3.1 FPGA Design Approaches for
 Electrical Machine Emulation -- 4.3.2 StateSpace Representation of
 Machine Models -- 4.3.3 System Configuration on FPGA -- 4.3.3.1
 Number Representation -- 4.3.3.2 FloatingPoint Implementation by
 VHDL -- 4.3.3.3 FixedPoint Implementation by Schematic -- 4.3.4
 Evaluation of Designed Architectures -- 4.3.4.1 RealTime Emulation
 Accuracy Assessment -- 4.3.4.2 Offline Validation -- 4.3.4.3 Hardware
 Resource Utilization -- 4.3.5 RealTime Emulation Case Studies --
 4.3.5.1 Case I: Induction Motor Transients -- 4.3.5.2 Case II:
 Synchronous Generator Transients -- 4.3.5.3 Case III: Line Start
 Permanent Magnet Synchronous Motor Transients -- 4.3.5.4 Case IV:
 DC Motor Transients -- 4.4 Nonlinear Magnetic Equivalent Circuit
 Based Induction Machine Model -- 4.4.1 Magnetic Circuit -- 4.4.2
 Interfacing of Magnetic and Electric Circuits -- 4.4.3 Electric Circuit --
 4.4.4 Nonlinear Solution of Detailed MEC -- 4.4.5 Hardware Emulation
 of Nonlinear MEC -- 4.4.5.1 Parallel Gauss-Jordan Elimination Unit --

4.4.5.2 Parallel Computational Unit for Residual Vector -- 4.4.5.3
 Nonlinear Evaluation Unit -- 4.4.6 Evaluation of RealTime Emulation of
 Induction Machine -- 4.5 Summary -- Chapter 5 Protective Relays --
 5.1 Overview -- 5.2 Hardware Emulation of Multifunction Protection
 System -- 5.2.1 Signal Processing HEBB -- 5.2.1.1 CORDIC HEBB --
 5.2.1.2 Symmetrical Components HEBB -- 5.2.1.3 DFT HEBB.
 5.2.1.4 ZeroCrossing Detection HEBB -- 5.2.2 Multifunction Protective
 System HEBB -- 5.2.2.1 Fault Detection HEBB -- 5.2.2.2 Directional
 Overcurrent Protection HEBB -- 5.2.2.3 Over/Under Voltage Protection
 HEBB -- 5.2.2.4 Distance Protection HEBB -- 5.2.2.5 Under/Over
 Frequency Protection HEBB -- 5.3 Test Setup and RealTime Results --
 5.3.1 Case I -- 5.3.2 Case II -- 5.4 Summary -- Chapter 6 Adaptive
 TimeStepping Based RealTime EMT Emulation -- 6.1 Overview -- 6.2
 Nonlinear Solution and Adaptive TimeStepping Schemes -- 6.2.1
 Nonlinear Element Solution Methods -- 6.2.1.1 Newton-Raphson
 Method -- 6.2.1.2 Piecewise Linearization (PWL) Method -- 6.2.1.3
 Piecewise NR Method -- 6.2.2 Adaptive TimeStepping Schemes --
 6.2.2.1 Local Truncation Error Method -- 6.2.2.2 Iteration Count
 Method -- 6.2.2.3 DVDT or DIDT Method -- 6.2.3 Combinations of
 Adaptive TimeStepping Schemes -- 6.2.3.1 Measurements and
 Restrictions for RealTime Emulation -- 6.2.4 Case Studies -- 6.2.4.1
 Diode FullBridge Circuit -- 6.2.4.2 Power Transmission System --
 6.2.4.3 FPGA Implementation -- 6.2.4.4 RealTime Emulation Results
 -- 6.3 Adaptive TimeStepping Universal Line Model and Universal
 Machine Model for RealTime Hardware Emulation -- 6.3.1 Subsystem
 Based Adaptive TimeStepping Scheme -- 6.3.2 Adaptive TimeStepping
 ULM and UM Models -- 6.3.2.1 ULM Computation -- 6.3.2.2 Universal
 Machine Model Computation -- 6.3.3 RealTime Emulation Case Study
 -- 6.3.3.1 Hardware Implementation -- 6.3.3.2 Latency and Hardware
 Resource Utilization -- 6.3.4 Results and Validation -- 6.3.4.1
 Validation of the ULM Model -- 6.3.4.2 RealTime Emulation Results --
 6.4 Summary -- Chapter 7 Power Electronic Switches -- 7.1 Overview
 -- 7.2 IGBT/Diode Nonlinear Behavioral Model -- 7.2.1 Power Diode --
 7.2.1.1 Mathematical Model -- 7.2.1.2 Hardware Module Architecture
 -- 7.2.2 IGBT.
 7.2.2.1 Model Formulation -- 7.2.2.2 Hardware Module Architecture --
 7.2.2.3 Multiple Parallel Devices -- 7.2.3 ElectroThermal Network --
 7.2.4 Hardware Emulation Results -- 7.3 PhysicsBased Nonlinear
 IGBT/Diode Model -- 7.3.1 PhysicsBased Nonlinear p-i-n Diode Model
 -- 7.3.1.1 Model Formulation -- 7.3.1.2 Model Discretization and
 Linearization -- 7.3.1.3 Hardware Emulation on FPGA -- 7.3.2 Physics
 Based Nonlinear IGBT Model -- 7.3.2.1 Model Formulation -- 7.3.2.2
 Model Discretization and Linearization -- 7.3.2.3 Hardware Emulation
 on FPGA -- 7.3.3 Hardware Emulation Results -- 7.3.3.1 Test circuit --
 7.3.3.2 Results and comparison -- 7.4 IGBT/Diode CurveFitting Model
 -- 7.4.1 Linear Static Curvefitting Model -- 7.4.1.1 Static
 Characteristics -- 7.4.1.2 Switching Transients -- 7.4.2 Nonlinear
 Dynamic Curvefitting Model -- 7.4.3 Hardware Emulation Results --
 7.5 Summary -- Chapter 8 AC-DC Converters -- 8.1 Overview -- 8.2
 Detailed Model -- 8.2.1 Detailed Equivalent Circuit Model -- 8.3
 Equivalenced DeviceLevel Model -- 8.3.1 Power Loss Calculation --
 8.3.2 Thermal Network Calculation -- 8.3.3 Hardware Emulation of SM
 Model on FPGA -- 8.3.4 MMC System Hardware Emulation -- 8.3.5
 RealTime Emulation Results -- 8.3.5.1 Test Circuit and Hardware
 Resource Utilization -- 8.3.5.2 Results and Comparison for Single
 Phase FiveLevel MMC -- 8.3.5.3 Results for ThreePhase NineLevel
 MMC -- 8.4 VirtualLinePartitioned DeviceLevel Models -- 8.4.1 TLM
 Link Partitioning -- 8.4.2 Hardware Design on FPGA -- 8.4.2.1

Hardware Platform -- 8.4.2.2 Controller Emulation -- 8.4.2.3 MMC Emulation on FPGA -- 8.4.3 RealTime Emulation Results -- 8.4.3.1 MMC -- 8.4.3.2 Induction Machine Driven by FiveLevel MMC -- 8.5 MMC Partitioned by Coupled Voltage-Current Sources -- 8.5.1 V-I Coupling -- 8.5.2 Hardware Emulation Case of NBMBased MMC. 8.5.2.1 Power Converter HIL Emulation.

2. Record Nr.	UNINA9910853901303321
Titolo	Prime : dieci scienziate per l'ambiente / a cura di Mirella Orsi e Sergio Ferraris ; con contributi di Paola Bolaffio ... [et al.] ; prefazione di Maurizio Melis
Pubbl/distr/stampa	Torino, : Codice Edizioni, 2023
ISBN	9791254500668
Descrizione fisica	219 p. ; 21 cm
Disciplina	509.224
Locazione	FARBC
Collocazione	GEN B 580
Lingua di pubblicazione	Italiano
Formato	Materiale a stampa
Livello bibliografico	Monografia