

1. Record Nr.	UNINA9910830309803321
Titolo	Hybridized technologies for the treatment of mining effluents // edited by Elvis Fosso-Kankeu and Bhekie B. Mamba
Pubbl/distr/stampa	Hoboken, NJ : , : John Wiley & Sons, Inc., , [2023] ©2023
ISBN	1-119-89692-4 1-119-89691-6
Descrizione fisica	1 online resource (312 pages)
Disciplina	338.23
Soggetti	Mineral industries - Waste disposal
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di bibliografia	Includes bibliographical references and index.
Nota di contenuto	Cover -- Title Page -- Copyright Page -- Contents -- Preface -- Chapter 1 Passive Remediation of Acid Mine Drainage Using Phytoremediation: Role of Substrate, Plants, and External Factors in Inorganic Contaminants Removal -- 1.1 Introduction -- 1.2 Materials and Methods -- 1.2.1 Samples Collection and Characterization -- 1.2.2 Acquisition of the Plants and Reagents -- 1.2.3 Characterization of Samples -- 1.2.4 Quality Assurance and Quality Control (QA/QC) -- 1.2.5 Wetlands Design and Optimization Experiments -- 1.2.5.1 Wetland Design -- 1.2.5.2 Wetland Experimental Procedure and Assays -- 1.2.5.3 The Performance of the System -- 1.2.5.4 Determination of the Translocation and Distribution of Metals -- 1.2.5.5 Geochemical Modeling -- 1.3 Results and Discussion -- 1.3.1 Remediation Studies -- 1.3.1.1 Effect of FWS-CW on pH -- 1.3.1.2 Effect of FWS-CW on Electrical Conductivity -- 1.3.1.3 Effect of FWS-CW on Sulphate Concentration -- 1.3.1.4 Effect of FWS-CW on Metal Concentration -- 1.3.1.5 Role of Substrate in Metals Accumulation -- 1.3.1.6 Removal Efficiency of Metals and Sulphate in the Experimental System -- 1.3.2 Tolerance Index, Bioaccumulation, and Translocation Effects -- 1.3.2.1 Tolerance Index -- 1.3.2.2 Bioconcentration Factor -- 1.3.2.3 Translocation Factor -- 1.3.2.4 Metal Translocation and Distribution -- 1.3.3 Metals Concentration in Substrate and Vetiveria zizanioides Before and After Contact With AMD -- 1.3.4 Partitioning of Metals

Between Substrate, Plants, and External Factors -- 1.3.5
Characterization of Solid Samples -- 1.3.5.1 Elemental Composition of
the Substrate -- 1.3.5.2 Mineralogical Composition of the Substrate --
1.3.5.3 Analysis of *Vetiveria zizanioides* Roots for Functional Group --
1.3.5.4 Scanning Electron Microscope-Electron Dispersion Spectrometry
of *Vetiveria zizanioides* Roots.
1.4 Chemical Species for Untreated and AMD-Treated Wetland With
FWS-CW -- 1.5 Limitation of the Study -- 1.6 Conclusions and
Recommendations -- References -- Chapter 2 Recovery of Strategically
Important Heavy Metals from Mining Influenced Water: An Experimental
Approach Based on Ion-Exchange -- Abbreviations -- 2.1 Introduction
-- 2.2 Ion Exchange in Mine Water Treatment -- 2.2.1 Ion Exchange
Terminology -- 2.2.2 Fundamentals of Ion Exchange Process -- 2.2.3
Selectivity of Ion-Exchange Materials -- 2.2.4 Chelating Cation
Exchangers -- 2.3 Laboratory-Scale Ion Exchange Column Experiments
-- 2.3.1 General Introduction to the Setup -- 2.3.2 Column Loading
Process -- 2.3.3 Mass Transfer Zone -- 2.3.4 Regeneration Process
(Deloading) -- 2.3.5 Metal Separation by Ion Exchange -- 2.3.6 Mass
Balance Calculations -- 2.4 Case Study: Selective Recovery of Copper
and Cobalt From a Chilean Mine Water -- 2.4.1 Problem Description
and Objectives -- 2.4.2 Recovery of Copper from Mining Influenced
Water -- 2.4.3 Cobalt Enrichment Using the Runoff Water from Previous
Column Experiments -- 2.4.3.1 Column Experiment with TP 220 Resin
Without pH Adjustment -- 2.4.3.2 Comparison of Breakthrough Curves
in Cobalt Enrichment Experiments -- 2.4.4 Copper-Cobalt Separation
During the Deloading Process -- 2.5 Case Study: Recovery of Zinc from
Abandoned Mine Water Galleries in Saxony, Germany -- 2.6
Perspectives and Challenges -- Acknowledgments -- References --
Chapter 3 Remediation of Acid Mine Drainage Using Natural Materials:
A Systematic Review -- 3.1 Introduction -- 3.2 Acid Mine Drainage --
3.3 Formation of the Acid Mine Drainage -- 3.4 Potential Impacts of
Acid Mine Drainage -- 3.4.1 The Impacts of AMD on the Environment
and Ecology -- 3.5 Acid Mine Drainage Abatement/Prevention -- 3.6
Mechanisms of Pollutants Removal From AMD -- 3.6.1 Active
Treatment.
3.6.2 Chemical Precipitation -- 3.6.3 Adsorption -- 3.6.4 Passive
Treatment -- 3.6.5 Other Treatment Methods -- 3.6.5.1 Ion Exchange
-- 3.6.5.2 Membrane Filtration -- 3.6.5.3 Acid Mine Drainage
Treatment Using Native Materials -- 3.7 Conclusion -- References --
Chapter 4 Recent Development of Active Technologies for AMD
Treatment -- Abbreviations -- 4.1 Introduction -- 4.1.1 Difference
Between Active and Nonactive AMD Treatment Methods -- 4.1.2
Conventional Active Techniques for AMD Treatment -- 4.1.2.1
Alkali/Alkaline Neutralization Processes -- 4.1.2.2 In Situ Active AMD
Treatment Processes -- 4.1.2.3 Microbiological Active AMD Treatment
Systems -- 4.2 Recent Developments of Active AMD Treatment
Technologies -- 4.2.1 Resource Recovery From Active AMD Treatment
Technologies -- 4.2.1.1 Continuous Counter-Current-Based
Technologies -- 4.2.1.2 Continuous Ion Filtration for Acid Mine
Drainage Treatment -- 4.2.2 The Alkali-Barium-Calcium Process --
4.2.3 Magnesium-Barium Oxide (MBO) Process -- 4.2.4 HybridICE
Freeze Desalination Technology -- 4.2.5 Evaporation-Based
Technologies -- 4.2.5.1 Multieffect Membrane Distillation (MEND) for
AMD Treatment -- 4.2.5.2 Desalination of AMD Using Dewvaporation
Process -- 4.2.5.3 Membrane-Based Technologies -- 4.3 Recent
Disruptive Developments of AMD Treatment Technologies -- 4.3.1
Tailing Technology -- 4.3.2 Advanced Oxidation Processes -- 4.3.2.1
Ferrate Oxidation-Neutralization Process -- 4.3.2.2 Treatment of AMD

by Ozone Oxidation -- 4.3.2.3 Ion-Exchange Technology for Active AMD Treatment -- References -- Chapter 5 Buffering Capacity of Soils in Mining Areas and Mitigation of Acid Mine Drainage Formation -- Abbreviations -- 5.1 Introduction -- 5.2 Control of Acid Mine Drainage -- 5.2.1 Water Covers -- 5.2.2 Mine Land Reclamation -- 5.2.3 Biocidal AMD Control -- 5.2.4 Alternative Dump Construction. 5.3 Treatment of Acid Mine Drainage -- 5.3.1 Active Treatment -- 5.3.1.1 Limestone -- 5.3.1.2 Hydrated Lime -- 5.3.1.3 Quicklime -- 5.3.1.4 Soda Ash -- 5.3.1.5 Caustic Soda -- 5.3.1.6 Ammonia -- 5.3.2 Passive Treatment -- 5.3.2.1 Biological Passive Treatment Systems -- 5.3.2.2 Geochemical Passive Treatment Systems -- 5.3.3 Emerging Passive Treatment Systems -- 5.3.3.1 Phytoremediation -- References -- Chapter 6 Novel Approaches to Passive and Semi-Passive Treatment of Zinc-Bearing Circumneutral Mine Waters in England and Wales -- 6.1 Introduction -- 6.1.1 Active Treatment Options for Zn -- 6.1.2 Passive Treatment Options for Zn -- 6.2 Hybrid Semi-Passive Treatment: Na₂CO₃ Dosing and Other Water Treatment Reagents -- 6.2.1 Abbey Consols Mine Water -- 6.2.2 Laboratory Scale Na₂CO₃ Dosing -- 6.2.3 Practical Implementation of Na₂CO₃ Dosing -- 6.3 Polishing of Trace Metals With Vertical Flow Reactors -- 6.4 Concluding Remarks -- References -- Chapter 7 Recovery of Drinking Water and Valuable Metals From Iron-Rich Acid Mine Water Through a Combined Biological, Chemical, and Physical Treatment Process -- 7.1 Introduction -- 7.1.1 General Problem with Mine Water -- 7.1.2 Legislation -- 7.1.3 Ideal Solution -- 7.2 Objectives -- 7.3 Literature -- 7.3.1 Mine Water Treatment Processes -- 7.3.1.1 Limestone -- 7.3.1.2 Gypsum Crystallization and Inhibition -- 7.3.1.3 ROC -- 7.3.1.4 Biological Iron (II) Oxidation -- 7.3.1.5 Selective Metal Removal -- 7.3.2 Solubilities -- 7.3.3 Pigment -- 7.4 Materials and Methods -- 7.4.1 Fe²⁺ Oxidation -- 7.4.1.1 Feedstock -- 7.4.1.2 Equipment -- 7.4.1.3 Procedure -- 7.4.1.4 Experimental -- 7.4.2 Neutralization (CaCO₃, Na₂CO₃ and MgO) -- 7.4.2.1 Feedstock -- 7.4.2.2 Equipment -- 7.4.2.3 Procedure -- 7.4.2.4 Experimental -- 7.4.3 pH 7.5 Sludge From Na₂CO₃ as Alkali for Fe³⁺ Removal -- 7.4.3.1 Feedstock -- 7.4.3.2 Equipment. 7.4.3.3 Procedure -- 7.4.3.4 Experimental -- 7.4.4 Inhibition -- 7.4.4.1 Feedstock -- 7.4.4.2 Equipment -- 7.4.4.3 Procedure -- 7.4.4.4 Experimental -- 7.4.5 MgO/SiO₂ Separation -- 7.4.5.1 Feedstock -- 7.4.5.2 Equipment -- 7.4.5.3 Procedure -- 7.4.5.4 Experimental -- 7.4.6 SiO₂ Removal -- 7.4.7 Pigment Formation -- 7.4.7.1 Feedstock -- 7.4.7.2 Equipment -- 7.4.7.3 Procedure -- 7.4.7.4 Experimental -- 7.4.8 Analytical -- 7.4.9 Characterization of the Sludge -- 7.4.10 OLI -- 7.5 Results and Discussion -- 7.5.1 Chemical Composition -- 7.5.2 Biological Fe²⁺-Oxidation -- 7.5.3 CaCO₃ as Alkali for Removal of Fe³⁺ and Remaining Metals -- 7.5.3.1 Limestone Neutralization -- 7.5.3.2 pH 7.5 Sludge from Na₂CO₃ as Alkali for Fe³⁺ Removal -- 7.5.4 MgO and Na₂CO₃ as Alkalis for Selective Removal of Fe³⁺ and Al³⁺ -- 7.5.4.1 Fe³⁺ Removal with MgO -- 7.5.4.2 Al³⁺ Removal with Na₂CO₃ -- 7.5.4.3 Metal Behavior as Predicted by OLI Simulations -- 7.5.5 Gypsum Crystallization -- 7.5.5.1 Kinetics Gypsum Seed Crystal Concentration and Reaction Order -- 7.5.5.2 Inhibition of Gypsum Crystallization in the Absence of Fe (OH)₃ at Neutral pH -- 7.5.6 Separation of MgO and SiO₂ -- 7.5.7 Si⁴⁺ Removal from Solution -- 7.5.8 Fe(OH)₃ Purity and Pigment Formation -- 7.5.9 Economic Feasibility -- 7.6 Conclusions -- Acknowledgment -- References -- Chapter 8 Acid Mine Drainage Treatment Technologies: Challenges and Future Perspectives -- 8.1 Introduction -- 8.2 Acid Mine Drainage -- 8.2.1 Acid Mine Drainage Formation -- 8.2.2 Roles of Different Factors Influencing AMD Formation -- 8.2.2.1

Role of Bacteria in Acid Mine Drainage Generation -- 8.2.2.2 Role of Oxygen in Acid Mine Drainage Generation -- 8.2.2.3 Role of Water in Acid Mine Drainage Generation -- 8.2.2.4 Other Factors Influencing the Generation of AMD -- 8.3 Types of Mine Drainage -- 8.3.1 Neutral/Alkaline Mine Drainage.
8.4 Physicochemical Properties of AMD.

Sommario/riassunto

Recent developments consist of the integration/hybridization of technologies to achieve the effective removal of pollutants from acid mine drainage (AMD) effluents in a stepwise manner such as to ensure that the cost of the process is minimized, and the resulting water is fit for purpose. This book presents eight specialized chapters that provide a state-of-the-art review of the different hybridized technologies that have been developed over the years for the treatment of mine effluent, including AMD. The successful implementation and challenges of these technologies are highlighted to give the reader a perspective on the management of such waste in the mining industry.
