

1. Record Nr.	UNINA9910830414803321
Titolo	Deep space communications / / Jim Taylor, editor
Pubbl/distr/stampa	Hoboken, New Jersey : , : Wiley, , [2016] [Piscataqay, New Jersey] : , : IEEE Xplore, , [2016]
ISBN	1-119-16906-2 1-119-16905-4 1-119-16907-0
Descrizione fisica	1 online resource (592 p.)
Collana	Jpl deep-space communications and navigation series
Disciplina	621.382/38
Soggetti	Deep Space Network Astronautics - Communication systems Space probes
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Description based upon print version of record.
Nota di bibliografia	Includes bibliographical references at the end of each chapters and index.
Nota di contenuto	-- Foreword xv / /Preface xvii -- Acknowledgments xix -- Contributors xxiii -- Chapter 1 Deep Space Communications: An Introduction 1 /by Joseph H. Yuen -- 1.1 Introduction and Overview 1 -- 1.2 Telecommunications Link Analysis 4 -- 1.2.1 Received Power 4 -- 1.2.2 Noise Spectral Density 5 -- 1.2.3 Carrier Performance Margin 6 -- 1.2.4 Telemetry and Command Performance Margins 6 -- 1.2.5 Ranging Performance Margin 7 -- 1.3 Communications Design Control 8 -- 1.3.1 Design Control Tables 8 -- 1.3.2 Design Procedure and Performance Criterion Selection 9 -- References 12 -- Chapter 2 The Deep Space Network: A Functional Description 15 /by Jim Taylor -- 2.1 Uplink and Downlink Carrier Operation 17 -- 2.1.1 The 34-m BWG Stations 17 -- 2.1.2 The 70-m (DSS-14 and DSS-43) Stations 19 -- 2.2 Radiometric Data (Doppler and Ranging) 21 -- 2.3 Delta Differential One-Way Ranging 24 -- 2.4 Command Processing and Radiation 25 -- 2.5 Telemetry Demodulation and Decoding 28 -- 2.6 DSN Performance 31 -- 2.6.1 Antenna Gain 32 -- 2.6.2 Transmitter Power 33 -- 2.6.3 System Noise Temperature 33 -- 2.6.4 Thresholds and Limits 33 -- References 35 -- Chapter 3 Voyager Telecommunications 37 /by Roger

Ludwig and Jim Taylor -- 3.1 Voyager Interstellar Mission Description
37 -- 3.2 Overview of Telecom Functional Capabilities 44 -- 3.2.1 Uplink 46 -- 3.2.2 Downlink 47 -- 3.3 Spacecraft Telecom System Design 48 -- 3.3.1 Spacecraft Telecom System Overview 48 -- 3.3.2 Modulation Demodulation Subsystem 51 -- 3.3.3 Radio Frequency Subsystem 52 -- 3.3.4 S/X-Band Antenna Subsystem 54 -- 3.3.5 Telecom System Input Power and Mass 55 -- 3.4 Telecom Ground System Description 56 -- 3.4.1 Uplink and Downlink Carrier Operation 57 -- 3.4.2 Command Processing 59 -- 3.4.3 Telemetry Processing 59 -- 3.5 Sample Telecom System Performance 60 -- 3.5.1 Design Control Tables 61 -- 3.5.2 Long-Term Planning Predicts 61 -- 3.6 New Spacecraft and Ground Telecom Technology 64 -- 3.6.1 Spacecraft and Telecom Link Design Compared with Previous Missions 64.
3.6.2 Spacecraft Improvements for Uranus and Neptune Encounters 64 -- 3.6.3 Ground System Performance Improvements 65 -- 3.6.4 Ground Display and Operability Improvements 68 -- 3.7 Operational Scenarios of the Voyager Interstellar Mission 69 -- 3.7.1 Tracking Coverage 69 -- 3.7.2 RFS Strategies 70 -- 3.7.3 Spacecraft Fault Protection 72 -- References 74 -- Additional Resources 76 -- Chapter 4 Galileo Telecommunications 79 /by Jim Taylor, Kar-Ming Cheung, and Dongae Seo -- 4.1 Mission and Spacecraft Description 79 -- 4.1.1 The Mission 79 -- 4.1.2 The Spacecraft 82 -- 4.2 Galileo Spacecraft Telecommunications System 86 -- 4.2.1 Galileo Telecommunications Functions and Modes 87 -- 4.2.2 Radio Frequency Subsystem 89 -- 4.2.3 Modulation Demodulation Subsystem 90 -- 4.2.4 S-/X-Band Antenna Subsystem 92 -- 4.2.5 X- to S-Band Downconverter 93 -- 4.2.6 Telecom Hardware Performance during Flight 93 -- 4.2.7 Orbiter Input Power and Mass Summary 96 -- 4.3 Galileo S-Band Mission 98 -- 4.3.1 Overview 98 -- 4.3.2 Ground System Improvements for Galileo S-Band Mission 101 -- 4.3.3 Data Compression 103 -- 4.3.4 Galileo Encoding and Feedback Concatenated Decoding 106 -- 4.4 Telecom Link Performance 110 -- 4.4.1 Design Control Tables 111 -- 4.4.2 Long-Term Planning Predicts 112 -- 4.5 Telecom Operational Scenarios 115 -- 4.5.1 Planned and Actual DSN Coverage 115 -- 4.5.2 Launch Phase 115 -- 4.5.3 Cruise Phase 116 -- 4.5.4 HGA Deployment Attempts 118 -- 4.5.5 Probe Separation, Jupiter Cruise, and Jupiter Orbit Insertion 120 -- 4.5.6 Orbital Operational Phase 121 -- 4.5.7 Solar Conjunction 123 -- 4.5.8 Galileo Europa Mission and Galileo Millennium Mission 125 -- 4.6 Probe-to-Orbiter Relay-Link Design 125 -- 4.6.1 Overview 125 -- 4.6.2 Link Requirements and Design 126 -- 4.6.3 Summary of Achieved Relay-Link Performance 128 -- 4.7 Lessons Learned 129 -- References 131 -- Chapter 5 Deep Space 1 135 /by Jim Taylor, Michela Munoz Fernandez, Ana I. Bolea-Alamanac, and Kar-Ming Cheung.
5.1 Mission and Spacecraft Description 136 -- 5.1.1 Technology Validation 136 -- 5.1.2 Mission Overview 137 -- 5.1.3 Telecom Subsystem Overview 138 -- 5.2 Telecom Subsystem Requirements 139 -- 5.3 Telecom System Description 140 -- 5.4 DS1 Telecom Technology 144 -- 5.4.1 Small Deep Space Transponder (SDST) 144 -- 5.4.2 Ka-Band Solid-State Power Amplifier (KaPA) 147 -- 5.4.3 Beacon Monitor Operations Experiment (BMOX) 149 -- 5.4.4 Telecom System Mass and Input Power 153 -- 5.5 Telecom Ground System Description 153 -- 5.5.1 Uplink and Downlink Carrier Operation 154 -- 5.5.2 Radiometric Data (Doppler and Ranging) 154 -- 5.5.3 Command Processing and Radiation 157 -- 5.5.4 Telemetry Demodulation, Decoding, Synchronization, and Display 158 -- 5.6 Telecom Link Performance 161 -- 5.7 Operational Scenarios 173 -- 5.7.1 Launch 173 -- 5.7.2 Safing 174 -- 5.7.3 Anchor Pass (at HGA Earth Point, High

Rate) 174 -- 5.7.4 Midweek Pass (at Thrust Attitude for IPS Operation) 175 -- 5.7.5 High-Gain-Antenna Activity (January / June 2000, March 2001) 176 -- 5.7.6 Solar Conjunction 181 -- 5.7.7 Ka-Band Downlink 183 -- 5.8 Lessons Learned 183 -- 5.8.1 Telecom-Related Lessons Learned 183 -- 5.8.2 Project-Level Lessons Learned 188 -- References 190 -- Additional Resources 192 -- Chapter 6 Mars Reconnaissance Orbiter 193 /by Jim Taylor, Dennis K. Lee, and Shervin Shambayati -- 6.1 Mission Overview 193 -- 6.2 Mission Phases and Orbit Summary 194 -- 6.2.1 Mission Objectives 194 -- 6.2.2 The MRO Spacecraft 195 -- 6.2.3 Mission Phases 196 -- 6.2.4 The MRO Orbit and Its Relay Coverage for Surface Vehicles 204 -- 6.2.5 MRO Orbit Phasing to Support Landing Vehicle EDL 206 -- 6.3 Telecommunications Subsystem Overview 207 -- 6.3.1 X-Band: Cruise and Orbital Operations 207 -- 6.3.2 UHF: Proximity Relay Communications 219 -- 6.3.3 Ka-Band: Operational Demonstration 227 -- 6.4 Ground Data System 227 -- 6.4.1 Deep Space Network 227 -- 6.4.2 Ka-Band Demonstration Requirements 228 -- 6.4.3 Ground Data Network Flow for Relay Data through Electra 229. 6.5 X-Band Telecom Operations 231 -- 6.5.1 Cruise Calibrations 231 -- 6.5.2 MOI Telecom Configurations 231 -- 6.5.3 Aerobraking Telecom Configurations 232 -- 6.5.4 Downlink Telemetry Modulation and Coding 233 -- 6.5.5 Coordinating MRO and MER X-Band Operations 236 -- 6.6 Ka-Band Cruise Verification 240 -- 6.6.1 Ka-Band Operations Overview 240 -- 6.6.2 Ka-Band Link Prediction and Performance during Cruise 240 -- 6.6.3 Ka-Band Communications Demonstration Plans 242 -- 6.6.4 Spacecraft X-Band and Ka-Band Constraints and Operational Factors 243 -- 6.6.5 Delta-DOR X-Band and Ka-Band Operations and Performance 244 -- 6.6.6 Planned Solar Conjunction Experiments 245 -- 6.7 Lessons Learned 246 -- 6.7.1 X-Band 246 -- 6.7.2 Ka-Band 247 -- 6.7.3 UHF 248 -- References 248 -- Chapter 7 Mars Exploration Rover Telecommunications 251 /by Jim Taylor, Andre Makovsky, Andrea Barbieri, Ramona Tung, Polly Estabrook, and A. Gail Thomas -- 7.1 Mission and Spacecraft Summary 252 -- 7.1.1 Mission Objectives 252 -- 7.1.2 Mission Description 253 -- 7.1.3 The Spacecraft 255 -- 7.2 Telecommunications Subsystem Overview 261 -- 7.2.1 X-Band: Cruise, EDL, Surface 261 -- 7.2.2 UHF: EDL, Surface 262 -- 7.2.3 Direct-to-Earth Downlink Capability 263 -- 7.2.4 UHF Relay Capability 263 -- 7.3 Telecom Subsystem Hardware and Software 267 -- 7.3.1 X-Band Flight Subsystem Description 267 -- 7.3.2 UHF 280 -- 7.3.3 MER Telecom Hardware Mass and Power Summary 285 -- 7.4 Ground Systems 285 -- 7.4.1 Deep Space Network 285 -- 7.4.2 Entry, Descent, and Landing Communications 291 -- 7.4.3 Relay Data Flow 296 -- 7.5 Telecom Subsystem and Link Performance 299 -- 7.5.1 X-Band: Cruise, EDL, and Surface 299 -- 7.5.2 UHF: EDL and Primary Mission Surface Operations 322 -- 7.6 Lessons Learned 336 -- 7.6.1 What Could Serve as a Model for the Future 337 -- 7.6.2 What Could Be Improved 344 -- 7.7 Beyond the Extended Mission 355 -- 7.7.1 Spirit 355 -- 7.7.2 Opportunity 356 -- References 356 -- Chapter 8 Mars Science Laboratory 359 /by Andre Makovsky, Peter Ilott, and Jim Taylor. 8.1 Mars Science Laboratory Mission and Spacecraft -- Summary 359 -- 8.1.1 Mission Description 362 -- 8.1.2 Launch/Arrival Period Selection 364 -- 8.1.3 Launch Phase and Initial Acquisition 370 -- 8.1.4 Cruise Phase 381 -- 8.1.5 Approach Phase 384 -- 8.1.6 EDL Phase 385 -- 8.1.7 Flight System Description 400 -- 8.2 Telecom Subsystem Overview 407 -- 8.2.1 Telecom for Launch, Cruise, and into EDL 412 -- 8.2.2 Surface Operations 413 -- 8.2.3 X-Band Flight Subsystem Description 415 -- 8.2.4 UHF Flight Subsystem Description

441 -- 8.2.5 Terminal Descent Sensor (Landing Radar) Description 454
-- 8.2.6 MSL Telecom Hardware Mass and Power Summary 457 -- 8.3
Ground Systems EDL Operations: EDL Data Analysis (EDA) 459 -- 8.4
Telecom Subsystem Link Performance 460 -- 8.4.1 X-Band 460 --
8.4.2 UHF 474 -- 8.5 Surface Operations (Plans) 481 -- 8.5.1 Mission
Operations System Approach 481 -- 8.5.2 Initial Surface Ground
Operations 482 -- 8.5.3 Tactical Operations after First 90 Sols 484 --
8.5.4 UHF Telecom Constraints 484 -- 8.6 Surface Operations
(Characterized in Flight) 488 -- 8.6.1 Mitigating the Effects of
Electromagnetic Interference 489 -- 8.6.2 Data Volume Achieved with
MRO and Odyssey Links 489 -- 8.6.3 Relay Link Models 491 --
References 494 -- Acronyms and Abbreviations 499 -- About the
Companion Website 523 -- Index 525.

Sommario/riassunto

A collection of some of the Jet Propulsion Laboratory's space missions selected to represent the planetary communications designs for and progression of various types of missions. The text uses a case study approach to show the communications link performance resulting from the planetary communications design developed by the Jet Propulsion Laboratory (JPL). This is accomplished through the description of the design and performance of six representative planetary missions. These six cases illustrate progression through time of the communications system's capabilities and performance from 1970s technology to the most recent missions. The six missions discussed in this book span the Voyager for fly-bys in the 1970s, Galileo for orbiters in the 1980s, Deep Space 1 for the 1990s, Mars Reconnaissance Orbiter (MRO) for planetary orbiters, Mars Exploration Rover (MER) for planetary rovers in the 2000s, and the MSL rover in the 2010s. Deep Space Communications: . Provides an overview of the Deep Space Network and its capabilities. Examines case studies to illustrate the progression of system design and performance from mission to mission and provides a broad overview of the missions systems described. Discusses actual flight mission telecom performance of each system. Deep Space Communications serves as a reference for scientists and engineers interested in communications systems for deep-space telecommunications link analysis and design control.
