

1. Record Nr.	UNINA9910830484903321
Titolo	Na-ion batteries // edited by Laure Monconduit, Laurence Croguennec
Pubbl/distr/stampa	London, England ; ; Hoboken, New Jersey : , : ISTE Ltd. : , : John Wiley & Sons, Incorporated, , [2020] ©2020
ISBN	1-5231-4364-9 1-119-81804-4 1-119-81805-2
Descrizione fisica	1 online resource (375 pages) : illustrations
Disciplina	621.31242
Soggetti	Sodium ion batteries
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di contenuto	Cover -- Half-Title Page -- Title Page -- Copyright Page -- Contents -- Introduction -- I.1. Why Na-ion batteries? -- I.2. From the electrodes to the electrolyte for NIBs -- I.2.1. Positive electrodes -- I.2.2. Negative electrodes -- I.2.3. Electrolytes and the solid electrolyte interphase -- I.3. Future commercialization of NIBs -- I.4. References -- 1. Layered NaMO <sub>2</sub> for the Positive Electrode -- 1.1. Research history of layered transition metal oxides as electrode materials for Na-ion batteries until 2009 -- 1.2. Crystal structures of layered materials -- 1.2.1. Crystal structures of synthesizable Na <sub>x</sub> MO <sub>2</sub> -- 1.2.2. Structural changes of O <sub>3</sub> -NaMO <sub>2</sub> by Na extraction -- 1.2.3. Structural changes of P <sub>2</sub> -Na <sub>x</sub> MO <sub>2</sub> by Na extraction -- 1.3. O <sub>3</sub> -type layered materials -- 1.3.1. NaMO <sub>2</sub> (M = Sc, Ti, V, Cr, Mn, Fe, Co, Ni) -- 1.3.2. O <sub>3</sub> -Na[M,M']O <sub>2</sub> (M, M' = transition metals) -- 1.3.3. Moist air stability of O <sub>3</sub> -NaMO <sub>2</sub> and surface coating -- 1.4. P <sub>2</sub> -type layered materials -- 1.4.1. Practical issues of P <sub>2</sub> -type materials for Na-ion batteries -- 1.4.2. P <sub>2</sub> -Na <sub>2/3</sub> [Mn,Co,M]O <sub>2</sub> -- 1.4.3. P <sub>2</sub> -Na <sub>2/3</sub> [Mn,Fe,M]O <sub>2</sub> -- 1.4.4. P <sub>2</sub> -Na <sub>2/3</sub> [Ni,Mn,M]O <sub>2</sub> -- 1.5. Summary and prospects -- 1.6. Acknowledgments -- 1.7. References -- 2. Polyanionic-Type Compounds as Positive Electrodes for Na-ion batteries -- 2.1. Introduction -- 2.1.1. Oxides and polyanionic frameworks as positive electrodes for sodium ion-batteries -- 2.1.2. NASICONs and Na <sub>3</sub> V <sub>2</sub>

(PO<sub>4</sub>)<sub>2</sub>F<sub>3</sub> -- 2.2. NASICON structures as model frameworks in sodium-ion battery applications -- 2.2.1. Compositional diversity from solid electrolytes to electrodes -- 2.2.2. NASICON-typed materials as electrodes for Na batteries -- 2.2.3. Na<sub>3</sub>V<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub> (NVP) -- 2.3. Na<sub>3</sub>V<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>3</sub> used as a model framework in sodium-ion battery applications -- 2.3.1. Structural description and compositional diversity.

2.3.2. Na<sub>3</sub>V<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>3</sub>: a promising active material for positive electrodes in NIBs -- 2.3.3. Oxygen substitution in Na<sub>3</sub>V<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>3</sub> and its effects on the electrochemical performance of substituted phases -- 2.3.4. Paving the way toward Na<sub>3</sub>V<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>3</sub> with superior performance -- 2.4. Conclusion and perspectives -- 2.5. References --

3. Hard Carbon for Na-ion Batteries: From Synthesis to Performance and Storage Mechanism -- 3.1. Introduction -- 3.2. What is a hard carbon? -- 3.3. Hard carbon synthesis and microstructure -- 3.3.1. Synthetic precursors-based hard carbon synthesis -- 3.3.2. Biopolymers derived hard carbon synthesis -- 3.3.3. Biomass-based hard carbon synthesis -- 3.4. Hard carbon characteristics -- 3.4.1. Hard carbon structure -- 3.4.2. Hard carbon porosity -- 3.4.3. Hard carbon surface chemistry -- 3.4.4. Hard carbon structural defects -- 3.5. Electrochemical performance -- 3.5.1. Materials performance -- 3.5.2. Full Na-ion system performance -- 3.5.3. Sodium insertion mechanisms in hard carbon -- 3.6. Conclusion -- 3.7. References --

4. Non-Carbonaceous Negative Electrodes in Sodium Batteries -- 4.1. Introduction -- 4.2. Insertion materials -- 4.2.1. Insertion anodes based on titanium oxide and titanates -- 4.2.2. Insertion anodes based on transition metal chalcogenides -- 4.2.3. Insertion MXene-based anodes -- 4.2.4. Insertion organic anodes -- 4.3. Negative electrode materials based on electrochemical alloying with sodium -- 4.3.1. Silicon and germanium -- 4.3.2. Tin -- 4.3.3. Phosphorus -- 4.3.4. Antimony -- 4.3.5. Other post-transition metal elements -- 4.4. Negative electrode materials based on conversion reactions -- 4.4.1. Reaction mechanisms of CM -- 4.4.2. Approaches toward efficient anode CM for NIB -- 4.5. Conclusion -- 4.6. References --

5. Electrolytes for Sodium Batteries -- 5.1. Introduction.

5.2. Liquid and solid electrolytes for sodium batteries -- 5.2.1. Organic liquid electrolytes -- 5.2.2. IL-based electrolytes -- 5.2.3. Hybrid electrolytes -- 5.2.4. Effects of additives and impurities -- 5.2.5. Solid-state electrolytes -- 5.3. Properties of IL-based electrolytes for Na batteries -- 5.3.1. Physical properties -- 5.3.2. Thermal stability -- 5.3.3. Electrochemical stability -- 5.4. Modeling IL-based electrolytes -- 5.5. Conclusion and future perspectives -- 5.6. Abbreviations -- 5.7. References --

6. Solid Electrolyte Interphase in Na-ion batteries -- 6.1. Introduction -- 6.1.1. The solid electrolyte interphase -- 6.1.2. Characterization of the SEI -- 6.2. Physical properties of the Na-ion SEI -- 6.2.1. Electrochemical stability -- 6.2.2. Mechanical properties -- 6.2.3. Dissolution of SEI components -- 6.3. Comparisons of SEI in sodium- and lithium-based electrolytes -- 6.3.1. Formation and composition -- 6.3.2. Resistance -- 6.4. Conclusion -- 6.5. References --

7. Batteries Containing Prussian Blue Analogue Electrodes -- 7.1. Introduction -- 7.1.1. Chapter introduction -- 7.1.2. History of Prussian blue -- 7.1.3. Physical characteristics: structure, composition and morphology -- 7.1.4. Synthetic methods -- 7.2. Electrochemistry of PBAs -- 7.2.1. Mechanism and resulting characteristics -- 7.2.2. Reaction potentials -- 7.2.3. PBA cathodes -- 7.2.4. PBA anodes -- 7.3. Prussian blue batteries -- 7.3.1. Cells containing two PBA electrodes -- 7.3.2. Cells containing one PBA electrode -- 7.3.3. Challenges for PBA batteries -- 7.4. Conclusion and future outlook -- 7.5. References --

8. The Design, Performance and Commercialization of Faradion's Non-aqueous Na-ion Battery Technology -- 8.1. Introduction -- 8.2. Experimental -- 8.2.1. Active materials -- 8.2.2. Electrode fabrication -- 8.2.3. Pouch cell fabrication. 8.2.4. Faradion electrolyte -- 8.3. Cell performance -- 8.3.1. Half-cell cycling -- 8.3.2. Full Na-ion cell cycling: curves and stability -- 8.3.3. Rate capability -- 8.3.4. Temperature studies -- 8.3.5. Three-electrode cell studies -- 8.4. Safety and zero energy storage and transportation -- 8.5. Scale-up and prototyping -- 8.6. Demonstrators: stacks and packs -- 8.7. Business and IP strategy -- 8.8. Cost analysis -- 8.9. Future developments -- 8.10. Conclusion -- 8.11. Acknowledgments -- 8.12. References -- List of Authors -- Index -- EULA.

---