

1. Record Nr.	UNINA9910840847803321
Autore	Vanelli-Coralli Alessandro
Titolo	5G Non-Terrestrial Networks : Technologies, Standards, and System Design
Pubbl/distr/stampa	Newark : , : John Wiley & Sons, Incorporated, , 2024 ©2024
ISBN	1-119-89118-3 1-119-89116-7
Edizione	[1st ed.]
Descrizione fisica	1 online resource (335 pages)
Altri autori (Persone)	ChuberreNicolas MasiniGino GuidottiAlessandro El JaafariMohamed
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di contenuto	Cover -- Title Page -- Copyright -- Contents -- Preface -- About the Authors -- Acknowledgments -- Acronyms -- Chapter 1 Introduction -- 1.1 What is 5G NTN? -- 1.2 Use Cases for 5G NTN -- 1.3 ITUR Vision and Requirements on the Satellite Component of IMT2020 -- 1.3.1 Satellite Component of IMT2020: Usage Scenarios -- 1.3.2 Requirements for the Satellite Radio Interface(s) of IMT2020 -- 1.4 NTN Roadmap in 3GPP -- 1.5 3GPP Requirements for 5G via Satellite -- 1.6 Technical Challenges -- 1.7 Satellite RAN Architecture -- 1.8 NTN Spectrum -- 1.9 3GPP Work on NTN in Release15 and Release16 -- 1.10 3GPP work on NTN in Release17 and Release18 -- 1.11 NTN in Release19 and Beyond -- 1.12 3GPP and Standardization -- References -- Chapter 2 The 3GPP 5G Overview -- 2.1 Introduction -- 2.2 5G System Architecture -- 2.2.1 5G Core Network -- 2.2.2 NG Radio Access Network -- 2.2.3 Dual Connectivity -- 2.2.4 Connectivity Options -- 2.2.5 Split Architecture -- 2.2.5.1 CU-DU Split -- 2.2.5.2 CP-UP Split -- 2.2.6 IoT and MTC Aspects -- 2.3 3GPP and 5G Standardization -- References -- Chapter 3 NonTerrestrial Networks Overview -- 3.1 Elements of a Satellite Communications System -- 3.2

Orbits and Constellations -- 3.2.1 Principles of Orbital Motion -- 3.2.2 Types of Orbits -- 3.2.3 Constellation Design -- 3.2.4 Satellite Orbit Determination and Prediction -- 3.3 Propagation and Link Performance -- 3.3.1 Earth-Satellite Geometry -- 3.3.1.1 Delay Characterization -- 3.3.1.2 Doppler Characterization -- 3.3.2 Link Performance -- 3.3.2.1 Antenna Parameters and Received Power -- 3.3.2.2 Additional Losses -- 3.3.2.3 Individual Link Performance -- 3.3.2.4 Overall Link Performance -- 3.3.2.5 NTN Link Budget Examples -- References -- Chapter 4 NR NTN Architecture and Network Protocols -- 4.1 Introduction -- 4.2 Architecture Overview -- 4.2.1 NG Interface Functions. 4.2.2 Xn Interface Functions -- 4.3 User Plane and Control Plane -- 4.3.1 Control Plane -- 4.3.2 User Plane -- 4.4 Interworking with Terrestrial Mobile Networks -- 4.4.1 Mobility -- 4.4.2 Dual Connectivity -- 4.5 Impact on Other Technologies: IoT NTN -- 4.6 Regenerative Architectures -- 4.6.1 NGRAN Node on Satellite -- 4.6.2 Split Architectures -- 4.6.2.1 CU-DU Split -- 4.6.2.2 Lowerlayer Split -- 4.7 Conclusions -- References -- Chapter 5 NR NTN Radio Interface -- 5.1 Introduction -- 5.2 NR Basic Transmission Scheme -- 5.2.1 NR Waveform -- 5.2.2 Modulation and Coding Scheme -- 5.2.3 Channel Coding -- 5.2.4 NR Multiple Access Scheme -- 5.2.5 NR Frame Structure -- 5.2.6 Bandwidth Part Operation -- 5.2.7 NR Radio Channels -- 5.2.8 NR Reference Signals -- 5.2.9 Multiantenna System -- 5.2.9.1 MIMO Schemes -- 5.2.9.2 Beam Management -- 5.2.9.3 Polarization Signaling in NTN -- 5.3 Downlink Synchronization Procedure in NTN -- 5.4 Uplink Synchronization Procedure in NTN -- 5.4.1 Uplink Timing Control -- 5.4.1.1 Uplink Timing Control in NR TN -- 5.4.1.2 Uplink Timing Control in NR NTN -- 5.4.1.3 NTN Higher layer Parameters for Uplink Timing Control -- 5.4.1.4 Timing Advance Adjustment Delay -- 5.4.2 Uplink Frequency Synchronization -- 5.5 NR Timing Relationships Enhancements for NR NTN -- 5.5.1 Timing Relationships Enhanced With Koffset -- 5.5.1.1 Randomaccess Procedure in NTN -- 5.5.1.2 Resource Allocation in Time Domain -- 5.5.1.3 Other Timing Relationships Enhanced With Koffset -- 5.5.2 Timing Relationships Enhanced With kmac -- 5.5.2.1 Uplink Power Control -- 5.5.2.2 Beam Failure Recovery -- 5.6 Hybrid ARQ Enhancements for NR NTN -- 5.6.1 HARQ Functionality Basics -- 5.6.2 Increasing the Number of HARQ Processes in NTN -- 5.6.3 Disabling HARQ Feedback in NTN -- 5.6.3.1 Disabling HARQ Feedback Activation -- 5.6.3.2 HARQ ACK Codebook Enhancements. 5.6.4 Transmission Timing for HARQACK on PUCCH -- 5.6.4.1 Transmission Timing for HARQACK on PUCCH in Terrestrial Network -- 5.6.4.2 Transmission Timing for HARQACK on PUCCH in NTN -- 5.6.4.3 PDSCH Scheduling Restriction -- References -- Chapter 6 Impacts on the System Architecture and Network Protocol Aspects -- 6.1 Introduction -- 6.2 5G QoS and NTN -- 6.3 Network Attach, AMF Selection, and UE Location -- 6.3.1 Network Identities -- 6.3.2 Multiple TACs Support -- 6.3.3 UE Attach and Location Verification -- 6.4 Randomaccess Procedure -- 6.5 Other Enhancements at MAC -- 6.5.1 Hybrid ARQ Operation Enhancements -- 6.5.2 Logical Channel Prioritization Enhancements -- 6.5.3 Enhancements on DRX Functionality -- 6.5.4 Extension of Other MAC Timers -- 6.6 RLC, PDCP Enhancements -- 6.6.1 RLC Sublayer -- 6.6.2 PDCP Sublayer -- 6.7 NTNspecific System Information -- 6.8 Mobility Aspects -- 6.8.1 Idle Mode and Inactive Mode Mobility -- 6.8.1.1 Locationbased Measurement -- 6.8.1.2 Timebased Measurement -- 6.8.2 Connected Mode Mobility -- 6.8.2.1 RRM Enhancements -- 6.8.2.2 Conditional Handover -- 6.9 Feeder Link Switchover -- 6.10 Network Management

Aspects -- References -- Chapter 7 RF and RRM Requirements -- 7.1  
Frequency Bands In Which NTN Can Operate -- 7.1.1 Satellite Networks  
-- 7.1.2 HAPSbased Networks -- 7.2 NTN Architecture and Interfaces  
-- 7.3 Definition of RF Performances and Related Methodology -- 7.3.1  
Coexistence Analysis -- 7.3.2 RF Performances -- 7.4 RRM  
Requirements -- 7.4.1 System Aspect -- References -- Chapter 8 NB  
IoT and eMTC in NTN -- 8.1 Overview -- 8.1.1 Cellular IoT in 3GPP  
Roadmap -- 8.1.2 Study Item on IoT NTN -- 8.1.3 Normative Work on  
IoT NTN -- 8.2 Architecture and Deployments Scenarios -- 8.2.1  
Potential Use Cases -- 8.2.2 System Architecture -- 8.2.3 NTN IoT  
Spectrum -- 8.3 Enhancements for NBloT/eMTC Support in NTN.  
8.3.1 Timing and Frequency Precompensation -- 8.3.1.1 Uplink  
Synchronization Validity Duration -- 8.3.1.2 GNSS Operation in IoT NTN  
-- 8.3.2 Timing Relationship Enhancements -- 8.3.3 Discontinuous  
Coverage and Assistance Information -- 8.3.4 Mobility Management --  
8.3.5 Feederlink Switchover -- 8.3.6 Networkinterfaces Signaling  
Aspects -- 8.3.7 MME(Re)Selection by eNB -- 8.3.8 Verification of UE  
Location -- 8.3.9 O&M Requirements -- 8.3.10 Other NAS  
Protocol Aspects -- References -- Chapter 9 Release 18 and Beyond --  
9.1 NTN in the Evolving Context of 5G, Beyond 5G and 6G -- 9.2 Non  
Terrestrial Networks and 5G -- 9.2.1 3GPP Standardization Status --  
9.2.2 Industrial Projects Based on Rel17 and Rel18 -- 9.2.2.1 Direct  
Connectivity to Smartphones -- 9.2.2.2 Direct Connectivity to IoT  
Devices -- 9.2.2.3 Connectivity to Cell -- 9.3 Toward 6G and Non  
Terrestrial Networks -- 9.3.1 6G System Versus 5G System -- 9.3.2 6G  
Versus 5G NonTerrestrial Network Component -- 9.3.3 6G NTN Design  
Principles -- 9.3.3.1 Multiterminal Types and Usage Conditions --  
9.3.3.2 Multimission Radio Protocol(s) -- 9.3.3.3 Multidimensional  
Network Infrastructure -- 9.3.3.4 Multiconstraints Radio Access  
Network -- 9.3.3.5 Unification With the Terrestrial Network Component  
-- 9.3.4 Possible Evolution of NTN Standards -- 9.3.4.1 Enhancements  
of NTN 5GAdvanced in 3GPP -- 9.3.4.2 Potential Enhancements of NTN  
for 6G -- References -- Index -- EULA.

---