

1. Record Nr.	UNINA9910864185203321
Autore	Pierfederici Serge
Titolo	Electrimacs 2022 : Selected Papers - Volume 2
Pubbl/distr/stampa	Cham : , : Springer International Publishing AG, , 2024 ©2024
ISBN	3-031-55696-8
Edizione	[1st ed.]
Descrizione fisica	1 online resource (322 pages)
Collana	Lecture Notes in Electrical Engineering Series ; ; v.1164
Altri autori (Persone)	MartinJean-Philippe
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di contenuto	Intro -- Preface to Electrimacs 2022, Volume 2 -- Contents -- Part I Modelling and Computational Simulation for Energy Systems -- 1 Efficiency Maps of Synchronous Machines Based on Electrical Circuits Modelling -- 1.1 Introduction -- 1.2 Efficiency Maps (EM) as a Predesign Tool -- 1.3 Synchronous Machines Models -- 1.3.1 Per-Unit System -- 1.4 Efficiency Maps Computation -- 1.4.1 Non-salient Poles Machines -- 1.4.2 Salient Poles Machines -- 1.5 Tool Validation -- 1.6 Tool Exploitation -- 1.6.1 PM Synchronous Machines -- 1.6.2 Synchronous Reluctance Machines -- 1.7 Conclusions -- References -- 2 Losses Prediction in the Frequency Domain for Voltage Source Inverters -- 2.1 Introduction -- 2.2 Theoretical Modelling -- 2.2.1 Passives Losses Model -- 2.2.2 Current Harmonics Calculation from Laplace Transform -- 2.2.3 AC Side Inductor Equivalent Impedance Characterisation and Modelling -- 2.2.4 Active Losses -- 2.3 Expérimental Validation -- 2.3.1 Test Conditions -- 2.3.2 Calculation of Current Harmonics from Laplace Transform for Both ZVS and HS Operating Modes -- 2.3.3 Commutations Losses for Hard-Switching -- 2.3.4 AC Side Inductor Equivalent Series Resistance Modelling -- 2.3.5 Passives Losses Model -- 2.4 Conclusion -- References -- 3 Online Detection of PV Degradation Effects Through ANNClassifier -- 3.1 Introduction -- 3.2 System Description -- 3.2.1 Model Based Approach for Identifying the PV Degradation -- 3.2.2 Generation of Degraded I-V Curves Dataset -- 3.3 FDD Implementation on Pynq-Z2 Platform -- 3.3.1 SDM Parameters Identification Tool -- 3.3.2 MLP Classifier -- 3.4

Numerical Results -- 3.5 Experimental Results -- 3.6 Conclusions --
References -- 4 Modeling the Non-linearities of Charge-Transfers and
Solid Electrolyte Interphase Resistances for a Sodium-Ion Battery with a
Hard Carbon Electrode -- 4.1 Introduction -- 4.2 Battery Model.
4.2.1 Equivalent Circuit Model -- 4.2.2 Surface Resistance Model
Versus Current -- 4.2.3 Surface Resistance Model Versus Temperature
-- 4.3 Experimental Protocol -- 4.3.1 Pulse Tests -- 4.3.2 GEIS Tests
-- 4.4 Results and Discussion -- 4.4.1 Analysis of the Experimental
Data -- 4.4.2 Results at High SoC -- 4.4.3 Results at Low SoC -- 4.5
Conclusion -- References -- 5 Experimental Development of Embedded
Online Impedance Spectroscopy of Lithium-Ion Batteries - Proof of
Concept and Validation -- 5.1 Introduction -- 5.2 Background -- 5.2.1
Electrochemical Impedance Spectroscopy -- 5.2.2 Diagnosis of
Capacity Fading (SOH) -- 5.2.3 Equivalent Circuit Model -- 5.3
Estimation Methods -- 5.3.1 State of Charge (SoC) and State of Health
(SoH) Estimators -- 5.4 Experimental Test Bench -- 5.4.1 Validation of
Online EIS -- 5.4.2 EIS Data Processing from Time to Frequency Domain
-- 5.4.3 Parameter Estimation Model -- 5.5 Results -- 5.6 Conclusions
-- References -- 6 An Improved Maximum Power Point Tracking for
Photovoltaic Distributed Energy System Associated with a Shunt Active
Power Filter -- 6.1 Introduction -- 6.2 System Description -- 6.3
DC/DC Converter Topology and Control -- 6.3.1 Quadratic Boost
Converter Architecture -- 6.3.2 Control Strategy: Dual-Mode MPPT --
6.4 Shunt Active Power Filter -- 6.4.1 SAPF Configuration -- 6.4.2 DPC
Control -- 6.5 Validation and Results -- 6.6 Conclusion -- References
-- 7 Modeling Battery Aging Through High-Current Incremental
Capacity Features in Fast Charge Cycling -- 7.1 Introduction -- 7.2
Description of the Toyota Fast Charging Dataset -- 7.3 Incremental
Capacity Features as Capacity Indicators -- 7.3.1 Incremental Capacity
Features -- 7.3.2 Aging Models -- 7.4 Numerical Results -- 7.5
Conclusions and Perspectives -- References -- 8 Fully Decentralized
Control Strategy for Synchronous Open-Winding Motors.
8.1 Introduction -- 8.2 Open-Winding PMSM and Its Model -- 8.3
Proposed Current Control Strategy -- 8.4 Results -- 8.5 Discussion --
8.6 Conclusion -- References -- 9 Quasi 3D Reluctance Network
Modeling of an Axial Flux Switched Reluctance Machine -- 9.1
Introduction -- 9.2 Studied Machine -- 9.3 Algorithm -- 9.3.1 Meshing
of the Structure -- 9.3.2 Importing Mesh Data -- 9.3.3 Construction of
the Topological Matrix -- 9.3.4 Numbering and Structuring of Elements
-- 9.3.5 Generation of the Connection Matrix -- 9.3.6 Construction of
the Magnetic Matrix and the Excitation Vector -- 9.3.7 Motion
Processing -- 9.3.8 Solution Computation and Results Post Processing
-- 9.4 Results -- 9.4.1 Linear Permeability Conditions -- 9.4.2
Nonlinear Characteristic of Ferromagnetic Material -- 9.4.3 Robustness
Measure by Parameter Variation -- 9.5 Conclusions -- References --
10 A Voltage-Controlled Split-pi Converter Interfacing a High-Voltage
ESS with a DC Microgrid: Modeling and Experimental Validation -- 10.1
Introduction -- 10.2 Brief Review of the Case Study -- 10.2.1 Case
Study -- 10.2.2 Microgrid Scenarios -- 10.2.3 Control Scheme
Architecture -- 10.3 Split-pi's State-Space Model -- 10.4 Design of the
Split-pi Controllers -- 10.5 Simulations Results -- 10.5.1 Baseline
Scenario and Scenario #1 (SS-GN) -- 10.5.2 Scenario #2 (SD-GN) --
10.5.3 Scenario #3 (SD-GD) -- 10.6 Experimental Results -- 10.6.1
Baseline Scenario and Scenario #1 (SS-GN) -- 10.6.2 Scenario #2 (SD-
GN) -- 10.6.3 Scenario #3 (SD-GD) -- 10.7 Conclusions -- References
-- 11 Co-Simulation Domain Decomposition Algorithm for Hybrid
EMT-Dynamic Phasor Modeling -- 11.1 Introduction -- 11.2 EMT and
Dynamic Phasor Modelling -- 11.3 Co-Simulation Domain

Decomposition Algorithm -- 11.3.1 Restrictive Additive Schwarz (RAS)
-- 11.3.2 RAS for EMT-TS -- 11.4 Co-Simulation Platform -- 11.5
Results.
11.6 Conclusion -- References -- Part II Modelling and Computational
Simulation for Control and Optimisation in Electrical Power Systems and
Smart Grids -- 12 Uncertainties Impact and Mitigation with an Adaptive
Model-Based Voltage Controller -- 12.1 Introduction -- 12.2 Model
Formulation -- 12.2.1 Grid Model -- 12.2.2 ESS Model -- 12.3 Model-
Based Voltage Controller -- 12.3.1 Voltage Control Formulation --
12.3.1.1 Generic Voltage Controller Formulation -- 12.3.1.2 Linear
Relaxation -- 12.3.1.3 Quadratic Relaxation -- 12.3.1.4 SOCP
Relaxation -- 12.3.2 Voltage Performance Index -- 12.4 Impact of
Uncertainties on the Voltage Controller -- 12.4.1 Impact of Controller
Models -- 12.4.2 Impact of Uncertainties in Forecast and Grid
Impedance -- 12.5 Adaptive Control Strategy -- 12.5.1 Impedance
Fitting Algorithm -- 12.5.1.1 Case 1: Full Grid Observability --
12.5.1.2 Case 2: Limited Branch Measurement -- 12.5.1.3 Case 3:
Limited Measurement (Only Bus Voltage) -- 12.5.2 Simulations -- 12.6
Conclusions -- References -- 13 Consensus-Based Distributed Primary
Control for Accurate Power Sharing in Islanded Mesh Microgrids --
13.1 Introduction -- 13.2 Primary Control of Mesh Microgrid -- 13.2.1
Power Sharing Using Droop Control -- 13.2.2 Consensus-Based Droop
Control Strategy for Power Sharing -- 13.2.3 Simulation Results --
13.2.4 Validation Using Hardware-In-the-Loop (HIL) -- 13.2.5 Mesh
Microgrid Control Robustness -- 13.2.6 Effect of Primary Control on
Microgrid Voltage and Frequency Deviation -- 13.3 Conclusion --
References -- 14 Model-Free Detection of Distributed Solar Generation
in Distribution Grids Based on Minimal Exogenous Information -- 14.1
Introduction -- 14.2 Methodology -- 14.2.1 Simulation Setup --
14.2.1.1 Generation and Consumption Profiles -- 14.2.1.2 Distribution
Grid -- 14.2.2 Method -- 14.2.2.1 Principle.
14.2.2.2 Neural Network for Baseline Estimation -- 14.2.2.3 PV
Detection -- 14.3 Results -- 14.3.1 Sensitivity Analysis to
Hyperparameters -- 14.3.2 PV Size and Observation Period -- 14.4
Conclusion -- References -- 15 A Q-Learning-Based Energy
Management Strategy for a Three-Wheel Multi-Stack Fuel Cell Hybrid
Electric Vehicle -- 15.1 Introduction -- 15.2 Powertrain Modelling --
15.3 Energy Management Strategy -- 15.3.1 Q-Learning Method --
15.4 Simulation Setup -- 15.5 Conclusions -- References -- 16 Load
Consumption Characterization and Tariff Design Based on Data Mining
Techniques -- 16.1 Introduction -- 16.2 Proposed Methodology --
16.2.1 Typical Load Profiles -- 16.2.2 Classification Model -- 16.2.3
Design of New Tariff Structures -- 16.3 Case Study -- 16.3.1 Load
Profiling -- 16.3.2 Electricity Consumers Characterization-
Classification -- 16.3.3 Electricity Tariff Design Based on the TLP --
16.4 Conclusions -- References -- 17 Energy Management System by
Deep Reinforcement Learning Approach in a Building Microgrid -- 17.1
Introduction -- 17.2 Introduction to Reinforcement Learning -- 17.2.1
Markov Decision Process -- 17.2.2 Reinforcement Learning -- 17.2.3
Deep Reinforcement Learning and the DQN Algorithm -- 17.3
Microgrid Description -- 17.4 Markov Decision Process Associated to
the Microgrid -- 17.5 Numerical Experiments and Results -- 17.6
Conclusion and Future Work -- References -- 18 Passivity Based
Control of Two Distributed Generations in DC Microgrid -- 18.1
Introduction -- 18.2 Studied System -- 18.2.1 System Presentation --
18.2.2 Proposed Modeling and Control -- 18.3 Simulation Results --
18.4 Conclusions -- References -- 19 An Improved Control of High
Efficiency Series Converter for Fuel Cell/Supercapacitor Hybrid System

-- 19.1 Introduction -- 19.2 Series Converter Architecture -- 19.2.1
System Operation -- 19.2.2 Delta (Δ).
19.3 Control Method.
