

1. Record Nr.	UNINA9910877596003321
Autore	Garcia Yann
Titolo	Mössbauer Spectroscopy : Applications in Chemistry and Materials Science
Pubbl/distr/stampa	Newark : , : John Wiley & Sons, Incorporated, , 2023 ©2024
ISBN	9783527824953 3527824952 9783527824946 3527824944
Edizione	[1st ed.]
Descrizione fisica	1 online resource (333 pages)
Altri autori (Persone)	WangJunhu ZhangTao
Disciplina	537.5352
Soggetti	Mossbauer spectroscopy Materials science
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di contenuto	Cover -- Title Page -- Copyright -- Contents -- Preface -- Chapter 1 Application of Mössbauer Spectroscopy to Energy Materials -- 1.1 Introduction -- 1.2 Mössbauer Spectroscopy for Liion and Naion Batteries -- 1.2.1 Characterization of Electrode Materials and Electrochemical Reactions -- 1.2.2 TinBased Negative Electrode Materials for Liion Batteries -- 1.2.2.1 Electrochemical Reactions of Lithium with Tin -- 1.2.2.2 Tin Oxides -- 1.2.2.3 Tin Borophosphates -- 1.2.2.4 TinBased Intermetallics -- 1.2.3 IronBased Electrode Materials -- 1.2.3.1 LiFePO <sub>4</sub> as Positive Electrode Material for Liion Batteries -- 1.2.3.2 Fe <sub>1.19</sub> PO <sub>4(OH)0.57(H2O)0.43/C</sub> as Positive Electrode Material for Liion Batteries -- 1.2.3.3 Na <sub>1.5</sub> Fe <sub>0.5</sub> Ti <sub>1.5</sub> (PO <sub>4</sub> ) <sub>3/C</sub> as Electrode Material for Naion Batteries -- 1.3 Mössbauer Spectroscopy of TinBased Catalysts -- 1.3.1 Reforming Catalysis -- 1.3.2 Redox Properties of PtSn Based Catalysts -- 1.3.3 Trimetallic Pt SnIn Based Catalysts -- 1.4 Conclusion -- Acknowledgments -- References -- Chapter 2 Mössbauer Spectral Studies of Iron Phosphate Containing Minerals and Compounds -- 2.1 Introduction -- 2.2

Thermodynamic Properties of Iron Phosphate Containing Compounds  
-- 2.3 Room Temperature Mössbauer Spectra of Iron Phosphate  
Containing Minerals -- 2.4 Analysis of Magnetically Ordered Mössbauer  
Spectra -- 2.5 Structural and Thermodynamic Properties of the  
Polymorphs of FePO<sub>4</sub> -- 2.5.1 Polymorphs of FePO<sub>4</sub> -- 2.6 Mössbauer  
Spectra of FePO<sub>4</sub> -- 2.7 Magnetic Structure of FePO<sub>4</sub>, Obtained by  
Mössbauer Spectroscopy -- 2.7.1 Magnetic Structure of FePO<sub>4</sub> -- 2.8  
Temperature Dependence of the FePO<sub>4</sub> Structure Tilt Angle -- 2.9  
Mössbauer Spectral Studies on Metastable Polymorphs of FePO<sub>4</sub> --  
2.9.1 Crystallographic Structures of Two Polymorphs of FePO<sub>4</sub>·2H<sub>2</sub>O.  
2.9.2 Preparation and Crystallographic Structures of the Two  
Polymorphs, FePO<sub>4</sub> and FePO<sub>4</sub> -- 2.9.3 Mössbauer Spectral Studies  
of FePO<sub>4</sub> Metastable Polymorphs -- 2.9.4 Preparation and Mössbauer  
Spectra of Synthetic Heterosite, (Fe,Mn)PO<sub>4</sub> -- 2.9.5 Fits of the  
Magnetic Mössbauer Spectra of Fe0.9Mn0.1PO<sub>4</sub> -- 2.10 Mössbauer  
Spectral Studies of Various Iron Phosphate Compounds -- 2.10.1  
Mössbauer Spectral Properties of Fe<sub>2</sub>(PO<sub>4</sub>)O -- 2.10.2 Mössbauer  
Spectral Properties of Fe<sub>3</sub>(PO<sub>4</sub>)O<sub>3</sub> -- 2.10.3 Preparation and Structural  
Properties of Fe<sub>9</sub>(PO<sub>4</sub>)O<sub>8</sub> -- 2.10.4 Mössbauer Spectral Properties of  
Fe<sub>9</sub>(PO<sub>4</sub>)O<sub>8</sub> -- Acknowledgments -- References and Notes -- Chapter  
3 Mössbauer Spectroscopic Investigation of FeBased Silicides -- 3.1  
Introduction -- 3.2 Mössbauer Spectroscopic Investigation of Iron  
Silicides Prepared By Mechanical Alloying and Heat Treatment -- 3.3  
Mössbauer Spectra of Iron Silicide on Silica Prepared by Pyrolysis of  
FerrocenePolydimethylsilane Composites -- 3.4 Synthesis and  
Mössbauer Spectra of Iron Silicides by TemperatureProgrammed  
Silicification -- 3.5 Mössbauer Spectroscopic Investigation of Doped  
Iron Silicides -- 3.6 Conclusion and Perspective -- References --  
Chapter 4 Mössbauer Spectroscopy of Catalysts -- 4.1 Introduction --  
4.2 Principles of the Mössbauer Effect and Outlook of Its Application for  
Catalyst Studies -- 4.2.1 Brief Overview of the Basics of Mössbauer  
Spectroscopy -- 4.2.2 Mössbauer Spectroscopy from the Point of View  
of Catalyst Studies - Particular Features -- 4.2.3 The Probability of the  
Mössbauer Effect - fFactor and Size Effects -- 4.2.4 Variants of the  
Technique -- 4.2.4.1 <sup>57</sup>Co Emission Spectroscopy -- 4.2.4.2  
SynchrotronBased NFS (Nuclear Forward Scattering) -- 4.2.4.3  
Conversion Electron Mössbauer Spectroscopy -- 4.2.5 Technical  
Implementations - Experimental Conditions -- 4.3 Heterogeneous  
Catalysts.  
4.3.1 Sites on Supported Particles with Different Participation in  
Catalytic Processes -- 4.3.2 Collective Effects in Particles (Magnetism)  
-- 4.3.3 Case Studies -- 4.3.3.1 Metals and Alloys -- 4.3.3.2 Oxide  
Catalysts -- 4.3.3.3 Catalysts with Fe-N, Fe-C, and Fe-N-C Centers --  
4.4 Biocatalysts - Enzymes -- 4.5 Homogeneous Catalysts - Frozen  
Solutions -- 4.5.1 Studies on Reaction Intermediates - TimeResolved  
FreezeQuenched Spectra -- 4.6 Conclusions -- Acknowledgment --  
References -- Chapter 5 Application of Mössbauer Spectroscopy in  
Studying Catalysts for CO Oxidation and Preferential Oxidation of CO in  
H<sub>2</sub> -- 5.1 Introduction -- 5.2 Application of Mössbauer Spectroscopy  
in CO Oxidation -- 5.2.1 <sup>57</sup>Fe Mössbauer Spectroscopy -- 5.2.2 <sup>119</sup>Sn  
Mössbauer Spectroscopy -- 5.2.3 <sup>197</sup>Au Mössbauer Spectroscopy --  
5.2.4 <sup>193</sup>Ir Mössbauer spectroscopy -- 5.3 Application of Mössbauer  
Spectroscopy in PROX -- 5.3.1 PtFeContaining Catalysts -- 5.3.2 Au  
Based Catalysts -- 5.3.3 IrFeContaining Catalysts -- 5.3.3.1 Porous  
Carbon Supported IrFe Catalysts -- 5.3.3.2 SiO<sub>2</sub> and Al<sub>2</sub>O<sub>3</sub> Supported  
IrFe Catalysts -- 5.3.4 CuO/CeO<sub>2</sub> with Fe<sub>2</sub>O<sub>3</sub> Additive -- 5.4  
Concluding Remarks -- Acknowledgments -- References -- Chapter 6  
Application of <sup>57</sup>Fe Mössbauer Spectroscopy in Studying Fe-N-C

Catalysts for Oxygen Reduction Reaction in Proton Exchange Membrane Fuel Cells -- 6.1 Introduction -- 6.2 Advanced 57Fe Mössbauer Spectroscopy Technique -- 6.2.1 Room Temperature 57Fe Mössbauer Spectroscopy -- 6.2.2 Low Temperature and Computational 57Fe Mössbauer Spectroscopy -- 6.2.3 In Situ Electrochemical 57Fe Mössbauer Spectroscopy -- 6.3 Characterization of Fe-N-C Using 57Fe Mössbauer Spectroscopy -- 6.3.1 Identification of Active Sites -- 6.3.2 Investigation of Degradation Mechanism -- 6.3.3 Optimization for Synthesis of Fe-N-C -- 6.3.3.1 Precursor Composition -- 6.3.3.2 Heat Treatment.

6.4 Summary and Perspective -- Acknowledgments -- References -- Chapter 7 197Au Mössbauer Spectroscopy of Thiolateprotected Gold Clusters -- 7.1 Introduction -- 7.2 Synthesis of Thiolate Protected Gold Clusters -- 7.3 197Au Mössbauer Spectroscopy of Gold Nanoclusters -- 7.3.1 Experimental Procedure of 197Au Mössbauer Spectroscopy -- 7.3.2 197Au Mössbauer Spectra of Aun(SG)m (n & equals -- 1055) -- 7.3.3 Molecular Structure and 197Au Mössbauer Spectra of Au10(SG)10 -- 7.3.4 Molecular Structure and 197Au Mössbauer Spectra of Au25(SG)18 -- 7.3.5 Structural Evolution of Aun(SG)m (n & equals -- 1055) Based on 197Au Mössbauer Spectroscopy -- 7.3.6 197Au Mössbauer Spectra of Au24Pd1(SC12H25)18 -- 7.3.7 197Au Mössbauer Spectra of Aun(SC12H25)m -- 7.4 Conclusion -- Acknowledgments -- References -- Chapter 8 197Au Mössbauer Spectroscopy of Gold MixedValence Complexes, Cs2[AuIX2][AuIIY4](X, Y & equals -- Cl, Br, I) and [NH3(CH2)nNH3]2[(AuI2)(AuIII4)](I3)2 (n & equals -- 7, 8) -- 8.1 Introduction -- 8.2 Experimental Procedure -- 8.2.1 Synthesis and Characterization -- 8.2.1.1 Cs2[AuIX2][AuIIY4] (X, Y & equals -- Cl, Br, I) -- 8.2.1.2 [NH3(CH2)nNH3]2[(AuI2)(AuIII4)](I3)2 (n & equals -- 7, 8) -- 8.2.2 197Au Mössbauer Spectroscopy -- 8.3 Crystal Structure of Cs2[AuIX2][AuIIY4] (X, Y & equals -- Cl, Br, I) -- 8.4 Chemical Bond of AuX in [AuIX2] and [AuIIIX4] -- 8.5 Mössbauer Parameters of 197Au in [AuIX2] and [AuIIIX4] -- 8.5.1 Mössbauer Parameters of 197Au in (C4H9)4N[AuIX2] and (C4H9)4N[AuIIIX4] -- 8.5.1.1 Isomer Shift -- 8.5.1.2 Quadrupole Splitting -- 8.5.2 Mössbauer Parameters of 197Au in Cs2[AuIX2][AuIIIX4] (X & equals -- Cl, Br, I) -- 8.5.2.1 Isomer Shift -- 8.5.2.2 Quadrupole Splitting -- 8.5.2.3 Analysis of 197Au Mössbauer Parameters for Cs2[AuIX2][AuIIIX4].

8.6 Charge Transfer Interaction in Cs2[AuIX2][AuIIIX4] (X & equals -- Cl, Br, I) -- 8.7 197Au Mössbauer Spectra of Cs2[AuIX2][AuIIY4] (X, Y & equals -- Cl, Br, I) -- 8.7.1 Isomer Shift of AuI in Cs2[AuIX2][AuIIY4] -- 8.7.2 Isomer Shift of AuII in Cs2[AuIX2][AuIIY4] -- 8.7.3 Quadrupole Splitting of AuI in Cs2[AuIX2][AuIIY4] -- 8.7.4 Quadrupole Splitting of AuIII in Cs2[AuIX2][AuIIY4] -- 8.8 Single Crystal 197Au Mössbauer Spectra of Cs2[AuI2][AuIII4] -- 8.8.1 Comparison of 197Au Mössbauer Spectra Between Single Crystal and Powder Crystal -- 8.8.2 Sign of EFG for AuI in [AuI2] and AuII in [AuIIIX4] -- 8.9 197Au Mössbauer Spectra of Cs2[AuIX2][AuIIIX4] (X & equals -- Cl, I) Under High Pressures -- 8.9.1 Phase Diagram of Cs2[AuIX2][AuIIIX4] (X & equals -- Cl, Br, I) -- 8.9.2 Origin of Metallic MixedValence State in Cs2[AuICl2][AuIIICl4] -- 8.9.3 Au Valence Transition in Cs2[AuI2][AuIII4] -- 8.10 197Au Mössbauer Spectra of [NH3(CH2)nNH3]2[(AuI2)(AuIII4)](I3)2 (n & equals -- 7, 8) -- 8.11 Conclusion -- Acknowledgments -- References -- Chapter 9 Temperature and PhotoInduced SpinCrossover in Molecule Based Magnets -- 9.1 Introduction -- 9.2 SpinCrossover Phenomena in Cesium Iron Hexacyanidochromate Prussian Blue Analog -- 9.3 Light Induced SpinCrossover Magnet in Iron Octacyanidonobiobate Bimetal

Assembly -- 9.4 Chiral Photomagnetism and LightControllable Second Harmonic Light in Iron Octacyanoniobate Bimetal Assembly -- 9.5 Conclusion and Perspective -- References -- Chapter 10 Developing a Methodology to Obtain New Photoswitchable Fe(II) Spin Crossover Complexes -- 10.1 Introduction and Context -- 10.2 Introduction to a New Photoresponsive Anion: psc -- 10.3 Combining Fe(II) and psc Together in a Single Compound -- 10.4 Fe(II) Mononuclear Complexes with DMPP and psc Ligands.  
10.5 1D Fe(II) Coordination Polymer with psc as NonCoordinated Anions.

---

#### Sommario/riassunto

This book provides a comprehensive exploration of Mössbauer spectroscopy and its applications in chemistry and materials science. Edited by Yann Garcia, Junhu Wang, and Tao Zhang, it features contributions from leading specialists in the field. The text delves into various uses of Mössbauer spectroscopy, including studies on energy materials, catalysts, and molecular electronics. It highlights the technique's ability to offer valuable insights into the electronic properties and structural characteristics of materials. The book is aimed at researchers in both academia and industry, as well as newcomers to the field, offering educational insights and applications of Mössbauer spectroscopy in areas such as energy storage, catalysis, and new material development.

---