

1. Record Nr.	UNINA9911006912503321
Autore	Rudnik Ewa
Titolo	Compostable Polymer Materials
Pubbl/distr/stampa	Marrickville : , : Elsevier, , 2019 ©2019
ISBN	0-08-099438-5
Edizione	[2nd ed.]
Descrizione fisica	1 online resource
Disciplina	668.49
Soggetti	Biodegradable plastics
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di contenuto	Front Cover -- Compostable Polymer Materials -- Compostable Polymer Materials -- Copyright -- Contents -- Preface -- 1 - Introduction -- 1.1 Situation in Europe -- 1.2 Situation in the United States -- 1.3 Situation in other regions of the world -- 1.3.1 Asian countries -- 1.3.2 Africa -- 1.3.3 Brasil -- References -- 2 - Compostable polymer materials - definitions, structures and methods of preparation -- 2.1 Biodegradable polymers from renewable resources -- 2.1.1 Poly(lactic acid) - PLA -- 2.1.2 Polyhydroxyalkanoates - PHA -- 2.1.3 Thermoplastic starch -TPS -- 2.2 Other compostable polymers from renewable resources -- 2.2.1 Cellulose -- 2.2.2 Chitosan -- 2.2.3 Proteins -- 2.3 Biodegradable polymers from petrochemical sources -- 2.3.1 Aliphatic polyesters and copolyesters -- 2.3.2 Aromatic polyesters and copolyesters -- 2.3.3 Poly(caprolactone) - PCL -- 2.3.4 Poly(esteramide) - PEA -- 2.3.5 Poly(vinyl alcohol) - PVA -- 2.3.6 Blends -- References -- 3 - Properties and applications -- 3.1 Biodegradable polymers from renewable resources -- 3.1.1 Poly(lactic acid) - PLA -- 3.1.1.1 Properties -- 3.1.1.2 Processing -- 3.1.1.3 Applications -- 3.1.2 Polyhydroxyalkanoates - PHA -- 3.1.2.1 Properties -- 3.1.2.2 Processing -- 3.1.2.3 Applications -- 3.1.3 Thermoplastic starch -TPS -- 3.1.3.1 Properties -- 3.1.3.2 Processing -- 3.1.3.3 Applications -- 3.1.4 Other compostable polymers from renewable resources -- 3.1.4.1 Cellulose -- 3.1.4.1.1 Properties -- 3.1.4.1.2 Processing -- 3.1.4.1.3 Applications -- 3.1.4.2 Chitosan -- 3.1.4.2.1

Properties -- 3.1.4.2.2 Processing -- 3.1.4.2.3 Applications -- 3.1.4.3
 Proteins -- 3.1.4.3.1 Properties -- 3.1.4.3.2 Processing -- 3.1.4.3.3
 Applications -- 3.2 Biodegradable polymers from petrochemical
 sources -- 3.2.1 Aliphatic polyesters and copolyesters -- 3.2.1.1
 Properties -- 3.2.1.2 Processing -- 3.2.1.3 Applications.
 3.2.2 Aromatic polyesters and copolyesters -- 3.2.2.1 Properties --
 3.2.2.2 Processing -- 3.2.2.3 Applications -- 3.2.3 Poly(caprolactone)
 -PCL -- 3.2.3.1 Properties -- 3.2.3.2 Processing -- 3.2.3.3
 Applications -- 3.2.4 Poly(esteramide)s - PEA -- 3.2.4.1 Properties --
 3.2.4.2 Processing -- 3.2.4.3 Applications -- 3.2.5 Poly(vinyl alcohol)
 -PVA -- 3.2.5.1 Properties -- 3.2.5.2 Processing -- 3.2.5.3
 Applications -- 3.3 Blends -- 3.3.1 Applications -- 3.4 Summary --
 3.4.1 Major markets of compostable polymer materials -- References
 -- 4 - Thermal and thermooxidative degradation -- 4.1 Biodegradable
 polymers from renewable resources -- 4.1.1 Poly(lactic acid) PLA --
 4.1.2 Polyhydroxyalkanoates PHA -- 4.1.3 Thermoplastic starch TPS
 -- 4.1.4 Other compostable polymers from renewable resources --
 4.1.4.1 Cellulose -- 4.1.4.2 Chitosan -- 4.1.4.3 Proteins -- 4.2
 Biodegradable polymers from petrochemical sources -- 4.2.1 Aliphatic
 polyesters and copolyesters -- 4.2.2 Aromatic polyesters and
 copolyesters -- 4.2.3 Poly(caprolactone) PCL -- 4.2.4 Poly(esteramides)
 PEA -- 4.2.5 Poly(vinyl alcohol) PVA -- 4.3 Blends -- 4.4 Summary of
 thermal stability of compostable polymer materials -- 4.5
 Flammability and fire testing of compostable polymers -- References
 -- 5 - Composting methods and legislation -- 5.1 Composting
 definitions -- 5.2 Composting process and methods -- 5.2.1 The first
 mesophilic phase [15] -- 5.2.2 Thermophilic phase [15] -- 5.2.3
 Cooling and maturation phase [15] -- 5.2.4 Microorganisms -- 5.2.5
 Conditions of composting -- 5.2.6 Compost quality -- 5.2.7 Compost
 quality standards -- 5.3 Composting standards -- 5.3.1 ASTM 6400-
 12 Specification for labeling of plastics designed to be aerobically
 composted in municipal or industrial facility.
 5.3.2 ASTM D6868 Standard specification for labeling of end items that
 incorporate plastics and polymers as coatings or additive... -- 5.3.3 ISO
 17088 Specifications for compostable plastics [3] -- 5.3.4 EN 13432
 Packaging - requirements for packaging recoverable through
 composting and biodegradation - test scheme and evaluation... -- 5.3.5 EN
 14995 Plastics. Evaluation of compostability. Test scheme and
 specifications [31] -- 5.3.6 ISO 18606 Packaging and environment -
 organic recycling [32] -- 5.3.7 AS 4736 Biodegradable plastics -
 biodegradable plastics suitable for composting and other microbial
 treatment [33] -- 5.3.8 Comparison of standards -- 5.4 Labelling
 systems in different regions -- 5.4.1 In Europe -- 5.4.1.1 The
 compostability mark of European Bioplastics -- 5.4.1.2 The
 compostability mark of DIN -- 5.4.1.3 The compostability mark of TÜV
 AUSTRIA BELGIUM (former AIB Vinçotte) (Belgium) -- 5.4.1.4
 Compostability mark of Finnish Solid Waste Association
 (Jätelaitosyhdistys) (Finland) -- 5.4.2 In America -- 5.4.3 In Asia --
 5.4.4 In Australia and New Zealand -- 5.5 Cooperation between
 certification and labeling systems -- References -- 6 - Biodegradability
 testing of compostable polymer materials under laboratory conditions
 -- 6.1 Definitions related to biodegradation testing -- Activated sludge
 (ISO/DIS 14851) -- Activated vermiculite (ISO 14855-1) -- Biochemical
 oxygen demand (BOD) (ISO/DIS 14851) -- Biodegradation phase (ISO
 14855-1) -- Concentration of suspended solids in an activated sludge
 (ISO/DIS 14851) -- Composting (ISO 14855-1) -- Compost (ISO/DIS
 14855-2) -- Compostability (ISO 20200) -- Disintegration (ISO 14855-
 1) -- Dry mass (ISO 20200) -- Dissolved organic carbon (DOC) (ISO/DIS

14851) -- Inorganic carbon (IC) (ISO 14853) -- Lag phase (ISO 14855-1) -- Maximum level of biodegradation (ISO 14855-1).
 Mesophilic incubation period (ISO 20200) -- Plateau phase (ISO 14855-1) -- Pre-exposure(ISO/DIS 14855-2) -- Pre-conditioning(ISO/DIS 14855-2) -- Theoretical amount of evolved carbon dioxide (ThCO₂) (ISO 14855-1) -- Thermophilic incubation period (ISO 20200) -- Theoretical oxygen demand (ThOD) (ISO/DIS 14851) -- Total dry solids (ISO 14855-1) -- Total organic carbon (TOC) (ISO/DIS 14851) -- Ultimate aerobic biodegradation (ISO 14855-1,ISO/DIS 14851) -- Volatile solids (ISO 14855-1) -- Water-holding capacity WHC (ISO/DIS 14855-2) -- 6.2 International standards related to composting -- 6.3 Principles of main standards related to composting and biodegradability testing -- ISO 14855-1:2012 - determination of the ultimate aerobic biodegradability of plastic materials under controlled composting conditions - method by analysis of evolved carbon dioxide - part 1: general method -- Scope -- Principle -- Priming effect -- ISO/DIS 14855-2- determination of the ultimate aerobic biodegradability of plastic materials under controlled composting conditions -- Scope -- Principle -- ISO 20200:2015- plastics - determination of the degree of disintegration of plastic materials under simulated composting conditions -- Scope -- Principle -- ISO/DIS 14851 - determination of the ultimate aerobic biodegradability of plastic materials in an aqueous medium - method by measurement -- Scope -- Principle -- ISO/DIS 14852 - determination of the ultimate aerobic biodegradability of plastic materials in an aqueous medium - method by analysis -- Scope -- Principle -- 6.4 Composting at laboratory scale -- 6.5 Biodegradability testing methods -- 6.6 Biodegradation of biodegradable polymers from renewable resources -- 6.6.1 Biodegradation of poly(lactic acid) - PLA -- 6.6.1.1 Degradation mechanisms -- 6.6.1.2 Degradation in compost -- 6.6.2 Biodegradation of polyhydroxyalkanoates - PHA. 6.6.2.1 Degradation mechanisms -- 6.6.2.2 Degradation in compost -- 6.6.3 Thermoplastic starch - TPS -- 6.6.4 Biodegradation of other compostable polymers from renewable resources -- 6.6.4.1 Biodegradation of cellulose -- 6.6.4.2 Biodegradation of chitosan -- 6.6.4.3 Biodegradation of proteins -- 6.7 Biodegradation of biodegradable polymers from petrochemical sources -- 6.7.1 Biodegradation of aliphatic polyesters and copolyesters -- 6.7.2 Biodegradation of aromatic polyesters and copolyesters -- 6.7.3 Biodegradation of poly(caprolactone) - PCL -- 6.7.4 Biodegradation of poly(esteramide)s -- 6.7.5 Biodegradation of poly(vinyl alcohol) -- 6.8 Biodegradation of blends -- 6.8.1 Blends of PLA -- 6.8.2 Blends of PHA -- 6.8.3 Blends of starch -- 6.8.4 Blends of PCL -- 6.8.5 Blends of aliphatic-aromatic copolyesters -- 6.8.6 PVA blends -- 6.8.7 Miscellaneous -- References -- 7 - Biodegradation of compostable polymer materials under real conditions -- References -- 8 - Biodegradation of compostable polymers in various environments -- 8.1 Introduction -- 8.2 Compostable polymers-degrading microorganisms -- 8.2.1 PLA -- 8.2.2 PHA -- 8.2.3 PBS -- 8.2.4 Aliphatic--aromatic copolyesters -- 8.2.5 Polyesteramides -- 8.3 Biodegradation in soil environment -- 8.3.1 PLA -- 8.3.2 Polyhydroxyalkanoates -- 8.3.3 TPS -- 8.3.4 Proteins -- 8.3.5 Aliphatic polyesters -- 8.3.6 Aliphatic-aromatic polyesters -- 8.3.7 Polyesteramides -- 8.4 Biodegradation in anaerobic environment -- 8.4.1 PLA -- 8.4.2 PHB -- 8.4.3 Various -- 8.4.4 PVA -- 8.4.5 Blends -- 8.5 Biodegradation in marine environment -- References -- 9 - Ecotoxicological assessment of compostable polymer materials -- 9.1 Introduction -- 9.2 Definitions -- 9.2.1 Ecotoxicology -- 9.2.2

Ecotoxicity -- 9.3 Methods -- 9.3.1 Plant phytotoxicity testing --
9.3.2 Animal toxicity test -- 9.3.3 Algal test.
9.3.4 Luminescent bacteria test.

Sommario/riassunto

Compostable Polymer Materials, Second Edition, deals with the environmentally important family of polymers designed to be disposed of in industrial and municipal compost facilities after their useful life. These compostable plastics undergo degradation and leave no visible, distinguishable, or toxic residue.
