1. Record Nr. UNINA9911019297703321 Autore Chigrinov V. G (Vladimir G.) Titolo Photoalignment of liquid crystalline materials : physics and applications // Vladimir G. Chigrinov, Vladimir M. Kozenkov, Hoi-Sing Kwok Chichester, England; ; Hoboken, NJ, : Wiley, c2008 Pubbl/distr/stampa **ISBN** 9786613203557 9781283203555 1283203553 9780470751800 0470751800 9780470751794 0470751797 Descrizione fisica 1 online resource (249 p.) Collana Wiley SID series in display technology KozenkovVladimir M Altri autori (Persone) KwokHoi-Sing Disciplina 621.3815/422 Soggetti Liquid crystals Lingua di pubblicazione Inglese **Formato** Materiale a stampa Livello bibliografico Monografia Note generali Description based upon print version of record. Nota di bibliografia Includes bibliographical references and index. Nota di contenuto Photoalignment of Liquid Crystalline Materials; Contents; About the Authors; Series Editor's Foreword; 1 Introduction; References; 2 Mechanisms of LC Photoalignment; 2.1 Cis-Trans Isomerization; 2.1.1 'Command Surface'; 2.1.2 Cis-Trans Transformations in Azo-Dye Side-Chain Polymers and Azo-Dye in a Polymer Matrix; 2.2 Pure Reorientation of the Azo-Dye Chromophore Molecules or Azo-Dye Molecular Solvates; 2.2.1 Diffusion Model; 2.2.2 Polarized Absorption Spectra; 2.2.3 Modifications: Repeated Cis-Trans Photoisomerization Reaction Resulting in the Reorientation of the Backbone Structure 2.3 Crosslinking in Cinnamoyl Side-Chain Polymers2.4 Photodegradation in Polyimide Materials; 2.5 Photoinduced Order in Langmuir-Blodgett Films; References; 3 LC-Surface Interaction in a Photoaligned Cell: 3.1 Pretilt Angle Generation in Photoaligning Materials; 3.2 Generation of Large Pretilt Angles; 3.2.1 Generation of Large Pretilt Angles by Controlled Photodegradation; 3.2.2 Generation

of Large Pretilt Angles by Nanostructured Surfaces; 3.3 Anchoring

Energy in Photoaligning Materials; 3.4 Stability of Photoaligning Materials: Sensitivity to UV Light

3.5 Comparison of the Characteristics of Photoalignment Layers for Different Mechanisms of LC Photoalignment3.6 Various Methods for the Experimental Characterization of Photoalignment Layers; References; 4 Photoalignment of LCs; 4.1 Vertical LC Alignment; 4.2 Twisted LC Photoalignment; 4.3 Photoalignment of Ferroelectric LC; 4.4 Optical Rewritable LC Alignment; 4.5 Photoalignment with Asymmetric Surface Anchoring: 4.6 LC Photoalignment on Plastic Substrates: 4.7 Photoalignment on Grating Surface; 4.8 Photoalignment of Lyotropic and Discotic LCs; 4.9 Other Types of LC Photoalignment References 5 Application of Photoalignment Materials in Optical Elements: 5.1 Polarizers: 5.1.1 Dichroism: 5.1.2 Direct Photoalignment: 5.1.3 Indirect Photoalignment; 5.1.4 Patterned Polarizers; 5.2 Retardation Films; 5.2.1 Types of Films; 5.2.2 Direct and Indirect Photoalignment; 5.2.3 Examples of Photoaligned Retardation Films; 5.2.4 Photo-patterned Phase Retarders and Color Filters; 5.3 Transflective LCD with Photo-patterned Polarizers and Phase Retarders: 5.4 Security Applications of Photoaligning and Photo-patterning; 5.5 Optical Elements Based on Photoaligning Technology; References 6 Novel LCDs Based on Photoalignment6.1 Bistable Nematic Displays: 6.2 Photoaligned Liquid-Crystal-on-Silicon Microdisplays; 6.3 Photoaligned Ferroelectric LCDs; 6.4 New Optical Rewritable Electronic Paper; 6.5 Application of Photoalignment in Photonic LC Devices; References; 7 US Patents Related to Photoalignment of Liquid Crystals; 7.1 Introductory Remarks; 7.2 List of Patents: Patent Classification; 7.3 Analysis and Comments on the Patents; Index

## Sommario/riassunto

Photoalignment possesses significant advantages in comparison with the usual 'rubbing' treatment of the substrates of liquid crystal display (LCD) cells as it is a non-contact method with a high resolution. A new technique recently pioneered by the authors of this book, namely the photo-induced diffusion reorientation of azodyes, does not involve any photochemical or structural transformations of the molecules. This results in photoaligning films which are robust and possess good aligning properties making them particularly suitable for the new generation of liquid crystal devices. Photoa