

| | |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Record Nr. | UNINA9911020251603321 |
| Autore | Schoukens J (Johan) |
| Titolo | Mastering system identification in 100 exercises // Johan Schoukens, Rik Pintelon, Yves Rolain |
| Pubbl/distr/stampa | [New York], : IEEE Press Hoboken, N.J., : Wiley, c2012 |
| ISBN | 9786613650504 9781280673573 1280673575 9781118218525 1118218523 9781118218532 1118218531 9781118218501 1118218507 |
| Descrizione fisica | 1 online resource (284 p.) |
| Classificazione | TEC032000 |
| Altri autori (Persone) | PintelonR (Rik) RolainYves |
| Disciplina | 519.5 |
| Soggetti | System identification Linear systems - Mathematical models - Quality control |
| Lingua di pubblicazione | Inglese |
| Formato | Materiale a stampa |
| Livello bibliografico | Monografia |
| Note generali | Description based upon print version of record. |
| Nota di bibliografia | Includes bibliographical references and indexes. |
| Nota di contenuto | Preface xiii -- Acknowledgments xv -- Abbreviations xvii -- 1 Identification 1 -- 1.1 Introduction 1 -- 1.2 Illustration of Some Important Aspects of System Identification 2 -- Exercise 1 .a (Least squares estimation of the value of a resistor) 2 -- Exercise 1 .b (Analysis of the standard deviation) 3 -- Exercise 2 (Study of the asymptotic distribution of an estimate) 5 -- Exercise 3 (Impact of noise on the regressor (input) measurements) 6 -- Exercise 4 (Importance of the choice of the independent variable or input) 7 -- Exercise 5.a (combining measurements with a varying SNR: Weighted least squares estimation) 8 -- Exercise 5.b (Weighted least squares estimation: A study of the variance) 9 -- Exercise 6 (Least squares estimation of |

models that are linear in the parameters) 11 -- Exercise 7
 (Characterizing a 2-dimensional parameter estimate) 12 -- 1.3
 Maximum Likelihood Estimation for Gaussian and Laplace Distributed
 Noise 14 -- Exercise 8 (Dependence of the optimal cost function on the
 distribution of the disturbing noise) 14 -- 1.4 Identification for Skew
 Distributions with Outliers 16 -- Exercise 9 (Identification in the
 presence of outliers) 16 -- 1.5 Selection of the Model Complexity 18 --
 Exercise 10 (Influence of the number of parameters on the model
 uncertainty) 18 -- Exercise 11 (Model selection using the AIC criterion)
 20 -- 1.6 Noise on Input and Output Measurements: The IV Method
 and the EIV Method 22 -- Exercise 12 (Noise on input and output: The
 instrumental variables method applied on the resistor estimate) 23 --
 Exercise 13 (Noise on input and output: the errors-in-variables
 method) 25 -- 2 Generation and Analysis of Excitation Signals 29 --
 2.1 Introduction 29 -- 2.2 The Discrete Fourier Transform (DFT) 30 --
 Exercise 14 (Discretization in time: Choice of the sampling frequency:
 ALIAS) 31 -- Exercise 15 (Windowing: Study of the leakage effect and
 the frequency resolution) 31 -- 2.3 Generation and Analysis of
 Multisines and Other Periodic Signals 33.
 Exercise 16 (Generate a sine wave, noninteger number of periods
 measured) 34 -- Exercise 17 (Generate a sine wave, integer number of
 periods measured) 34 -- Exercise 18 (Generate a sine wave, doubled
 measurement time) 35 -- Exercise 19.a (Generate a sine wave using the
 MATLAB IFFT instruction) 37 -- Exercise 19.b (Generate a sine wave
 using the MATLAB IFFT instruction, defining only the first half of the
 spectrum) 37 -- Exercise 20 (Generation of a multisine with flat
 amplitude spectrum) 38 -- Exercise 21 (The swept sine signal) 39 --
 Exercise 22.a (Spectral analysis of a multisine signal, leakage present)
 40 -- Exercise 22.b (Spectral analysis of a multisine signal, no leakage
 present) 40 -- 2.4 Generation of Optimized Periodic Signals 42 --
 Exercise 23 (Generation of a multisine with a reduced crest factor using
 random phase generation) 42 -- Exercise 24 (Generation of a multisine
 with a minimal crest factor using a crest factor minimization algorithm)
 42 -- Exercise 25 (Generation of a maximum length binary sequence)
 45 -- Exercise 26 (Tuning the parameters of a maximum length binary
 sequence) 46 -- 2.5 Generating Signals Using The Frequency Domain
 Identification Toolbox (FDIDENT) 46 -- Exercise 27 (Generation of
 excitation signals using the FDIDENT toolbox) 47 -- 2.6 Generation of
 Random Signals 48 -- Exercise 28 (Repeated realizations of a white
 random noise excitation with fixed length) 48 -- Exercise 29 (Repeated
 realizations of a white random noise excitation with increasing length)
 49 -- Exercise 30 (Smoothing the amplitude spectrum of a random
 excitation) 49 -- Exercise 31 (Generation of random noise excitations
 with a user-imposed power spectrum) 50 -- Exercise 32 (Amplitude
 distribution of filtered noise) 51 -- 2.7 Differentiation, Integration,
 Averaging, and Filtering of Periodic Signals 52 -- Exercise 33
 (Exploiting the periodic nature of signals: Differentiation, integration,
 +averaging, and filtering) 52 -- 3 FRF Measurements 55 -- 3.1
 Introduction 55.
 3.2 Definition of the FRF 56 -- 3.3 FRF Measurements without
 Disturbing Noise 57 -- Exercise 34 (Impulse response function
 measurements) 57 -- Exercise 35 (Study of the sine response of a
 linear system: transients and steady-state) 58 -- Exercise 36 (Study of
 a multisine response of a linear system: transients and steady-state) 59
 -- Exercise 37 (FRF measurement using a noise excitation and a
 rectangular window) 61 -- Exercise 38 (Revealing the nature of the
 leakage effect in FRF measurements) 61 -- Exercise 39 (FRF
 measurement using a noise excitation and a Hanning window) 64 --

Exercise 40 (FRF measurement using a noise excitation and a diff window) 65 -- Exercise 41 (FRF measurements using a burst excitation) 66 -- 3.4 FRF Measurements in the Presence of Disturbing Output Noise 68 -- Exercise 42 (Impulse response function measurements in the presence of output noise) 69 -- Exercise 43 (Measurement of the FRF using a random noise sequence and a random phase multisine in the presence of output noise) 70 -- Exercise 44 (Analysis of the noise errors on FRF measurements) 71 -- Exercise 45 (Impact of the block (period) length on the uncertainty) 73 -- 3.5 FRF Measurements in the Presence of Input and Output Noise 75 -- Exercise 46 (FRF measurement in the presence of input/output disturbances using a multisine excitation) 75 -- Exercise 47 (Measuring the FRF in the presence of input and output noise: Analysis of the errors) 75 -- Exercise 48 (Measuring the FRF in the presence of input and output noise: Impact of the block (period) length on the uncertainty) 76 -- 3.6 FRF Measurements of Systems Captured in a Feedback Loop 78 -- Exercise 49 (Direct measurement of the FRF under feedback conditions) 78 -- Exercise 50 (The indirect method) 80 -- 3.7 FRF Measurements Using Advanced Signal Processing Techniques: The LPM 82 -- Exercise 51 (The local polynomial method) 82 -- Exercise 52 (Estimation of the power spectrum of the disturbing noise) 84 -- 3.8 Frequency Response Matrix Measurements for MIMO Systems 85. Exercise 53 (Measuring the FRM using multisine excitations) 85 -- Exercise 54 (Measuring the FRM using noise excitations) 86 -- Exercise 55 (Estimate the variance of the measured FRM) 88 -- Exercise 56 (Comparison of the actual and theoretical variance of the estimated FRM) 88 -- Exercise 57 (Measuring the FRM using noise excitations and a Hanning window) 89 -- 4 Identification of Linear Dynamic Systems 91 -- 4.1 Introduction 91 -- 4.2 Identification Methods that Are Linear-in-the-Parameters. The Noiseless Setup 93 -- Exercise 58 (Identification in the time domain) 94 -- Exercise 59 (Identification in the frequency domain) 96 -- Exercise 60 (Numerical conditioning) 97 -- Exercise 61 (Simulation and one-step-ahead prediction) 99 -- Exercise 62 (Identify a too-simple model) 100 -- Exercise 63 (Sensitivity of the simulation and prediction error to model errors) 101 -- Exercise 64 (Shaping the model errors in the time domain: Prefiltering) 102 -- Exercise 65 (Shaping the model errors in the frequency domain: frequency weighting) 102 -- 4.3 Time domain Identification using parametric noise models 104 -- Exercise 66 (One-step-ahead prediction of a noise sequence) 105 -- Exercise 67 (Identification in the time domain using parametric noise models) 108 -- Exercise 68 (Identification Under Feedback Conditions Using Time Domain Methods) 109 -- Exercise 69 (Generating uncertainty bounds for estimated models) 111 -- Exercise 70 (Study of the behavior of the BJ model in combination with prefiltering) 113 -- 4.4 Identification Using Nonparametric Noise Models and Periodic Excitations 115 -- Exercise 71 (Identification in the frequency domain using nonparametric noise models) 117 -- Exercise 72 (Emphasizing a frequency band) 119 -- Exercise 73 (Comparison of the time and frequency domain identification under feedback) 120 -- 4.5 Frequency Domain Identification Using Nonparametric Noise Models and Random Excitations 122 -- Exercise 74 (Identification in the frequency domain using nonparametric noise models and a random excitation) 122. 4.6 Time Domain Identification Using the System Identification Toolbox 123 -- Exercise 75 (Using the time domain identification toolbox) 124 -- 4.7 Frequency Domain Identification Using the Toolbox FDIDENT 129 -- Exercise 76 (Using the frequency domain identification toolbox FDIDENT) 129 -- 5 Best Linear Approximation of Nonlinear Systems

| | |
|--------------------------------------------------------------------------------------------------------|--------|
| 137 -- 5.1 Response of a nonlinear system to a periodic input | 137 -- |
| Exercise 77.a (Single sine response of a static nonlinear system) | 138 -- |
| Exercise 77.b (Multisine response of a static nonlinear system) | 139 -- |
| Exercise 78 (Uniform versus Pointwise Convergence) | 142 -- |
| Exercise 79.a (Normal operation, subharmonics, and chaos) | 143 -- |
| Exercise 79.b (Influence initial conditions) | 146 -- |
| Exercise 80 (Multisine response of a dynamic nonlinear system) | 147 -- |
| Exercise 81 (Detection, quantification, and classification of nonlinearities) | 148 -- |
| 5.2 Best Linear Approximation of a Nonlinear System | 150 -- |
| Exercise 82 (Influence DC values signals on the linear approximation) | 151 -- |
| Exercise 83.a (Influence of rms value and pdf on the BLA) | 152 -- |
| Exercise 83.b (Influence of power spectrum coloring and pdf on the BLA) | 154 -- |
| Exercise 83.c (Influence of length of impulse response of signal filter on the BLA) | 156 -- |
| Exercise 84.a (Comparison of Gaussian noise and random phase multisine) | 158 -- |
| Exercise 84.b (Amplitude distribution of a random phase multisine) | 160 -- |
| Exercise 84.c (Influence of harmonic content multisine on BLA) | 162 -- |
| Exercise 85 (Influence of even and odd nonlinearities on BLA) | 165 -- |
| Exercise 86 (BLA of a cascade) | 167 -- |
| 5.3 Predictive Power of The Best Linear Approximation | 172 -- |
| Exercise 87.a (Predictive power BLA - static NL system) | 172 -- |
| Exercise 87.b (Properties of output residuals - dynamic NL system) | 174 -- |
| Exercise 87.c (Predictive power of BLA - dynamic NL system) | 178 -- |
| 6 Measuring the Best Linear Approximation of a Nonlinear System | 183 -- |
| 6.1 Measuring the Best Linear Approximation | 183 -- |
| Exercise 88.a (Robust method for noisy FRF measurements) | 186. |
| Exercise 88.b (Robust method for noisy input/output measurements without reference signal) | 190 -- |
| Exercise 88.c (Robust method for noisy input/output measurements with reference signal) | 195 -- |
| Exercise 89.a (Design of baseband odd and full random phase multisines with random harmonic grid) | 197 -- |
| Exercise 89.b (Design of bandpass odd and full random phase multisines with random harmonic grid) | 197 -- |
| Exercise 89.c (Fast method for noisy input/output measurements - open loop example) | 203 -- |
| Exercise 89.d (Fast method for noisy input/output measurements - closed loop example) | 207 -- |
| Exercise 89.e (Bias on the estimated odd and even distortion levels) | 211 -- |
| Exercise 90 (Indirect method for measuring the best linear approximation) | 215 -- |
| Exercise 91 (Comparison robust and fast methods) | 216 -- |
| Exercise 92 (Confidence intervals for the BLA) | 219 -- |
| Exercise 93 (Prediction of the bias contribution in the BLA) | 221 -- |
| Exercise 94 (True underlying linear system) | 222 -- |
| 6.2 Measuring the nonlinear distortions | 224 -- |
| Exercise 95 (Prediction of the nonlinear distortions using random harmonic grid multisines) | 225 -- |
| Exercise 96 (Pros and cons full-random and odd-random multisines) | 230 -- |
| 6.3 Guidelines | 233 -- |
| 6.4 Projects | 233 -- |
| 7 Identification of Parametric Models in the Presence of Nonlinear Distortions | 239 -- |
| 7.1 Introduction | 239 -- |
| 7.2 Identification of the Best Linear Approximation Using Random Excitations | 240 -- |
| Exercise 97 (Parametric estimation of the best linear approximation) | 240 -- |
| 7.3 Generation of Uncertainty Bounds? | 243 -- |
| Exercise 98 | 243 -- |
| 7.4 Identification of the best linear approximation using periodic excitations | 245 -- |
| Exercise 99 (Estimate a parametric model for the best linear approximation using the Fast Method) | 246 -- |
| Exercise 100 (Estimating a parametric model for the best linear approximation using the robust method) | 251 -- |
| 7.5 Advises and conclusions | 252 -- |
| References | 255 -- |
| Subject Index | 259 -- |
| Reference Index | 263. |

requiring complex theoretical knowledge. The contents encompass state-of-the-art system identification methods, with both time and frequency domain system identification methods covered, including the pros and cons of each. Each chapter features MATLAB exercises, discussions of the exercises, accompanying MATLAB downloads, and larger projects that serve as potential assignments in this learn-by-doing resource"--
