

1. Record Nr.	UNINA9911069227203321
Autore	Liu Chao
Titolo	Marine Corrosion of Steels : Mechanisms and AI-Driven Solutions
Pubbl/distr/stampa	Newark : , : John Wiley & Sons, Incorporated, , 2026 ©2026
ISBN	3-527-85477-0 3-527-85479-7 3-527-85478-9 9783527854776
Edizione	[1st ed.]
Descrizione fisica	1 online resource (611 pages)
Altri autori (Persone)	WangBingqin LiXiaogang ZhangShasha LiZhong
Disciplina	620.1723
Soggetti	Tekoäly Mekaaninen Materiaalitiede Konetekniikka Materiaalioppi
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Nota di contenuto	Cover -- Title Page -- Copyright -- Contents -- Foreword -- Preface -- Chapter 1: Stress Corrosion Behavior of High-manganese Steel in Polluted Marine Atmospheric Environments -- 1.1 Introduction -- 1.2 Early-stage Corrosion Initiation Behaviors of Composite Inclusions in High-manganese Steel -- 1.2.1 Materials and Methods -- 1.2.1.1 Materials and Solutions -- 1.2.1.2 Material Microstructure Characterization -- 1.2.1.3 Electrochemical Testing -- 1.2.1.4 Microcellular Surface Potential Measurements -- 1.2.1.5 In-situ Immersion Test for Inclusions -- 1.2.2 Physicochemical Properties and Localized Corrosion Behavior -- 1.2.2.1 Physicochemical Properties of High-manganese Steel -- 1.2.2.2 Typical Inclusions Morphology and Micro-zone Electrochemistry in High-manganese Steel -- 1.2.2.3

Micro-corrosion of Inclusion Areas -- 1.3 Corrosion Behaviors and Mechanisms of High-manganese Steel in Sulfur- and Chloride-containing Environments -- 1.3.1 Materials Fabrication and Characterization -- 1.3.1.1 Materials -- 1.3.1.2 Cyclic Immersion Acceleration Test -- 1.3.1.3 Analysis of Corrosion Products -- 1.3.1.4 Rust-layer Electrochemical Testing -- 1.3.2 Corrosion Behavior and Electrochemical Characteristics -- 1.3.2.1 Corrosion Weight Loss and Corrosion Rate -- 1.3.2.2 Analysis of Corrosion Products -- 1.3.2.3 Analysis of Corrosion Morphology -- 1.3.2.4 Electrochemical Analysis of Rust Layer -- 1.3.3 Corrosion Mechanism -- 1.4 Research on the SCC Behaviors and Mechanisms of High-manganese Steel in Sulfur- and Chloride-containing Environments -- 1.4.1 Experimental Content -- 1.4.1.1 Materials -- 1.4.1.2 Constant-load U-bend Circumferential Dip Test -- 1.4.1.3 Slow Strain Rate Tensile Test -- 1.4.2 Stress Corrosion Behavior -- 1.4.2.1 Behavioral Analysis of High-manganese Steel U-bend SCC -- 1.4.2.2 Analysis of Stress-Strain Curves for High-manganese Steel. -- 1.4.2.3 Analysis of Fracture Morphology of High-manganese Steel -- 1.4.3 SCC Mechanism -- 1.5 Chapter Summary -- References -- Chapter 2: Corrosion Fatigue Behavior of High-manganese Steel in Atmospheric Environment -- 2.1 Introduction -- 2.2 Early Corrosion Initiation Behavior of High-manganese Steel in Simulated Atmospheric Environment -- 2.2.1 Experimental Materials and Methods -- 2.2.1.1 Materials and Solutions -- 2.2.1.2 Experimental Method -- 2.2.2 Material Microstructure Properties and Localized Corrosion Emergence Behavior -- 2.2.2.1 Microstructure and Mechanical Properties -- 2.2.2.2 Morphologies and Properties of Typical Inclusions -- 2.2.2.3 Inclusion-induced Corrosion Initiation -- 2.3 Corrosion Laws and Mechanisms of High-manganese Steel in Simulated Atmospheric Environments -- 2.3.1 Fabrication and Characterization of Materials -- 2.3.1.1 Materials -- 2.3.1.2 Cyclic Wetting and Drying Experiment -- 2.3.1.3 Electrochemical Testing -- 2.3.1.4 Analysis of Corrosion Products -- 2.3.2 Corrosion Behavior and Characteristics -- 2.3.2.1 Corrosion Weight Loss and Corrosion Rate -- 2.3.2.2 Analysis of Rust-layer Cross-section -- 2.3.2.3 Rust-layer Product Characteristics -- 2.3.2.4 Electrochemical Analysis of Rust Layers -- 2.3.2.5 Corrosion Morphology -- 2.3.3 Corrosion Electrochemical Processes of High-manganese Steel -- 2.4 Corrosion Fatigue Laws and Mechanisms of High-manganese Steel in Simulated Atmospheric Environments -- 2.4.1 Experimental Materials and Methods -- 2.4.1.1 Materials -- 2.4.1.2 Axial Stress Corrosion Fatigue Experiment -- 2.4.1.3 Characterization of Corrosion Fatigue Cracks -- 2.4.2 Electrochemical Properties and Corrosion Fatigue Behavior -- 2.4.2.1 Electrochemical Testing -- 2.4.2.2 Corrosion Fatigue Behavior -- 2.4.2.3 Morphology of Corrosion Fatigue Fracture Surface. -- 2.4.2.4 Analysis of Secondary Cracks due to Corrosion Fatigue -- 2.4.3 Corrosion Fatigue Mechanism of High-manganese Steel in Simulated Atmospheric Environments -- 2.5 Chapter Summary -- References -- Chapter 3: Effect of Microalloying Elements on the Corrosion Resistance of Low-density Steel -- 3.1 Introduction -- 3.2 Effect of Cr and Ni on the Corrosion Resistance of Fe-Mn-Al-C Low-density Steel -- 3.2.1 Experimental Section -- 3.2.1.1 Materials -- 3.2.1.2 Characterization of Experimental Material Microstructure -- 3.2.1.3 Accelerated Indoor Simulation of Marine Atmospheric Environment Experiments -- 3.2.1.4 Analysis of Corrosion Products and Morphologies of Specimens After Rust Removal -- 3.2.1.5 Macroelectrochemical Testing at the Initial Stage of Corrosion -- 3.2.1.6 Macroelectrochemical Experiments for Short-term Immersion -- 3.2.1.7 Real-time Corrosion Monitoring

Experiment for Short-term Immersion -- 3.2.1.8 Random Forest Modeling Analysis -- 3.2.2 Basic Material Properties and Corrosion Behavior -- 3.2.2.1 Microstructure Analysis -- 3.2.2.2 Density and Mechanical Properties Analysis -- 3.2.2.3 Corrosion Morphology -- 3.2.2.4 Corrosion Kinetics Analysis -- 3.2.2.5 Macroelectrochemical Properties -- 3.2.3 Study on the Dynamic Corrosion Process of Fe-Mn-Al-C Low-density Steel by Alloying Elements -- 3.2.3.1 Real-time Monitoring and Analysis of Short-term Immersion Corrosion -- 3.2.3.2 RF Modeling Analysis -- 3.3 Effect of Cr-Ni Microalloying on the Corrosion Resistance of Fe-Mn-Al-C Low-density Steel with Heat Treatment -- 3.3.1 Materials and Methods -- 3.3.1.1 Materials -- 3.3.1.2 Microstructure Characterization -- 3.3.1.3 Mechanical Performance Testing -- 3.3.1.4 Immersion Test -- 3.3.1.5 Periodic Immersion Experiment -- 3.3.1.6 Corrosion Morphology and Corrosion Product Analysis -- 3.3.1.7 Macroelectrochemical Experiment. 3.3.1.8 Thermodynamic Calculations -- 3.3.1.9 Immersion Corrosion Real-time Experiment -- 3.3.1.10 RF Modeling Analysis -- 3.3.2 Characterization of Basic Properties and Corrosion Behavior -- 3.3.2.1 Microstructure -- 3.3.2.2 Mechanical Properties -- 3.3.2.3 Corrosion Morphology -- 3.3.2.4 Corrosion Rate -- 3.3.2.5 Corrosion Product -- 3.3.2.6 Electrochemical Properties -- 3.3.2.7 Thermodynamic Calculation Analysis -- 3.3.3 Corrosion Mechanism of Heat-treated Low-density Steel with Addition of Alloying Elements -- 3.3.4 Analysis of Corrosion Model for Fe-Mn-Al-C-Type Low-density Steel Based on Corrosion Big Data -- 3.3.4.1 Dynamic Corrosion Current -- 3.3.4.2 RF Modeling Analysis -- 3.3.4.3 Validation of RF Prediction Data -- 3.3.4.4 Analysis of Feature Variable Correlation -- 3.4 Chapter Summary -- References -- Chapter 4: Interaction of Multiple Corrosion Modes During the Degradation of Titanium-Steel Composites -- 4.1 Introduction -- 4.2 Corrosion Mechanism of TA2-Q345B Composite Plate -- 4.2.1 Experimental Procedures -- 4.2.1.1 Material Preparation -- 4.2.1.2 Crystallographic Information and Microstructural Analysis -- 4.2.1.3 Electrochemical Testing -- 4.2.1.4 Immersion Testing -- 4.2.1.5 Micro-region Electrochemical Testing -- 4.2.1.6 Thermodynamic Calculations -- 4.2.2 Corrosion Behavior of TA2-Q345B Composite Plates -- 4.2.2.1 Microstructure of TA2-Q345B Composite Plate -- 4.2.2.2 Corrosion Resistance of Titanium-Steel Composite Plates -- 4.2.2.3 Surface Morphology of Titanium-Steel Composite Samples After Immersion Test -- 4.2.2.4 The Localized Electrochemical Properties Associated with the Inclusion of Al₂O₃-MnS -- 4.2.3 Corrosion Mechanism -- 4.3 Degradation Process of TA2-Q345B Composite Sheet in Synthetic Contaminated Seawater Environment -- 4.3.1 Materials and Methods -- 4.3.1.1 Analysis of Corrosion Morphology and Corrosion Products. 4.3.1.2 Weight Loss Calculation -- 4.3.1.3 Electrochemical Testing -- 4.3.2 Corrosion Behavior of TA2-Q345B Composite Plates in Polluted Marine Solutions -- 4.3.2.1 Surface Morphology Observation After Immersion Experiments -- 4.3.2.2 Corrosion Morphologies of Point Defects in Titanium-Steel Composite Plates -- 4.3.2.3 Influence of Point Defects on the Corrosion Rate of Titanium-Steel Composite Plates in Simulated Marine Solutions -- 4.3.3 Galvanic Current and Galvanic Potential in Simulated Polluted Marine Solutions -- 4.3.3.1 Point Defects in Titanium Alloy and Q345B -- 4.3.4 Effect of Linear Defects on the Corrosion Rate of Titanium-Steel Composite Plates -- 4.3.4.1 Corrosion Product Analysis After Immersion Experiments -- 4.3.4.2 The Corrosion Kinetics of Titanium-Steel Composite Plates in a Marine Environment -- 4.3.4.3 Corrosion Resistance of Titanium-Steel Composite Plates in Polluted Marine Environments -- 4.3.5 Corrosion

Mechanism -- 4.4 Chapter Summary -- References -- Chapter 5:
Effects of Corrosion Inhibitors and Flow Rate on the Corrosion
Resistance of Ductile Iron Pipes -- 5.1 Introduction -- 5.2 Study on the
Difference of Microstructure and Corrosion Resistance -- 5.2.1
Materials and Methods -- 5.2.2 Material Structure Characterization
Analysis -- 5.3 Corrosion Resistance Difference of Materials in
Simulated Solutions -- 5.3.1 Experimental Materials and Methods --
5.3.1.1 Materials and Solutions -- 5.3.1.2 Electrochemical Test -- 5.3.2
Study on the Difference of Corrosion Resistance of Materials in the
Environment Without Corrosion Inhibitor -- 5.3.2.1 OCP Analysis --
5.3.2.2 Polarization Curve Analysis -- 5.3.2.3 EIS Analysis -- 5.3.3
Effect of Environmental Factors on Corrosion Kinetics of Ball-milled
Cast Iron in Corrosion Inhibitor-free Solution -- 5.3.4 Corrosion
Resistance of Materials in Corrosion Inhibitor Environment.
5.3.4.1 Corrosion Resistances of Three Materials Under the
Environment of Ethanolamine.

Sommario/riassunto

Bridges corrosion science and artificial intelligence to advance durable,
high-performance marine steels Understanding and controlling the
corrosion of steels in marine environments is a critical challenge for
modern engineering, with far-reaching implications for safety,
durability, and sustainability.

2. Record Nr.	UNINA9911148226903321
Titolo	Zinc surfaces : a guide to alloys, finishes, fabrication, and maintenance in architecture and art / / L. William Zahner
Pubbl/distr/stampa	Hoboken, N.J., : Wiley, c2021
ISBN	1-119-54159-X 1-119-54163-8 9781119541639
Descrizione fisica	1 online resource (339 pages)
Collana	Zahner's architectural metals series
Classificazione	524.28
Disciplina	661.0661
Soggetti	Zinc -- Surfaces Zinc -- Finishing Zinc coatings Architectural metal-work Art metal-work
Lingua di pubblicazione	Inglese
Formato	Materiale a stampa
Livello bibliografico	Monografia
Note generali	Includes bibliographical references (p. 305-306) and index
Nota di bibliografia	Includes bibliographical references and index.
Sommario/riassunto	"Zinc, the fifth book in Zahner's Architectural Metals Series, is a comprehensive and authoritative treatment of zinc applications in architecture and art. This visual, full-color guide offers architecture and design professionals the information they need to ensure proper maintenance and fabrication techniques. Zahner's approach to the use of zinc in architecture and art covers everything from the history of the metal and choosing the right alloy, to detailed information on a variety of surface and chemical finishes and corrosion resistance. Case studies offer architecture and design professionals strategies for designing and executing successful projects using zinc. About the series: Zahner's Architectural Metals Series offers in-depth coverage of today's most commonly used metals in architecture and art. These heavily illustrated guides offer comprehensive coverage of how each metal is used in creating surfaces for building exteriors, interiors, and art finishes. Volumes in the series cover: Stainless Steel; Aluminum; Copper, Brass and Bronze; Steels; and Zinc"--

